



**WOLFF®**

GOING BEYOND YOUR LIMITS.

# MACHINES AND SPECIAL TOOLS FOR FLOOR LAYERS

**PRODUCT CATALOGUE**



**INTER-  
ACTIVE**



**UZIN UTZ®**

**WOLFF.**

**GOING  
BEYOND  
YOUR  
LIMITS.**



# STRENGTH IN UNITY:

## COLLABORATING FOR EXCELLENCE

Since its founding 70 years ago, WOLFF has always been at the forefront of innovation. Now, more than ever, the brand is in a phase of profound change. This transition reflects not only the evolution of our products and services but also a fundamental shift in our working culture.

At the heart of this change is the realization that complex challenges can only be overcome through enhanced teamwork and collaborative thinking. Our teams work closely together to push boundaries and exceed our customers' expectations. Through this unity, we strive to make WOLFF an even stronger, more agile brand. A brand that is ready to shape the future and meet the needs of an ever-changing market..

**With every step forward, we affirm our commitment to innovation, quality, and excellence.**



Christian Richter,  
Managing Director WOLFF



Jürgen Rehmann  
Managing Director WOLFF



# TABLE OF CONTENTS

## THE COMPLETE RANGE

### FLOOR REMOVAL

Floor stripper. ....	8
Hand tools for Floor Removal. ....	42

### SUBFLOOR PREPARATION

Milling machines and grinding machines. ....	46
Industrial vacuum cleaners. ....	76
Mixers and accessories. ....	90
Levelling tools. ....	98

### TESTING AND MEASUREMENT TECHNOLOGY

Moisture analysers. ....	110
Other testing equipment. ....	116

### POWER TOOLS 18V

Battery-powered machines. ....	122
--------------------------------	-----



## APPLYING FLOORS

Linoleum   PVC   Rubber.....	140
Textile coverings.....	160
Parquet.....	166
Milling and welding.....	170

## BASIC TOOLS

Knives, Blades and Scissors.....	180
Rulers and Templates.....	184
Other working tools.....	187
Work safety.....	190

## CLEANING AND CARE

Cleaning machines.....	194
------------------------	-----

## SERVICE

Contact.....	200
Zentek.....	201



# FLOOR REMOVAL

Floor stripper. ....	8
Hand tools for Floor Removal. ....	42







# RIDE ON STRIPPER

## EFFORTLESS REMOVAL OF COATINGS

### REMOTE CONTROL

- + High-precision radio remote control for ride-on and walk-beside operation
- + Particularly user-friendly thanks to one-hand control
- + Integrated display with indication of machine and battery status



### BATTERY SYSTEM

- + Lithium-ion system
- + Constant performance over the entire battery charge
- + Completely maintenance-free, no outgassing, no refilling
- + Chargers installed directly in the machine



### WALK BESIDE OPTION

- + More precise work thanks to a better overview
- + Greater safety thanks to loading without sitting up
- + No vibrations, therefore no physical strain for the operator





CHARGING SPEED

- + Full charge with 2 batteries in 5 hours
- + Full charge with 1 battery in 3 hours
- + Intermediate charging possible without any problems (no memory effect)



DRIVE CONCEPT

- + Purely electric, powerful drive
- + Better efficiency than conventional hydraulic systems
- + Maintenance-free
- + Low noise emission



FEATURES

- + Forklift pick-up
- + Integrated crane eyes for loading & lashing
- + Low basic weight, therefore easier transport
- + Compact design, also fits in small vans
- + Direct illumination of tool and work area
- + Particularly quiet operating noise
- + Rotatable tool holder
- + Charger for remote control directly on board





# INDEPENDENCE

## THE POWERHOUSE FROM WOLFF

Stripper for the removal of all textile and elastic floor coverings as well as for the removal of parquet, tiles and sports coverings. Ride-On or Walk-Beside operation optionally possible.



### Technical specifications

- Battery voltage: 48 V
- Battery capacity: 200 Ah (2 Batteries)
- Battery running time: 12h (2 Batteries)
- Speed: 0-51 m/min
- Working width: 50-840 mm
- Dimensions l x w x h: 1553 x 778 x 1203 mm
- Empty weight: 700 kg  
(2 Batteries without additional weights)
- Maximum weight: 1000 kg
- Additional weight: Maximum 300 kg  
(24 additional weights of 12.5 kg each) |  
8 additional weights are already installed on delivery

### Features

- 1-Hand radio remote control
- Autonomous through lithium ion battery system
- Pure electric drive
- Vibration free in walk beside mode
- Suitable for all common floor coverings

Item no.	Scope of delivery
----------	-------------------

173752	Independence EU 2 Batteries
--------	-----------------------------

	1 transport chassis, 1 blade holder 350 mm, 1 KS-U blade 350x60x3x45° cutting edge top, 1 charging cable 10m, 1 transport case, 8 additional weights 12.5 kg each, 1 Allen key for blade exchange, 1 operating manual, 2 batteries, 2 chargers
--	--

172770	Independence USA 2 Batteries
--------	------------------------------



# MAVERICK

## AGILE, MANEUVERABLE, STRONG

**Your strong ally: Maverick effortlessly removes all textile and elastic floor coverings as well as parquet and sports surfaces.**



### Technical specifications

- Battery voltage: 48 V
- Battery capacity: 100 Ah
- Battery runtime: 3-4 h
- Battery charging time: 5 - 6 h
- Speed: 0-51 m/min
- Empty weight: 538 kg
- MaxWeight: 588 kg
- Dimensions L x W x H:  
1396 mm x 578 (584) mm x 1202 mm
- Working width: 50-840 mm
- Sound pressure level: 72.6 dB(A)
- Sound power level: 61.6 dB(A)
- Whole-body vibration  
(Ride-on Stripper only) 1.5 m/s<sup>2</sup>
- Additional weight: Maximum 50 kg  
(4 additional weights of 12.5 kg each)

### Features

- Choice of ride-on or walk-beside mode
- Autonomous thanks to battery drive
- Energy-efficient thanks to purely electric drive
- Built-in lashing eyes for easier loading
- Non-marking wheels

Item no.	Scope of delivery
----------	-------------------

177979	Maverick (EU) 1 Maverick, 1 battery pack 5.0 kWh / 100Ah, 1 charging cable 10m, 1 transport rack, 1 remote control, 1 charger for remote control battery
--------	---



## ADDITIONAL WEIGHT

Additional weight à 12,5 kg for Independence Stripper (Maximum 24 additional weights per machine possible)

### Item no. Product

173720 Additional weight Independence 12,5 kg each



## TRANSPORT CHASSIS

### Item no. Product

172544 Transport chassis Independence



## BATTERY

### Item no. Product

172588 Battery Li-Io 5kW-100Ah Independence



## SPECIAL U-SHAPED BLADE

For simultaneous pre-cutting and removal of the coverings. Sharp end on one side

Item no.	Product	Dimensions
75010	Special U-shaped blade, top cutting edge (for hard surfaces)	450 mm
75011	Special U-shaped blade, bottom cutting edge (for soft surfaces)	450 mm
13983	Special U-shaped blade, top cutting edge	350 mm
38933	Special U-shaped blade, bottom cutting edge	350 mm
80620	Special U-shaped blade, top cutting edge	250 mm
80622	Special U-shaped blade, bottom cutting edge	250 mm



Schneide oben

Schneide unten

## SPECIAL BLADES FOR PARQUET AND COVERING REMOVAL

Made of special steel for stubborn floor coverings and parquette.

Item no.	Product	Dimensions
79636	Spare blade	350 x 120 x 3.0 mm
79639	Spare blade, serrated	350 x 120 x 3.0 mm
174553	Spare blade	250 x 120 x 5 mm
174532	Spare blade	350 x 120 x 5 mm
174540	Spare blade	450 x 120 x 5 mm





## BLADE HOLDER

Item no.	Product	Dimensions
172781	Blade holder 250 Independence	250 mm
171083	Blade holder 350 Independence	350 mm
173066	Blade holder 450 Independence	450 mm
173483	Blade holder 840 Independence	840 mm



## SPARE BLADES

Item no.	Product	Dimensions	PU
13979	Spare blade	350 x 60 x 1,5mm	10 pieces
75007	Spare blade	450 x 60 x 1,5mm	5 pieces
173490	Spare blade	840 x 120 x 1,5mm	5 pieces
173491	Spare blade	840 x 60 x 1,5mm	5 pieces
81205	Blade serrated	350 x 60 x 1,5mm	



## HAMMER-CHISEL

For normally glued tiles

Item no.	Product	Dimensions
173038	Hammer chisel 115 Independence	115 mm
173056	Hammer chisel 75 Independence	75 mm



## HARD METAL-CHISEL

For very firmly glued tiles and mineral coatings.

Item no.	Product	Dimensions
173211	HM chisel 115 Independence	115 mm
173210	HM chisel 69 Independence	69 mm



## COLD STEEL U-SHAPED BLADE

Blade made from a stainless, tempered high-performance cutting steel. Very high resistance to abrasive and adhesive wear.

- Low distortion
- High compressive strength
- Hardness: 58 HRC

Item no.	Product	Dimensions
173452	Cold steel U-shaped blade, top cutting edge	250 x 60 x 3 mm x 45°
173465	Cold steel U-shaped blade, bottom cutting edge	250 x 60 x 3 mm x 45°
173451	Cold steel U-shaped blade, top cutting edge	350 x 60 x 3 mm x 45°
173464	Cold steel U-shaped blade, bottom cutting edge	350 x 60 x 3 mm x 45°
173463	Cold steel U-shaped blade, top cutting edge	350 x 80 x 3 mm x 45°
173450	Cold steel U-shaped blade, bottom cutting edge	350 x 80 x 3 mm x 45°






# DRIVE-ON RAMP

Lightweight, mobile and foldable drive-on ramp made of high-strength extruded aluminum profile for safe loading of the independence.

- High load capacity (600 kg) per piece
- Non-stick coating available at an extra charge
- LxWxH 3000x500x115 mm
- Drive-on height min/max 500/790 mm
- Weight 30 kg
- Made in Germany



Item no.	Product	Dimension	Weight	PU
174735	Drive-On Ramp Independence	3m	30 kg	1 piece

# CONNECTING CABLE REMOTE CONTROL

For radio-sensitive areas, such as hospitals, airports, etc.



Item no.	Product	Dimension
171792	Connecting cable remote control	5m

# EXTENSION TOOL

The extension is used to remove the covering at a greater distance from the machine. This prevents large-format tiles from bumping/edging against the deflector. The extension also makes it possible to see the chisel tip from the driver's perspective



Item no.	Product
175769	Extension Tool Independence



**WOLFF®**

GOING BEYOND YOUR LIMITS.


# ALL IN ONE ALL FOR YOU

## UZIN UTZ GO APP - YOUR MOBILE TOOLBOX FOR FLOORING AND PAINTING WORK

- + Quick access to our best service
- + Everything at a glance: Contact persons, dealers & products
- + Always up to date with news and promotions
- + All digital helpers combined: Machine Navigator, spare parts catalogue, ...



SCAN ME



[utzit.com/uzgo-store](https://utzit.com/uzgo-store)



**UZIN UTZ®**



# BITURBO STRIPPER

## THE BENCHMARK IN TERMS OF EFFECTIVENESS AND EASE OF USE

Stripper for the removal of all textile and elastic floor coverings as well as for the removal of parquet.



BLADE CASE  
BITURBO-STRIPPER  
PAGE 26

### Technical specifications

- Voltage: 230 V
- Striking mechanism power consumption: 1.5 kW
- Drive power consumption: 1.5 kW
- Impact rate: 3000 impacts/min
- Blade width: 350 mm
- Weight: approx. 260 kg (dismountable)
- Speed: 0 to 27 m/min
- Working capacity: approx. 100 - 150 m<sup>2</sup>/h



### Features


- High operating comfort due to self-propulsion (forward and backward)
- Speed continuously adjustable between 0 and 27 m/min
- Adjustment to different coverings and working conditions through blade angle adjustment
- Torsion compensation for efficient detachment
- Easy transport, as additional weights are removable and the machine can be divided in the middle
- Handle height adjustable in 3 steps
- Optimum cutting results due to percussive blade movement
- Controls easily accessible on the cockpit

Item no.	Scope of delivery
85000	BiTurbo Stripper 1 blade 350 x 60 x 1.0 mm, 1 blade 350 x 60 x 1.5 mm, 1 blade 350 x 120 x 1.5 mm, 1 blade 350/200 x 120 x 3.0 mm offset, 1 U-blade top cutting edge, 1 U-blade bottom cutting edge, additional weights, tool set, extension cable 10m, grease gun, hearing protection, protective gloves
88784	BiTurbo Stripper 115V / 50-60HZ UK
88530	BiTurbo Stripper 230V AUS
88292	BiTurbo Stripper 230V / 50HZ CH
88755	BiTurbo Stripper 230V / 50HZ DK
89253	BiTurbo Stripper 230V / 60HZ US



## SPECIAL BLADES FOR PARQUET AND COVERING REMOVAL

With special deflector for better deflection of larger parquet pieces. Only suitable for Independence and BiTurbo strippers!



Item no.	Product	Dimensions
80359	Special blade for parquet and floor covering removal with screwed-on blade holder (in set)	350 x 150 x 3.0 mm
79634	Spare blade	350 x 150 x 3.0 mm

## CARRYING AID

Carrying aid for easier transportation.



Item no.	Product
179133	Carrying aid

## CHASSIS

Chassis suitable for BiTurbo, Turbo EMC and Turbo.



Item no.	Product
62227	Chassis

## SPECIAL GREASE / GREASE GUN FOR STRIKING MECHANISMS

Special grease, 500g cartridge, Specially developed for the Biturbo striking mechanism. 2-hand grease gun for BiTurbo and Turbo.



Item no.	Product
176568	hand grease gun
87733	Special grease



# TURBO EMC

## MORE COMFORT THROUGH ELECTRIC

Stripper for removing all bonded floor coverings. New machine variant of the Turbo stripper with electromagnetic clutch. It makes engaging the drive more comfortable and the work more ergonomic.



### Technical specifications

- Voltage: 230 V
- Power: 2.600 W
- Working width: 150 - 350 mm
- Number of impacts: 5.000 impacts/min.
- Weight: 157 kg
- Working capacity: approx. 60 - 100 m<sup>2</sup>/h



### Features

- High operating comfort due to electromagnetic clutch
- 2,600 W motor with starting current limiter
- Safety during operation due to restart protection
- Easy transport due to removable weights and detachable handle
- Starting current limiter
- USB connection in the switch housing
- A parking brake is integrated for safe

Item no.	Scope of delivery
10622	Turbo EMC 1 blade 350 x 60 x 1.0 mm, 1 blade 350 x 60 x 1.5 mm, 1 blade 200 x 60 x 1.5 mm, 1 blade 150 x 60 x 1.5 mm, 1 U-blade top cutting edge, 1 U-blade bottom cutting edge, tool kit, extension cable 10m, grease gun, hearing protection, protective gloves
11829	Turbo EMC 115V / 50HZ UK
164275	Turbo EMC 230V / 50HZ AUS
166154	Turbo EMC 230V / 50HZ CH
164561	Turbo EMC 230V / 50HZ DK
10623	Turbo EMC 230V / 60HZ US



## ADDITIONAL WEIGHT 30 KG

Additional weight 30 kg, for Turbo stripper.

Item no.	Product
----------	---------

38535	Additional weight 30 kg
-------	-------------------------



## CHASSIS

Chassis suitable for BiTurbo, Turbo EMC and Turbo.

Item no.	Product
----------	---------

62227	Chassis
-------	---------



## SPECIAL BLADE

Heavy-duty version, angled, for heavy coverings and solid parquet.

Item no.	Product	Dimensions
----------	---------	------------

15532	Special blade for Version 1 strippers
-------	---------------------------------------

350 mm
--------



## PARQUET STRIPPER SET

Parquet stripper set. For removal of parquet.  
Suitable for the Turbo stripper:

Item no.	Product
----------	---------

63754	Parquet stripper set
-------	----------------------

Item no.	Scope of delivery
----------	-------------------

63752	Parquet deflector
-------	-------------------

172789	Underride protection left Turbo2
--------	----------------------------------

172785	Underride protection right Turbo2
--------	-----------------------------------

13982	Blades for multi-layer parquet
-------	--------------------------------

73389	Parquet set blade holder
-------	--------------------------

79636	Parquet cutter 350 x 120 x 3,0 mm
-------	-----------------------------------



## SPECIAL GREASE / GREASE GUN FOR STRIKING MECHANISMS

Special grease, 500g cartridge, Specially developed for the Biturbo striking mechanism.  
2-hand grease gun for BiTurbo and Turbo.

Item no.	Product
----------	---------

176568	hand grease gun
--------	-----------------

87733	Special grease
-------	----------------





# TURBO STRIPPER

## NO. 1 WORLDWIDE

Tried and tested stripper for removing all bonded floor coverings.



### Technical specifications

- Voltage: 230 V
- Power: 2.600 W
- Working width: 150-350 mm
- Number of impacts: 5.000 impacts/min.
- Weight: 157 kg
- Working capacity: approx. 60-100 m<sup>3</sup>/h



### Features

- 2,600 W motor with starting current limiter
- Travel drive with manual clutch
- Safety during operation due to restart protection
- Easy transport due to removable weights and detachable handle
- USB connection in the switch housing

Item no.	Scope of delivery
43778	Turbo Stripper 1 blade 350 x 60 x 1.0 mm, 1 blade 350 x 60 x 1.5 mm, 1 blade 200 x 60 x 1.5 mm, 1 blade 150 x 60 x 1.5 mm, 1 U-blade top cutting edge, 1 U-blade bottom cutting edge, tool kit, extension cable 10m, grease gun, hearing protection, protective gloves
39087	Turbo Stripper 115V UK
39086	Turbo Stripper 115 US



## ADDITIONAL WEIGHT 30 KG

Additional weight 30 kg, for Turbo stripper.

Item no.	Product
----------	---------

38535	Additional weight 30 kg
-------	-------------------------



## CHASSIS

Chassis suitable for BiTurbo, Turbo EMC and Turbo.

Item no.	Product
----------	---------

62227	Chassis
-------	---------



## SPECIAL BLADE

Heavy-duty version, angled, for heavy coverings and solid parquet.

Item no.	Product	Dimensions
----------	---------	------------

15532	Special blade for Version 1 strippers
-------	---------------------------------------

350 mm
--------



## PARQUET STRIPPER SET

Parquet stripper set. For removal of parquet.  
Suitable for the Turbo stripper:

Item no.	Product
----------	---------

63754	Parquet stripper set
-------	----------------------

Item no.	Scope of delivery
----------	-------------------

63752	Parquet deflector
-------	-------------------

172789	Underride protection left Turbo2
--------	----------------------------------

172785	Underride protection right Turbo2
--------	-----------------------------------

13982	Blades for multi-layer parquet
-------	--------------------------------

73389	Parquet set blade holder
-------	--------------------------

79636	Parquet cutter 350 x 120 x 3,0 mm
-------	-----------------------------------



## SPECIAL GREASE / GREASE GUN FOR STRIKING MECHANISMS

Special grease, 500g cartridge, Specially developed for the Biturbo striking mechanism.  
2-hand grease gun for BiTurbo and Turbo.

Item no.	Product
----------	---------

176568	hand grease gun
--------	-----------------

87733	Special grease
-------	----------------





## SPARE BLADE

Item no.	Product	Dimensions	PU
13978	Spare blade for textile	350 x 60 x 1.0 mm	10 pieces
13982	Spare blade for multi-layer parquet	350 x 120 x 1.5 mm	25 pieces
13979	Spare blade for linoleum, vinyl and rubber	350 x 60 x 1.5 mm	10 pieces
13981	Spare blade for linoleum, vinyl and rubber	150 x 60 x 1.5 mm	10 pieces
13980	Spare blade for linoleum, vinyl and rubber	200 x 60 x 1.5 mm	10 pieces



## SPECIAL U-SHAPED BLADE 350 MM

For simultaneous pre-cutting and removal of the coverings. Sharpened on one side.

Item no.	Product	Dimensions
13983	Special U-shaped blade, top cutting edge	350 mm



## SPECIAL BLADE

Item no.	Product	Dimensions
79636	Special blade	350 x 120 x 3.0 mm
79637	Special blade	350/200 x 120 x 3.0 mm offset
79638	Special blade for strongly bonded coverings	350/100 x 120 x 3.0 mm
79639	Special blade for multi-layer parquet	350 x 120 x 3.0 mm
81205	Special blade for coverings with fleece backing	350 x 60 x 1.5 mm





**WOLFF.**

**GOING  
BEYOND  
YOUR  
LIMITS.**



# BLADE SELECTOR FOR REPLACEMENT AND SPECIAL BLADES FOR INDEPENDENCE, MAVERICK, ROBO, BITURBO AND TURBO STRIPPERS

BLADE		MACHINES									
ITEM NO.	PRODUCT		Carpet with foam backing	Carpet with fleece backing	Carpet with double backing	Woven carpet	Needle-punched fleece/ Kugel-garn®	Carpet tiles	CV	CV with fleece backing	PVC/ design flooring
013978	Spare blade 350x60x1,0mm	●●●	●	●	●	●●	●●	●●	●●	●●	●
013979	Spare blade 350x60x1,5mm	●●●●●	●	●	●	●●	●●	●●	●	●	●●
013980	Spare blade Turbo 200x60x1,5mm	●									●
013981	Spare blade Turbo 150x60x1,5mm	●									●
013982	Spare blade 350x120x1,5mm	●●●									●
013983	U-Blade 350mm Top cutting edge	●●●●●			●	●	●	●	●●	●	●●
038933	U-Blade 350mm Bottom cutting edge	●●●●●			●	●	●	●	●●	●	●●
015532	Special knife heavy duty	●									
075006	Spare blade 450x120x1,5mm	●●●						●	●		●
075007	Spare blade 450x60x1,5mm	●●●	●●	●●	●●	●●	●●	●●	●	●	●
075010	U-Blade 450 Top cutting edge	●●●	●	●	●	●	●	●	●●	●●	●●
075011	U-Blade 450 Bottom cutting edge	●●●	●	●	●	●	●	●	●●	●●	●●
079634	Parquet blade 350x150x3,0mm	●●									●
079636	Parquet blade 350x120x3,0mm	●●●●●									●
079637	Parquet blade 200x120x3,0mm	●●●									●
079638	Parquet blade 100x120x3 toothed	●●●									
079639	Parquet blade 350x120x3 toothed	●●●									
080359	Parquet blade 350x150x3,0mm	●●									●
080620	U-Blade 250mm Top cutting edge	●●			●	●	●		●	●	●
080622	U-Blade 250mm Bottom cutting edge	●●			●	●	●		●	●	●
081205	Blade 350x60x1,5mm toothed	●●●●●		●	●					●	
173450	CWS-U-Messer 350x80x3,0mmx45° BB	●●●●●									●
173451	CWS-U-Blade 350x60x3,0mmx45° BT	●●●●●									●
173452	CWS-U-Blade 250x60x3,0mmx45° BT	●●●●●									●
173463	CWS-U-Blade 350x80x3,0mmx45° BT	●●●●●									●
173464	CWS-U-Blade 350x60x3,0mmx45° BB	●●●●●									●
173465	CWS-U-Blade 250x60x3,0mmx45° BB	●●●●●									●
174532	CWS-Blade 350x120x5,0mm	●●●●									
174540	CWS-Blade 450x120x5,0mm	●●●●									
174553	CWS-Blade 250x120x5,0mm	●●●●									

This selector does not replace a thorough check of the conditions on site. Wolff accepts no liability for damage caused by improper use, to the building or to the tools.



## FLOOR COVERING

Linoleum	Cork	Rubber	Rubber studs	Industrial parquet	Solid parquet	Multi-layer parquet	Cork parquet	Laminate glued	Cork underlays	Granulate underlays	Sports flooring	Parquet with HDF/MDF carrier	Decoupling plates	Quartz vinyl tiles
●									●					
●●	●●	●●	●						●	●	●	●●		●●
●	●	●												
●	●	●												
●	●	●	●●			●	●			●	●			●
●											●			
●											●			
				●	●									
●		●												●
●	●	●							●	●	●			●
●●		●●							●	●	●			
●●		●●							●	●	●			
●	●	●	●●	●●	●●	●●	●●			●	●	●	●	●
●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
●	●	●	●	●	●	●	●	●			●	●	●	●
								●				●		
								●				●		
●	●	●	●●	●●	●●	●●	●●			●	●	●	●	●
●		●									●			
●		●									●			
												●		
●	●	●									●●			
●	●	●									●●			
●	●	●									●●			
●	●	●									●●			
●	●	●									●●			
●	●	●									●●			
				●	●	●	●				●		●	●
				●	●	●	●				●		●	●
				●	●	●	●				●		●	●

●● especially suitable      ● suitable

● Independence

● Maverick

● Robo

● Biturbo

● Turbo



# BLADE CASE

## FOR ROBO, BITURBO AND TURBO

Blade case for Robo, BiTurbo and Turbo strippers with a selection of blades for a wide range of applications. The case includes two compartments so that the blades can be transported safely and in a space-saving way. There is also enough space to store other tools.



### Technical specifications

- Weight: 10.5 kg

Item no.	Scope of delivery
88634	Blade case for Robo, BiTurbo and Turbo 1 x transport case, 2 x compartments for blades, 10 x spare blades 350 x 60 x 1.5 mm, 2 x spare blades 350 x 120 x 1.5 mm, 5 x U-blade 350 top cutting edge, 1 x U-blade 350 bottom cutting edge, 1 x parquet blade 200 x 120 x 3 mm, 1 x blade 350 x 60 x 1.5 mm serrated, 10 x spare blades 350 x 60 x 1.0 mm



# BLADE CASE

## FOR VARIO STRIPPER AND LUPU

Blade case for Vario stripper and Lupo with all important blades for a wide range of applications. The case includes two compartments so that the blades can be transported safely and in a space-saving way. There is also enough space to store other tools.



### Technical specifications

- Weight: 8.0 kg

Item no.	Scope of delivery
88635	Blade case for Vario stripper 1 x transport case, 2 x compartments for blades, 10 x spare blades 250 x 60 x 1.0 mm, 10 x spare blades 250 x 60 x 0.7 mm, 10 x spare blades 250 x 60 x 1.5 mm, 5 x U-blade 250 top cutting edge, 1 x U-blade 250 bottom cutting edge, 1 x serrated blade 250 x 60 x 1 mm
185859	Blade case for Lupo 1 x transport case, 2 x insert compartments for blades, 10 x replacement blades 250 x 60 x 0.7 mm, 10 x replacement blades 250 x 60 x 1.0 mm, 2 x serrated blades 250 x 60 x 1.0 mm, 10 x replacement blades 250 x 60 x 1.5 mm



# VARIO-SILENT STRIPPER

## THE PERFECT CHOICE, FOR LOW-NOISE COATING REMOVAL

Extremely quiet stripper with stepless angle adjustment for use on medium-sized surfaces.



### Technical specifications

- Voltage: 230 V
- Power: 1.650 W
- Speed: 3.000 rpm
- Total weight: 107 kg (basic unit: 60 kg, additional weight (hood) removable: 30 kg, handle removable: 17 kg)
- Working width: max. 250 mm
- Speed: 2,5 - 17 m/min
- Working capacity: approx. 30 - 70 m<sup>2</sup>/h
- With starting current limitation



### Features

- Removal of vinyl, linoleum, rubber and textile floor coverings
- Quiet motor enables working even during operation (hospitals, business premises)
- High operating comfort due to self-propulsion
- Easy transport, as additional weight and handle are removable
- Secure working in corners and wall areas with pull-back system
- Vario drive: Speed continuously adjustable between 2.5 and 17 m/min
- Adaptation to different coverings and working conditions through blade holders with different angles
- USB connection in the switch housing
- Continuous angle adjustment

Item no.	Scope of delivery
38764	Vario Silent Stripper 1 blade 250 x 60 x 0.7 mm, 1 blade 250 x 60 x 1.0 mm, 1 blade 250 x 60 x 1.5 mm, 1 U-blade top cutting edge, 1 U-blade bottom cutting edge, tool set, extension cable 10m, protective gloves, blade guard
42453	Vario Silent Stripper 115V UK
50202	Vario Silent Stripper 115V US



## PULL-BACK-SYSTEM

The pull-back system was developed to make it easy to pull the Silent Vario stripper backwards. When you reach a wall or other obstacle while working, you can lift the drive wheels by simply pulling the handle. The machine stops even though the wheels can continue to turn. If you pull harder on the handle, you can pull the machine back until the next sheet is to be detached. When the handle is moved forward again, the drive wheels touch down on the floor again and the machine moves forward again. When working, the handle must be pushed slightly forward so that the small transport castors are raised.

## SPARE BLADE

Item no.	Product	Dimensions	PU	Price
38765	Spare blade for textile	250 x 60 x 0.7 mm	10 pieces	
38766	Spare blade for textile	250 x 60 x 1.0 mm	10 pieces	
38767	Spare blade for linoleum, vinyl and rubber	250 x 60 x 1.5 mm	10 pieces	



## SERRATED BLADE

Serrated blade for removing coverings with felt and fleece backing. The serrated edge ensures optimum cutting of the fibre. The blades are made of high-quality hardened and specially coated spring steel with CNC-controlled sharpening.

Item no.	Product	Dimensions
48401	Serrated blade	250 x 60 x 1.0 mm



## SPECIAL U-SHAPED BLADE

For simultaneous pre-cutting and removal of the coverings (for CV and needle punch coverings). Sharpened on one side.

Item no.	Product	Dimensions
38768	Special U-shaped blade, top cutting edge	250 mm
38932	Special U-shaped blade, bottom cutting edge	250 mm



## SET BLADE ANGLE ADJUSTMENT

Complete conversion kit for retrofitting the stepless angle adjustment on older Vario-Silent.

Item no.	Product
171262	Set blade angle adjustment



SUITABLE FOR MACHINES UP TO  
YEAR OF CONSTRUCTION 2022  
(MACHINE NO. 02405/2022).



# LUPO

## SELF-DRIVE, REDEFINED

The Lupo removes vinyl, linoleum, rubber and textile floor coverings.



BLADE CASE  
VARIO-SILENT  
STRIPPER  
PAGE 27

### Technical specifications

- Voltage: 230V
- Power: 1.500 W
- Total weight: 90kg (drive unit 36kg, motor 20kg, impact mechanism 14kg, additional weight 20kg)
- Working width: max. 250 mm
- Speed: 10m/min
- Working capacity: ca. 30 - 70 m<sup>2</sup>/h

### Features

- Stepless blade angle adjustment
- Travel drive and impact mechanism are powered by the same motor
- Easy disassembly and space
- Saving transportation
- Removal of vinyl, linoleum, rubber and textile floor coverings

### Item no. Scope of delivery

177973	LUPO Stripper EU 1x Lupo, 1 blade 250 x 60 x 0.7 mm, 1 blade 250 x 60 x 1.0 mm, 1 blade 250 x 60 x 1.5 mm, tool kit, extension cable 10m
--------	---

Item no.	Accessories	Dimensions	Price
38765	Replacement Blad	250 x 60 x 0.7 mm	
38766	Replacement Blad	250 x 60 x 1.0 mm	
38767	Replacement Blad	250 x 60 x 1.5 mm	



**WOLFF.**

**GOING**

**BEYOND**

**YOUR**

**LIMITS.**



# DURO STRIPPER 2.0

## WELL-KNOWN AND PROVEN

Best-selling stripper - The No. 1 for universal use on small to medium-sized areas.



### Technical specifications

- Voltage: 230 V
- Power: 2.000 W
- Starting current limitation
- Max. working width: 210 mm
- Speed: 8.500 rpm
- Weight: 16 kg



### Features

- Chassis for easier work
- Operation as a hand-held unit or as a floor unit with height-adjustable guide handle
- Robust housing for tough use
- Low-vibration running due to special bearings

Item no.	Scope of delivery
84888	Duro Stripper 2.0 Chassis, 1 blade 210 x 60 x 0.7 mm, 1 blade 210 x 60 x 1.0 mm, tool set, hearing protection, protective gloves, blade guard
85641	Duro Stripper 2.0 115V UK
85642	Duro Stripper 2.0 115V US

Item no.	Accessories	Dimensions	PU
13344	Spare blade for textile	210 x 60 x 0.7 mm	10 pieces
13345	Spare blade for linoleum, vinyl and rubber	210 x 60 x 1.0 mm	10 pieces
13346	Spare blade for linoleum, vinyl and rubber	210 x 60 x 1.5 mm	10 pieces
48402	Serrated blade	210 x 60 x 1.0 mm	
13349	Transport box		



# JUNIO STRIPPER

**HARD-TO-REACH PLACES?  
NO PROBLEM!**

**Removal of textile coverings, foam and covering residues as well as glass fibre wall coverings on small surfaces.**



## Technical specifications

- Voltage: 230V
- Power: 1.200 W
- Max. working width: 200 mm
- Weight: 3,1 kg



## Features

- Enables work in inaccessible places such as window recesses and under radiators
- Also ideal for stairs and walls
- With transport systainer

Item no.	Scope of delivery
16876	Junio stripper 1 blade 120 mm, tool set, transport systainer, blade guard, protective gloves, hearing protection
20819	Junio stripper 115V UK
50080	Junio stripper 115V US

Item no.	Accessories	Dimensions	PU
13998	Spare blade for textile	120 mm	10 pieces
14000	Spare blade for vinyl	200 mm	10 pieces



# BLADE SELECTOR FOR REPLACEMENT AND SPECIAL BLADES FOR VARIO, LUPO, DURO AND JUNIO STRIPPERS

BLADE		MACHINES	Carpet with foam backing	Carpet with fleece backing	Carpet with double backing	Woven carpet	Needle-punched fleece/ Kugel-garn®	Carpet tiles	CV	CV with fleece backing	PVC/ design flooring
ITEM NO.	PRODUCT										
013344	Spare Blade 210x60x0,7mm	●	●●	●	●	●	●	●	●	●	
013345	Spare Blade 210x60x1,0mm	●	●●	●●	●●	●●	●	●	●●	●●	●
013346	Spare Blade 210x60x1,5mm	●	●	●	●	●	●●	●●	●	●	●●
013998	Spare Blade Junio-Stripper 120mm	●	●	●	●				●		
014000	Spare Blade Junio-Stripper 200mm	●	●	●	●				●		
038765	Spare Blade 250x60x0,7mm	●●	●●	●	●	●	●	●	●	●	
038766	Spare Blade 250x60x1,0mm	●●	●●	●●	●●	●●	●●	●	●●	●●	●
038767	Spare Blade 250x60x1,5mm	●●	●	●●	●●	●●	●●	●●	●●	●●	●●
038768	U-Blade 250mm Top cutting edge	●	●	●	●	●	●		●●	●●	●●
038932	U-Blade 250mm Bottom cutting edge	●	●	●	●	●	●		●●	●●	●●
048401	Serrated blade 250x60x1,0mm	●●	●●	●	●					●	
048402	Serrated blade 210x60x1,0mm	●	●●	●	●					●	

This selector does not replace a thorough check of the conditions on site.  
 Wolff accepts no liability for damage caused by improper use, to the building or to the tools.



FLOOR COVERING

Linoleum	Cork	Rubber	Rubber studs	Industrial parquet	Solid parquet	Multi-layer parquet	Cork parquet	Laminate glued	Cork underlays	Granulate underlays	Sports flooring	Parquet with HDF/MDF carrier	Decoupling plates	Quartz vinyl tiles
●														
●●														
●		●								●				
●●		●●							●	●				
●●		●●												
●●		●●												

- especially suitable
- suitable
- Vario
- Lupo
- Duro
- Junio



# RAMHAMMER

## HAMMER WITH HIGH IMPACT FORCE FOR EASY REMOVAL OF TILES

Ergonomic design minimises the user's exposure to vibrations and ensures safe operation



### Technical data

- Rated output power: 1,750W
- Impact energy: 41J
- Impact speed at nominal speed: 1300 bpm
- Tool holder: HEX 30 mm
- Voltage: 230V
- Total weight: 51kg
- Weight hammer: 17kg
- Weight trolley: 34kg
- Dimensions l x w x h: 1285 mm x 610 mm x 860 mm
- Working width: 130 mm



### Properties

- Ergonomic working due to upright posture (independent of working angle)
- 9-fold angle adjustment
- Quick mounting of the demolition hammer on the trolley
- Powerful motor with 41 joules of impact energy
- Low vibration and high manoeuvrability enables perfect handling

Item no.	Scope of delivery
----------	-------------------

169208	RamHammer RamHammer Trolley, Bosch Hammer GSH16-30, Spade chisel
--------	---



## TROLLEY

- Trolley for holding a Bosch GSH16-30 demolition hammer
- Total weight: 34kg
  - Dimensions l x w x h: 920 mm x 610 mm x 860 mm
  - Working width: 130 mm



### Item no. Product

170000	RamHammer Trolley
178422	RamHammer Trolley for DeWalt D25960K
178425	RamHammer Trolley for Makita HM1317C

## HALF-SHELL SET

Half-shell sets for easy and flexible conversion of the trolley.

- Versatile compatibility
- Simple assembly

### Item no. Product

175420	Half-shell set Bosch RamHammer
178426	Half-shell set Makita HM1317C RamHammer
178427	Half-shell set DeWalt D25960K RamHammer



## SPADE CHISEL

The double-sided recess at the insertion end allows the cutting edge to be used on both sides  
Drop-forged carbon steel spade chisel  
Extremely durable  
High resistance to impact and shock loads



### Item no. Product

Item no.	Product	PU
169752	Spade Chisel 75x450mm RamHammer	1 piece

## SPARE BLADE

Knives made of solid, high-alloy tool steel  
Very high resistance to impact and shock loads  
High break resistance, good wear resistance



### Item no. Product

Item no.	Product	PU
180402	Spare blade 140x130x6 mm RamHammer	1 piece

## KNIFE HOLDER SET

Wide cutting edge for high material removal  
The double-sided recess at the insertion end allows the cutting edge to be used on both sides  
Extremely stable, drop-forged holder  
Knife with very high resistance to impact and shock loads  
Secure, high-strength screw connections

### Item no. Product

Item no.	Product	PU
181292	Knife holder set RamHammer	1 piece
	Contents: Forged knife holder, replacement knife, torque wrench	
180404	Knife holder forged single RamHammer	1 piece





# PARQUET MILLING MACHINE PM200

## THE PROBLEM SOLVER FOR REMOVING PARQUET

Milling machine for the removal of strongly bonded two-layer parquet with HDF/MDF carrier.



### Technical specifications

- Voltage: 230V
- Power: 2600 W
- Working width: 200 mm
- Milling depth: 15 mm
- Working capacity: up to 50m<sup>2</sup> /hour
- Weight: approx. 70 kg
- Speed: 6500 rpm
- Dimensions L x W x H: 620 mm x 590 mm x 1080 mm



### Features

- Low dust emissions in the air through fine dust extraction
- Space-saving disposal of the old covering as small chips are produced
- Chips are deposited in a row behind the machine and can be collected afterwards
- Continuous adjustment of the milling depth
- Simple and effortless lowering of the milling drum
- Continuous adjustment of the handle position
- Controls easily accessible on the handle
- Two sturdy handles for safe transport

Item no.	Scope of delivery
----------	-------------------

163361	Parquet milling machine PM200 fully loaded milling drum, hose adapter for suction hose 38 mm, extension cable, tool kit, hearing protection, protective gloves, safety goggles, transport chassis
--------	--



## SET OF INDEXABLE INSERTS

Item no.	Product	PU
164252	Indexable insert set (including screws)	14 pieces



## PAPER BAGS

Item no.	Product	PU
168069	Paper sacks 120 l 25 pieces	25 pieces




## TRANSPORT CHASSIS

Item no.	Product
166208	Transport chassis



## EXTRACTION HOOD

Item no.	Product
162800	Extraction hood



## MILLING DRUM

Item no.	Product
162871	Milling drum



## TWO-HAND SWITCH 12A

Item no.	Product
163316	Two-hand switch 12A





# PARQUET SAW PS 230

## PARQUET AND JOINT SAW

For fast, precise sawing of parquet and mineral substrates.



### Technical specifications

- Voltage: 230V
- Power: 2600 W
- Speed: 6500 rpm
- Saw blade diameter: 230 mm
- Continuous cutting depth: 0 - 60 mm
- Suction nozzle diameter: 50 mm
- Weight: 28 kg



### Features

- Powerful motor enables non-stop sawing of parquet and mineral substrates
- Cutting depth continuously adjustable from 0 - 60 mm
- Adapter for vacuum cleaner only suitable for M30 vacuum cleaner

Item no.	Scope of delivery
84919	PS 230 Parquet and joint saw Carbide saw blade Ø 230 mm, tool for saw blade change, cable extension arm



## CARBIDE SAW BLADE

Item no.	Product	Dimensions
85147	Carbide saw blade (Standard)	230 mm



## PCD SAW BLADE

Item no.	Product	Dimensions
85148	PCD saw blade (for wood)	230 mm



## DIA SAW BLADE

Item no.	Product	Dimensions
85541	DIA saw blade (for hard substrate-concrete)	230 mm



## DIA SAW BLADE

Item no.	Product	Dimensions
85149	DIA saw blade 230 mm (for soft substrate)	230 mm





## ERGO CUTTER PRO


The perfect tool for pre-cutting textile coverings.  
The long metal handle makes forward pushing quick and easy.

Item no.	Product
88300	Ergo Cutter Pro



## ERGO CUTTER PRO SPARE BLADES

Item no.	Product	PU
13421	Ergo Cutter Pro spare blades	100 pieces
89522	Ergo Cutter Pro spare blades	10 pieces



## PREMIUM RIPPER CLAW

A great help when removing bonded floor coverings. Indestructible thanks to high-quality aluminium material. The ergonomic shape protects hands and fingers. Tested to a tensile force of 200 kp.

Item no.	Product
13342	Premium ripper claw



## RIPPER CLAW

Made of steel, with spring-loaded clamping jaw and rotating wooden handle.

Item no.	Product
160344	Ripper claw



## FLOOR SCRAPER

Suitable for removing adhesive and carpet residues during installation work.

- Very sturdy design
- Painted 140 cm black tubular steel handle
- 30 cm wide, welded-on back for holding the blade

Item no.	Product	Dimensions
34543	Floor scraper with blade	Width 30 cm, handle length 140 cm
34649	Spare blade floor scraper	





## IMPACT SCRAPER

The push scraper with handle is suitable for removing adhesive or mortar residues from the floor.

- Painted 140 cm black tubular steel handle.
- 15 cm wide, welded-on back to hold the blade

Item no.	Product	Dimensions
34521	Impact scraper with blade	Width 15 cm, handle length 140 cm
34650	Spare blade Impact scraper	



## HAND SCRAPER

For removing floor and wall coverings.

- Ergonomically shaped handle

Item no.	Product	Dimensions	PU
51505	Hand scraper, incl. 5 blades	Working width 10 cm	
13617	Spare blades for hand scraper, in box		100 pieces
89520	Spare blades for hand scraper, in hanging packaging with Euro perforation		10 pieces
88367	Screw set for hand scraper		



## PROFESSIONAL HAND SCRAPER

For removing floor and wall coverings.

- Ergonomically shaped handle
- Delivery without blades

Item no.	Product	Dimensions	PU
65500	Professional hand scraper	Working width 52 mm	
13419	Trapezoid blades for Professional hand scraper		100 pieces





# SUBFLOOR PREPARATION

Milling machines and grinding machines .....	46
Industrial vacuum cleaners. ....	76
Mixers and accessories. ....	90
Levelling tools.....	98







# MILLING AND GRINDING MACHINE NEO 400


## THE POWERFUL ONE FOR LARGE AREAS

High area performance due to efficient and aggressive removal. Improved extraction enables almost dust-free working.



### Technical specifications

- Voltage: 400 V
- Power: 4.000 W
- Speed: 1.500 rpm
- Working width: 400 mm
- Weight: 95 kg
- Suction connection: 50 mm



### Features

- High area output
- Efficient and aggressive removal even of very hard coatings
- Effective dust extraction through two extraction nozzles and double extraction rim with brushes
- Handle continuously height adjustable
- Suction ring with brushes
- Suction port Ø 50 mm
- Support wheel enables easy movement of the machine on soft surfaces
- The NEO 400 is operated with high voltage current, the extension cable #015960 must be ordered separately.

Item no.	Scope of delivery
----------	-------------------

76970	Floor grinding machine NEO 400 1 additional weight 15 kg, support wheel, cable extension, segment holder for 4 - 12 DIA segments, tool set, soft-face hammer, hearing protection, safety goggles, protective gloves, without grinding tool!
-------	--

80765	Floor grinding machine NEO 400 115V US
-------	--

Item no.	Accessories
----------	-------------

72225	Additional weight, complete
-------	-----------------------------



# MILLING AND GRINDING MACHINE NEO 230

OUR BESTSELLER

Ideal for small to medium areas as well as for edge trimming.



## Technical specifications

- Voltage: 230 V
- Power: 2.000 W
- Speed: 1.500 rpm
- Working width: 230 mm
- Weight: 44 kg
- Suction connection: 50 mm



## Features

- Angular adjustment of the grinding head in three positions
- Movable suction hood that follows the floor in all positions
- Push-on suction hood for working close to the edge
- Height-adjustable and foldable handle
- Easy replacement of diamond segments in seconds thanks to modern slide-in system

Item no.	Scope of delivery
74650	Floor grinding machine NEO 230 Disc holder for 4 diamond segments, cable extension arm, extension cable, soft-face hammer, hearing protection, safety goggles, without grinding tools!
74895	Floor grinding machine NEO 230 115V UK
75382	Floor grinding machine NEO 230 115V US
178986	Additional weight NEO 230 10kg



# MAMBO EVO

## MONODISC SANDING MACHINE

The most versatile sanding machine for all sanding and milling work.



### Technical specifications

- Voltage: 230 V
- Power: 2.000 W
- Speed: 100 - 400 rpm
- Working width: 375 - 400 mm
- Weight: 52 kg + 18 kg additional weight



### Features

- Continuously variable speed control from 100 - 400 rpm enables optimum adaptation of the abrasive to the surface
- Internal suction ring
- Effective, fast working and high removal rate due to high torque - high tractive power even at low speeds
- Additional weight for increased removal rate
- Easy transport by car due to foldable handle and removable weight (dimensions when folded 55 x 40 x 88 cm)
- Vibration and shock-absorbing plate support
- Height-adjustable wheels
- With starting current limitation

Item no.	Scope of delivery
61804	Mambo Evo sanding machine Protection and suction ring, additional weight 18 kg, hearing protection, extension cable 2.5', without drive plate and vacuum
62551	Mambo Evo sanding machine 115V UK
68952	Mambo Evo sanding machine 115V US



**WOLFF.**

**GOING**

**BEYOND**

**YOUR**


**LIMITS.**



# 5C-QUALITY

## FINEST DIAMOND TOOLS -MADE IN GERMANY

All diamond segments and diamond grinding discs with 5C quality can be recognised by the diamond logo.



### 5C quality stands for:


- 1. concrete specification of the diamond quality
- 2. constant size and strength of the PCDs
- 3. constant overall height of the segments and base bodies
- 4. clear areas of application
- 5. consistent quality assurance

The diamond segments from German origin have precisely defined PCD proportions and are subjected to permanent quality controls such as microscope inspection, segment fracture test, strength strength test and shear force measurement. With the 5C quality, you can be sure of working successfully with and stable products.

### 5C-QUALITY DIAMONDS IN DETAIL

#### Microscope sighting:

Distribution, quantity and size of PCD and diamonds



#### Segment break test:

Distribution, quantity and size of the PCD and diamonds




#### Comparison with commercial usual segment:

Left 5C quality | right without 5C quality







## DIAMOND SEGMENT ES 5C 20-60



## DIAMOND SEGMENT BT 5C 20-60



## DIAMOND SEGMENT XTRA 5C PCD




## DIAMOND SEGMENT JET 5C PCD



## DIAMOND SEGMENT TRI SPIKE 5C



## DIAMOND GRINDING DISC BT 5C 20



## STROKE NUMBERS

On the BT and ES 5C segments you will find an embossed beat number. This makes it easy to distinguish between the different segments.

Item no.	Product	Stroke Number
163281	ES-5C 20	1
163282	ES-5C 40	2
163283	ES-5C 60	3
163284	BT-5C 20	4
163285	BT-5C 40	5
163286	BT-5C 60	6



# SEGMENT SELECTOR FOR 5C SEGMENTS

SEGMENTS									
ART. NO.	163281	163282	163283	163284	163285	163286	163287	163288	163289
IMAGE									
DESCRIPTION	Diamond Segment ES-5C 20	Diamond Segment ES-5C 40	Diamond Segment ES-5C 60	Diamond Segment BT-5C 20	Diamond Segment BT-5C 40	Diamond Segment BT-5C 60	Diamond Segment Xtra PKD	Diamond Segment Jet PKD	Diamond Segment Tri Spike
MACHINES	●●●	●●●	●●●	●●●	●●●	●●●	●●●	●●●	●●●
GRINDING PLATE	●	●	●	●	●	●	●	●	●

## SANDING SUBFLOOR

Mastic asphalt	●●	●●	●●					●	●●
Thin epoxy layers				●●	●●	●●			●●
Dispersion fixings	●●	●●	●●						
Old concrete	●	●	●						●
Cement screed	●●	●●	●●					●	●
Hard grain floors				●●	●●	●●			
Anhydrite screed	●●	●●	●●					●	●
Leveling compounds	●	●	●						
Concrete				●●	●●	●●			
Natural stone	●	●	●						●
Tiles/ceramics	●	●	●						●
Coatings									●

## GRINDING SUBFLOOR

PU coatings > 2 mm							●●	●	
PU coatings < 2 mm							●	●	●●
Epoxy coatings				●	●	●	●●	●	●
Synthetic resin floors							●●		●
Fillers							●●		
Foam and fleece residues	●	●	●					●●	●●
Jute and SDR residues	●	●	●				●	●●	●●
HDF/MDF residues							●●		
Tile mortar							●		
Bitumen							●	●●	
Adhesive layers < 1 mm	●●	●●	●●					●	●
Adhesive layers > 1 mm							●●	●	
Sealants	●	●	●					●	●

- particularly suitable    ● suitable
- Neo 230    ● Neo 400    ● Mambo Evo    ● Basic Grinding Plate

**This selector does not replace a thorough inspection of the conditions on site.**  
 Wolff accepts no liability for damage caused to the structure or tools due to improper use.



# BASIC GRINDING PLATE FOR DIAMOND SEGMENTS

## COMPLETE WITH SEGMENT HOLDERS

Complete with segment holders for diamond segments. For machines from a power of 1.700 W.



Item no.	Product	Dimensions
169398	Basic grinding Plate for diamond segments	Ø 400 mm



# SEGMENT SELECTOR FOR STANDARD DIAMOND SEGMENTS

SEGMENTS										
ART. NO.	075364	075365	075366	010831	010832	068390	068391	184577	068389	068388
IMAGE										
DESCRIPTION	PCD ULTRA	PCD ULTRA XT	PCD Scraper XT	PCD Viper	PCD Viper XT	DS BT K 20	DS ES K 20	DS ES K20 VS	DS PCD split	DS PCD scraper
MACHINES										
GRINDING PLATE										

## SANDING SUBFLOOR

Mastic asphalt							●●		●●	
Thin epoxy layers						●●			●	
Dispersion fixings							●●			
Old concrete							●	●●	●●	
Cement screed							●●	●	●	
Hard grain floors						●●				
Anhydrite screed							●●		●	
Leveling compounds							●			
Concrete						●●				
Natural stone							●	●	●	
Tiles/ceramics							●	●	●	
Coatings									●	

## GRINDING SUBFLOOR

PU coatings > 2 mm	●●	●●	●●	●	●					●●
PU coatings < 2 mm	●●	●●	●●						●●	●●
Epoxy coatings	●●	●●	●	●	●	●			●	●
Synthetic resin floors	●●	●●	●	●	●	●			●	●●
Fillers	●●	●●	●	●●	●●	●				●●
Foam and fleece residues	●	●●	●				●		●●	●
Jute and SDR residues	●	●●	●●				●		●●	●
HDF/MDF residues	●	●●	●●	●●	●●					●
Tile mortar	●	●	●●							●●
Bitumen	●	●	●●						●	●●
Adhesive layers < 1 mm	●●	●					●●		●	
Adhesive layers > 1 mm	●●	●●	●●							●●
Sealants						●	●		●	

- particularly suitable
- suitable
- Neo 230
- Neo 400
- Mambo Evo
- Samba\*
- Flamengo\*
- Ninja Grinding Plate
- Basic Grinding Plate

This selector does not replace a thorough inspection of the conditions on site. Wolff accepts no liability for damage caused to the structure or tools due to improper use.

\*Due to their design, the Samba and Flamengo sanders are only suitable for small areas. If you have any questions, please contact our technical advisors.



## DIAMONDS STARTER SETS

Item.no	Product	
163794	PCD scraper starter set 4x PCD scraper (#68388), 4x ES G 20 (#68391), soft-face hammer #80208, transport case	813,00 €
163795	PCD scraper starter set 4x PCD split (#68389), 4x ES G 20 (#68391), soft-face hammer #80208, transport case	813,00 €






# NINJA DIAMOND GRINDING PLATE

**EFFECTIVE, SIMPLE AND PROVEN**

Extremely effective grinding plate for all surfaces. Easy replacement of the diamond segments due to the impact system. Secure and easy application due to diamond selector.



## Features

- High quality and long service life of the segments
- Easy replacement of segments due to modern slide-in system
- Diamond segments for various applications with application table

Item no.	Versions
68867	Ninja complete with PCD split segments
68866	Ninja complete with PCD scraper segments
68869	Ninja complete with ES G20 segments
68868	Ninja complete with BT G20 segments
68392	Ninja complete without segments



# SAMBA

## MONODISC SANDING MACHINE 1,700 W

Handy, very powerful machine with powerful 1,700 W motor for sanding and brushing screeds and compounds as well as for wet cleaning and polishing hard floors.



Item no. #173326

ADDITIONAL WEIGHT

### Technical specifications

- Voltage: 230 V
- Power: 1.700 W
- Speed: 154 rpm
- Weight: 44 kg
- Working width: 375/400 mm



Detail of the machine with Kräimifolde #7722462

### Features

- Can be used for any task thanks to a wide range of working plates and cleaning accessories
- Specially reinforced handle
- Robust steel gearbox
- Metal rims

Item no.	Scope of delivery
56364	Samba sanding machine without vacuum and drive plate, without additional weight
65218	Samba sanding machine 115V UK
63047	Samba sanding machine 115V US



# FLAMENCO

## MONODISC SANDING MACHINE 2,200 W

Handy, very powerful machine for sanding and brushing screeds and compounds. Now with a new carrying handle for better transport.



Item no. #173326

ADDITIONAL WEIGHT

### Technical specifications

- Voltage: 230 V
- Power: 2.200 W
- Speed: 154 rpm
- Weight: 44 kg
- Working width: 375/400 mm



### Features

- Powerful motor for problem-free machining of the underfloor
- Low working weight
- Can be used for any task thanks to a wide range of working plates and cleaning accessories
- Specially reinforced handle
- Robust steel gearbox

Item no.	Scope of delivery
56365	Flamenco sanding machine without vacuum and drive plate, without additional weight



# TANGO

## MONODISC SANDING MACHINE 1,000 W

Handy 1,000 W machine with a wide range of applications. Now with a new carrying handle for better transport.



ADDITIONAL WEIGHT

Item no. #173326

### Technical specifications

- Voltage: 230 V
- Power: 1.000 W
- Speed: 154 rpm
- Weight: 41 kg
- Working width: 375/400 mm



### Features

- Sanding and brushing of screeds and compounds
- For the fine sanding of parquet and cork
- Wet cleaning of carpets and polishing of floors
- Polishing out oiled and waxed floors

Item no.	Scope of delivery
56366	Tango sanding machine without vacuum and drive plate, without additional weight



## ADDITIONAL WEIGHT

Increases the removal rate

### Item no. Product

173326 Additional weight, 11 kg



## VACUUM PLASTIC DUST SEAL RING

### Item no. Product

13503 Vacuum plastic dust seal ring, complete

### Item no. Scope of delivery

35082 Vacuum with basket

14038 Hose set with T-piece

14039 Suction ring with apron

15353 Brush ring



## VACUUM METAL DUST SEAL RING

### Item no. Product

74177 Vacuum metal dust seal ring, complete

### Item no. Scope of delivery

35082 Vacuum with basket

72462 Dust seal ring with manifold

73385 Hose set for dust seal ring

78742 Brush for dust seal ring with manifold



## PAPER FILTER BAGS 80 CM

### Item no. Product

37299 Paper filter bags (for vacuums manufactured in 2004)

### Dimensions

80 cm

### PU

5 pieces





## CLEANING TANK

For wet cleaning with pads and brushes. The cleaning tank is attached to the guide rod of the sanding machine. Tank capacity approx. 12 l.

Item no.	Product
59831	Cleaning tank



## METAL WHEEL RETROFIT KIT

For retrofitting older models that are still equipped with plastic wheels.

Item no.	Product
83950	Metal wheel retrofit kit





## DRIVE PLATE WITH MICROCELLULAR RUBBER OVERLAY

For sandpaper, carbide grinding discs and sanding mesh.

Item no.	Product	Dimensions
13299	Drive plate	Ø 375 mm
13327	Drive plate	Ø 400 mm
13500	Microcellular rubber pad, single	Ø 375 mm
13328	Microcellular rubber pad, single	Ø 400 mm



## DRIVE PLATE WITH FELT

For sandpaper.

Item no.	Product	Dimensions
13501	Drive plate	Ø 375 mm
13526	Felt pad	Ø 375 mm



## DRIVE PLATE WITH FELT

Item no.	Product
14044	Left-hand threaded screw
14959	A/F 8 Allen key
14043	Spring washer



## SANDING MESH

Item no.	Product - grain size	Dimensions	PU
12665	Sanding mesh - grain size 60	Ø 406 mm	10 pieces
12666	Sanding mesh - grain size 80	Ø 406 mm	10 pieces
12667	Sanding mesh - grain size 100	Ø 406 mm	10 pieces
12668	Sanding mesh - grain size 120	Ø 406 mm	10 pieces
12669	Sanding mesh - grain size 150	Ø 406 mm	10 pieces
13549	Sanding mesh - grain size 180	Ø 406 mm	10 pieces





## SANDPAPER DISCS, DOUBLE-SIDED


Item no.	Product - grain size	Dimensions	PU
50820	Sandpaper discs - grain size 16	Ø 380 mm	10 pieces
13527	Sandpaper discs - grain size 24	Ø 380 mm	10 pieces
13528	Sandpaper discs - grain size 40	Ø 380 mm	10 pieces
13529	Sandpaper discs - grain size 60	Ø 380 mm	10 pieces
13530	Sandpaper discs - grain size 80	Ø 380 mm	10 pieces
13532	Sandpaper discs - grain size 100	Ø 380 mm	10 pieces
13533	Sandpaper discs - grain size 120	Ø 380 mm	10 pieces
51243	Sandpaper discs - grain size 16	Ø 400 mm	10 pieces
13329	Sandpaper discs - grain size 24	Ø 400 mm	10 pieces
13330	Sandpaper discs - grain size 40	Ø 400 mm	10 pieces
13534	Sandpaper discs - grain size 60	Ø 400 mm	10 pieces
13535	Sandpaper discs - grain size 80	Ø 400 mm	10 pieces
13536	Sandpaper discs - grain size 100	Ø 400 mm	10 pieces
13537	Sandpaper discs - grain size 120	Ø 400 mm	10 pieces



## CARBIDE GRINDING DISC, DOUBLE-SIDED

For sanding screeds and compounds and for removing adhesive and covering residues.  
High removal rate.

Item no.	Product - grain size	Dimensions
33291	Carbide grinding disc - grain size 12	Ø 375 mm
50849	Carbide grinding disc - grain size 14	Ø 375 mm
13510	Carbide grinding disc - grain size 16	Ø 375 mm
13517	Carbide grinding disc - grain size 24	Ø 375 mm
33292	Carbide grinding disc - grain size 12	Ø 400 mm
50850	Carbide grinding disc - grain size 14	Ø 400 mm
13515	Carbide grinding disc - grain size 16	Ø 400 mm
13518	Carbide grinding disc - grain size 24	Ø 400 mm
38197	Carbide grinding disc - grain size 36	Ø 400 mm






## FLAT WIRE BRUSH

For removing foam, felt and jute backings. For roughening anhydrite flowing screeds, for industrial floor cleaning. Wire length 45 mm.

Item no.	Product
----------	---------

15738	Flat wire brush
-------	-----------------



## BRUSH CUP PLATE

Cleaning sanding for anhydrite and cement-based screeds

Item no.	Product
----------	---------

15735	Brush cup plate
-------	-----------------

15736	Cup brush set, 6 pieces
-------	-------------------------

15737	Mounting set for cup brush set
-------	--------------------------------



## GRINDING PLATE WITH 6 STONES G 20

For sanding screeds and compounds and removing uneven surfaces, colour and plaster residues. For machines with a power of 1,700 W or more.

Item no.	Product
----------	---------

13540	Grinding plate with 6 stones G 20
-------	-----------------------------------

13490	Grindstone, G 20
-------	------------------



## MULTI GRINDING PLATE

For fine sanding of parquet and intermediate sanding of seals. For 4 grinding discs, 150 mm. Incl. extra high brush ring, #40982, for working with the Mambo sanding machine.

Item no.	Product
----------	---------

14023	Multi grinding plate
-------	----------------------

40982	Brush ring, high. To work with Mambo sanding machine
-------	--



## VELCRO DISC FOR MULTI-HOLE PAD

Diameter 410 mm

For surface sanding of freshly laid wooden floors, for intermediate varnish sanding, for renovating oiled surfaces and finishing sealed parquet floors (dirt, dust influences), for matting varnished surfaces and for machining solid surface floors.

Item no.	Product	Dimensions
----------	---------	------------

40607	Velcro disc, complete	Ø 410 mm
-------	-----------------------	----------

42796	Dust collection pad	Ø 410 mm
-------	---------------------	----------

41043	Velcro pad	
-------	------------	--






## GRINDING PLATE WITH DIAMOND GRINDING HEADS, SPIRAL FANNED

For sanding all common coatings, compounds and especially concrete floors. Even extremely hard compounds can be sanded without any problems. For machines with a power of 1,700 W or more.


Item no.	Product
14248	Grinding plate with diamond grinding heads, spiral fanned
14249	Diamond sanding head



## GRINDING PLATE WITH DIAMOND GRINDING HEADS

For grinding highly tempered fillers. Grinding with diamond prevents the polishing of the filler, thus the filler can absorb the moisture and the flash-off time is reduced.


Item no.	Product
169543	Grinding Plate with diamond grinding heads, spiral green
169547	Diamond grinding head green






## MULTI-HOLE PAD

Item no.	Product - grain size	Dimensions	PU
40775	Multi-hole pad - grain size 40	Ø 150 mm	25 pieces
40776	Multi-hole pad - grain size 60	Ø 150 mm	25 pieces
40777	Multi-hole pad - grain size 80	Ø 150 mm	25 pieces
70754	Multi-hole pad - grain size 100	Ø 150 mm	25 pieces
40778	Multi-hole pad - grain size 320	Ø 150 mm	25 pieces
40720	Multi-hole pad - grain size 36	Ø 410 mm	10 pieces
40741	Multi-hole pad - grain size 40	Ø 410 mm	10 pieces
40742	Multi-hole pad - grain size 60	Ø 410 mm	10 pieces
40743	Multi-hole pad - grain size 80	Ø 410 mm	10 pieces
40744	Multi-hole pad - grain size 100	Ø 410 mm	10 pieces
40745	Multi-hole pad - grain size 120	Ø 410 mm	10 pieces
40746	Multi-hole pad - grain size 150	Ø 410 mm	25 pieces
40747	Multi-hole pad - grain size 220	Ø 410 mm	10 pieces
40748	Multi-hole pad - grain size 320	Ø 410 mm	10 pieces
40749	Multi-hole pad - grain size 400	Ø 410 mm	10 pieces



## DRIVE PLATE FOR PADS

Item no.	Product	Dimensions
13300	Drive plate for pads	Ø 400 mm
15739	Spare support for drive plate	Ø 400 mm



## SHAMPOOING BRUSH

With soft brushes for cleaning carpet coverings.

Item no.	Product
13506	Shampooing brush



## PERLON BRUSH

With hard brushes for the initial cleaning of hard coverings (linoleum, vinyl, stone, ceramics)

Item no.	Product
13507	Perlon brush



## CORRUGATED WIRE BRUSH

For brushing and pre-cleaning surfaces.

Item no.	Product
13539	Corrugated wire brush





## COIR POLISHING BRUSH

For brushing and polishing hard coverings (linoleum, vinyl, stone, ceramics)

### Item no. Product

13505 Coir polishing brush



## PLATE FOR NATURAL STONE

For cleaning natural stone floors. Not for use with the Mambo single disc sanding machine!

### Item no. Product

33209 Plate for natural stone



## SCRUBBING BRUSH

For maintenance cleaning of hard coverings with coarse soiling and incrustations

### Item no. Product

13508 Scrubbing brush



## CLEANING PADS

Item no.	Product - grain size	Dimensions	PU
12679	Cleaning pads for high-gloss polishing, white	10mm, Ø 410 mm	10 pieces
12676	Cleaning pads for waxing and polishing, beige	10mm, Ø 410 mm	10 pieces
34300	Cleaning pads for sanding, red	10mm, Ø 410 mm	10 pieces
12677	Cleaning pads for basic/maintenance cleaning, green	10mm, Ø 410 mm	10 pieces
12678	Cleaning pads for abrasive cleaning of ceramic coverings, black	10mm, Ø 410 mm	10 pieces
33524	Cleaning pads for oiling, black	10mm, Ø 410 mm	25 pieces
12693	Cleaning pads for high-gloss polishing, white	20mm, Ø 410 mm	5 pieces
12680	Cleaning pads for waxing and polishing, beige	20mm, Ø 410 mm	5 pieces
80718	Cleaning pads for PU-coated coverings, grey	20mm, Ø 410 mm	5 pieces
34298	Cleaning pads for sanding, red	20mm, Ø 410 mm	5 pieces
12691	Cleaning pads for basic/maintenance cleaning, green	20mm, Ø 410 mm	5 pieces
65080	Cleaning pads for abrasive cleaning of resilient coverings, brown	20mm, Ø 410 mm	5 pieces
12692	Cleaning pads for abrasive cleaning of ceramic coverings, black	20mm, Ø 410 mm	5 pieces





# BS 180 FLOOR GRINDING MACHINE

## EDGE GRINDING MACHINE FOR SUBFLOOR FINISHING

Direct working up to the wall is possible! Handy device for sanding close to the edge of stairs, landings, rail systems and wall areas.



### Technical specifications

- Voltage: 230 V
- Power: 1.700 W
- Speed: 154 rpm
- Weight: 44 kg
- Working width: 375/400 mm



### Features

- Foldable and height-adjustable cover for edge-precise, low-dust work
- For removing unevenness, adhesive and covering residues, compound and paint residues
- With vacuum connection: spring-loaded cover ensures high extraction capacity
- Including ES G20 grinding disc

Item no.	Scope of delivery
15930	BS 180 floor grinding machine Tool set, 1 grinding disc ES G20 #75407, transport box, hearing protection, safety goggles



# BS 125 FLOOR GRINDING MACHINE

## THE LIGHTWEIGHT EDGE GRINDING MACHINE

**High removal rate for optimum work progress.**

**Spindle lock for easy disc replacement.**

**Anti-vibration handle.**



### Technical specifications

- Voltage: 230 V
- Power: 2.200 W
- Speed: 11.000 rpm
- Working width: 125 mm
- Weight: 7,8 kg








### Features

- High removal rate for optimum work progress
- Soft start electronics and self-shut-off carbon brushes
- Foldable cover for detailed edge, low-dust work
- Dust sealing brush for high extraction performance
- Anti-vibration handle
- Spindle lock for easy disc replacement

Item no.	Scope of delivery
80582	BS 125 floor grinding machine Grinding disc Ø 125 ES G20 black, transport system, hearing protection, safety goggles

# GRINDING DISC SELECTOR

GRINDING DISC SELECTOR					
ART. NO.	072983	072984	163290	163291	075404
IMAGE					
DESCRIPTION	Dia Grinding Disc Ø125mm ES K 20/BS 125	Dia Grinding Disc Ø125mm BT K 20/BS 125	Diamond Grinding Disc BT-5K 18/20 (Ø 125)	Diamond Grinding Disc BT-5K 18/20 (Ø 180)	Dia Grinding Disc Ø125mm PCDSplit silver
MACHINES	●	●	●	●	●

SANDING					
Mastic asphalt	●●				●●
Thin epoxy layers		●●	●●	●●	●●
Dispersion fixings	●●				
Old concrete	●				●●
Cement screed	●●				●
Hard grain floors		●●	●●	●●	
Anhydrite screed	●●				●
Leveling compounds	●				
Concrete		●●	●●	●●	
Natural stone	●				●
Tiles/ceramics	●	●	●	●	●
Paint					●

GRINDING					
PU coatings > 2 mm					
PU coatings < 2 mm					●●
Epoxy coatings		●	●	●	●
Synthetic resin floors					●
Fillers					
Foam and fleece residues	●				●●
Jute and SDR residues	●				●●
HDF/MDF residues					
Tile mortar					
Bitumen					●
Adhesive layers < 1 mm	●●				●
Adhesive layers > 1 mm					
Sealants	●	●	●	●	●

**This selector does not replace a thorough inspection of the conditions on site.**  
Wolff accepts no liability for damage caused to the structure or tools due to improper use.

IG DISCS

075405	075406	075407	075408	075409	015934	015935
Dia Grinding Disc Ø125mm PCDscraper silver	Dia Grinding Disc Ø180mm BT K 20 gold	Dia Grinding Disc Ø180mm ES K20 black	Dia Grinding Disc Ø180mm PCDsplit silver	Dia Grinding Disc Ø180mm PCD silver	HM-Disc Ø 180mm K 16	HM-Disc Ø 180mm K 24

●	●	●	●	●	●	●
---	---	---	---	---	---	---

SUBFLOOR

		●●	●●			
	●●		●●			
		●●				
		●	●●			
		●●	●		●	●
	●●		●		●	
		●				●
	●●					
		●	●			
	●	●	●			
			●			

SUBFLOOR

●●				●●		
●●			●●	●●		
●	●		●	●		
●●			●	●●		
●●				●●		
●		●	●●	●	●	●
●●		●	●●	●●	●	●
●●				●●		
●●				●●		
●●			●	●●		
		●●	●		●	●
●●				●●		
●●	●	●	●	●●		

●● particularly suitable   ● suitable   ● BS 125   ● BS 180



## BS 180 BRUSH SET

Item no.	Product
----------	---------

82650	BS 180 brush set
-------	------------------



## CARBIDE GRINDING DISC

Item no.	Product	Dimensions
----------	---------	------------

15934	Carbide grinding disc - G 16	Ø 180 mm
-------	------------------------------	----------

15935	Carbide grinding disc - G 24	Ø 180 mm
-------	------------------------------	----------



## SPARE BRUSH SET

Item no.	Product
----------	---------

80753	Spare brush set for BS 125 floor grinding machine
-------	---





**WOLFF.**

**GOING**

**BEYOND**

**YOUR**

**LIMITS.**



# EF 135 SCREED JOINT CUTTER

## LOW-DUST CUTTING OF MINERAL MATERIALS

Screed joint cutter for fast and low-dust cutting of mineral materials. The perfect solution for precise, clean and efficient work.

ALSO AVAILABLE AS AN  
18V CORDLESS APPLIANCE.



### Technical specifications

- Voltage: 230 V
- Power: 1.550 W
- Speed: 11.000 rpm
- Cutting depth: Up to 35mm
- Weight: 4,5 kg



### Features

- Continuous depth adjustment
- Marking for centre of cutting blade
- Very handy
- Low-dust working
- Safe machine guidance due to roller chassis

Item no.	Scope of delivery
68679	EF 135 screed joint cutter DIA cutting blade Ø 135, vacuum cleaner connection piece, protective goggles, hearing protection, tool kit, shaft connector (100 pcs.)
81340	EF 135 screed joint cutter 115V UK



## DIA CUTTING BLADE

Item no.	Product	Dimensions
68602	DIA cutting blade (Standard)	Ø 135 mm



## TRANSPORT CASE

Item no.	Product
84759	Transport case



## CORRUGATED LINKS

Item no.	Product	PU
13932	Corrugated Links	1000 pieces
13878	Corrugated Links	100 pieces





# T-REX

## 3-MOTOR HIGH PERFORMANCE VACUUM CLEANER

Powerful industrial vacuum cleaner with three motors for coarse dirt and fine dust. Accessories can be put together individually.



PUT TOGETHER YOUR OWN  
**INDIVIDUAL**  
VACUUM CLEANER USING  
OUR SETS!

### Technical specifications

- Voltage: 230 V
- Power: 3.500 W
- Tank volume: 50 l
- Air flow rate: 570 m<sup>3</sup>/h
- Suction capacity: 2.200 mm H<sub>2</sub>O
- Filter area: 3m<sup>2</sup>
- Weight: 65 kg
- Cable length: 10 m
- Dimensions: 58 x 60 x 125 cm



### Features

- Vacuums coarse dust, building dust with screed lumps or fine dust from grinding work
- Manual shaking unit for easy cleaning of the fabric filter
- 50 litre dust container can be removed and emptied easily
- The industrial vacuum cleaner comes on rugged running gear with large wheels for convenient mobility
- Works effectively and powerfully with a hose length of up to 15 m

Item no.	Scope of delivery
13314	T-Rex
80071	T-Rex 115V UK
14261	Fine dust filter
40066	Starter set



## STARTER SET

Item no.	Product	Dimensions
40066	Starter set	consisting of:
13337	Suction hose	50 mm, length 5 m
13335	Suction pipe	50 mm
13336	Roller nozzle	
13339	End fitting	50 mm
13340	Connecting piece	50 mm
13445	Hose clamp	40 - 60 mm
14262	Suction nozzle, round	
13338	Hose connection	50 mm

## T-REX SPARE FILTER

Item no.	Product
51152	Absolute filter (HEPA)
14261	Fine dust filter

## ROLLER NOZZLE BRUSH SET

Item no.	Product	Dimensions	PU
50286	Roller nozzle brush set	430 mm	1 Stück

## 70 CM T-REX ADD-ON NOZZLE

Item no.	Product	Dimensions
14263	Add-on nozzle 70	70 cm
14264	Add-on nozzle brush set	
14265	Add-on nozzle rubber lip	



# VACUCLEAN 2

## 2-MOTOR VACUUM CLEANER

High-performance industrial vacuum cleaner for coarse dirt and dust with large filter surface. Two powerful by-pass AC motors, dust class M filter with very large surface area and maximum manoeuvrability make the vacuum cleaner the ideal extraction solution for dust extraction of any kind.



### Technical specifications

- Voltage: 230 V
- Power: 2.300 W
- Dimensions (L x W x H): 590 x 480 x 1,010 mm
- Weight: 35 kg
- Hose length: 5 m
- Air volume: 360 m<sup>3</sup>/h
- Negative pressure: 25 kPa
- Filter category main filter: M
- Tank capacity: 20 l
- Suction connection: 50 mm
- Noise level: 76 dB(A)
- Cleaning system: Dustop
- Emptying system: Detachable container

### Features

- Large filter surface for long service life
- Integrated filter cleaning system
- Robust and 100% all-steel construction
- Lowerable collection container with optional use of disposable bags
- Two powerful AC motors with by-pass Cooling
- Low noise level
- Compact and mobile
- Quick and easy change of the main filter

Item no.	Scope of delivery
81148	Vacuclean 2 Reducing piece 50/38, 5 metre PU hose (50 mm diameter), suction tube, floor nozzle 430 mm
83574	Vacuclean 2 115V UK
82452	Vacuclean 2 HEPA Reducing piece 50/38, 5 metre PU hose (50 mm diameter), suction tube, floor nozzle 430 mm, HEPA filter



## SUCTION UNIT

The suction is provided by two bypass suction motors, which can also be operated separately and are mounted in a robust steel housing for appropriate sound insulation.

## FILTER UNIT

The polyester cartridge filter with a large filter surface area installed in the filter chamber ensures a long service life and thus prevents the filter from becoming clogged quickly. A semi-automatic Dustop filter cleaning system allows the cartridge filter to be cleaned very easily and efficiently. By closing the vacuum is created in the filter chamber. Air flows in through the Dustop flap, which is opened several times. The filter cartridge is freed of dirt. This guarantees a constant and high suction power and the dust is not dispersed into the working environment.

## COLLECTION UNIT

The vacuumed material falls into a removable, collection container, which allows for quick and easy disposal of the vacuumed material. Disposable bags can also be used on request.





# VACUCLEAN 2 LP

## 2-MOTOR VACUUM CLEANER WITH LONGOPAC SYSTEM

The high-performance industrial vacuum cleaner Vacuclean 2 LP has a system with which the vacuumed dust is removed and collected collected. This makes the removal of fine, toxic or harmful harmful dusts absolutely safe. Ideal for vacuuming up dusts during construction and surface treatments.



### Technical specifications

- Voltage: 230 V
- Power: 2.300 W
- Dimensions (L x W x H): 500 x 480 x 1250 mm
- Weight: 55 kg
- Hose length: 5 m
- Air volume: 360 m<sup>3</sup>/h
- Negative pressure: 25 kPa
- Filter category main filter: M
- Suction connection: 50 mm
- Noise level: 76 dB(A)
- Cleaning system: Dustop

### Features

- Large filter surface for long service life
- Robust and 100% all-steel construction
- Two powerful AC motors with by-pass Cooling
- Compact and mobile
- Quick and easy changing of the main filter
- Height adjustable to facilitate transport
- Sliding dumper for DUSTOP system included
- Standard and interchangeable collection container or Longopac system

Item no.	Scope of delivery
81149	Vacuclean 2 LP Reducing piece 50/38, 5 metre PU hose (50 mm diameter), suction tube, floor nozzle 430 mm, endless hose, cable tie (#81628)
83727	Vacuclean 2 LP 115V UK
82453	Vacuclean 2 LP HEPA Reducing piece 50/38, 5 metre PU hose (50 mm diameter), suction tube, floor nozzle 430 mm, endless hose, cable tie (#81628), HEPA filter
81706	Vacuclean 2 LP 115V US
81706	Vacuclean 2 LP HEPA 115V US



## SUCTION UNIT

The suction is provided by two bypass suction motors, which can also be operated separately and are mounted in a robust steel housing for appropriate sound insulation.

## FILTER UNIT

The polyester cartridge filter with a large filter surface area installed in the filter chamber ensures a long service life and thus prevents the filter from becoming clogged quickly. A semi-automatic Dustop filter cleaning system allows the cartridge filter to be cleaned very easily and efficiently. By closing the vacuum is created in the filter chamber. Air flows in through the Dustop flap, which is opened several times. The filter cartridge is freed of dirt. This guarantees a constant and high suction power and the dust is not dispersed into the working environment.

## LONGOPAC-SYSTEM

The Longopac system is an "endless" bag system (20 metres long) whose weight and length can be adjusted as needed to ensure there is no contact between the operator and the dust. A practical lifting system means that the industrial vacuum cleaner with bag can be lowered to make transport easier. Hygienic, economical and environmentally friendly!



## HOSE FILTER

**Item no. Product**

161456 Hose filter



## CONNECTING PIECE

**Item no. Product**

81990 Connecting piece

**Dimensions**

50 mm



## NOZZLES

**Item no. Product**

81618 Floor nozzle

**Dimensions**

430 mm

83178 Flat nozzle



## REDUCING PIECE

**Item no. Product**

81626 Reducing piece

**Dimensions**

50 / 38mm

## SUCTION PIPE

**Item no. Product**

81620 Suction pipe



## HOSE CONNECTION

**Item no. Product**

13338 Hose connection

**Dimensions**

50 mm



## SUCTION HOSE

**Item no. Product**

13337 Suction hose, new

**Dimensions**

5 m

## SPARE BRUSH

**Item no. Product**

50286 Spare brush

**Dimensions**

430 mm

**PU**

1 pieces



## CONICAL NOZZLE



Item no.	Product
81627	Conical nozzle

## DUST BAG, ENDLESS



Item no.	Product	Dimensions	PU
81629	Dust bag, endless, for Vacuclean 2 LP	22m	4 pieces

## CABLE TIE



Item no.	Product
81628	Cable tie for Vacuclean 2 LP

## GUILLOTINE

Item no.	Product
83833	Guillotine

## HEPA FILTER



Item no.	Product	Price
84681	Hepa Filter	00,00 €

## PTFE FILTER



Item no.	Product	Price
81613	PTFE Filter	00,00 €



# DUST EXTRACTOR M 30

## COMPACT VACUUM CLEANER FOR WET AND DRY CLEANING

Very compact and powerful wet/dry vacuum cleaner for the removal of hazardous and partially respirable fine dusts (dust class M).  
Lightweight, compact dust extractor for all common construction sites.



### Technical specifications

- Voltage: 220-240 V
- Power: 1.380 W
- Tank volume: 30l
- Sound pressure level: 69 dB
- Air volume: 74 l/s
- Weight without accessories: 13,5 kg
- Dimensions: 56 x 37 x 58 cm

### Features

- Dust class: M
- Efficient fully automatic filter cleaning
- Manually adjustable suction power
- Anti-static suction hose
- Recommendation: Full efficiency by using the bag filter #163023 (available as accessory)

Item no.	Scope of delivery
----------	-------------------

162780	Dust extractor M30
--------	--------------------

	Suction hose (4m), suction tube, flat-fold filter, fleece filter bag, wet/dry floor nozzle 360 mm, crevice nozzle, connection sleeves for electric tools (4 pcs.)
--	---



## HOSE FILTER

With 8 PTFE-coated hoses for vacuuming large quantities of wood and fibre dust of all kinds. The coating and its special geometry effectively prevent blocking. For the first time, it is possible to vacuum fibrous dust without a filter bag. The filter is insensitive to moisture and rot-proof, certified for dust class L and guarantees a high dust collection efficiency of 99.9 %.

Item no.	Product	PU
163023	Hose filter	1 piece



## WET/DRY FLAT-FOLD FILTER

Item no.	Product	PU
163014	Flat-fold filter	1 piece



## FLEECE FILTER BAGS

Item no.	Product	PU
163019	Fleece filter bags	5 pieces



## DISPOSAL BAG

Item no.	Product	PU
163020	Disposal bag	5 pieces





# PRE-SEPARATOR LP

## XXL-PRE-SEPARATOR

Powerful XXL pre-separator, which removes large quantities of coarse and fine dust even before before vacuuming.



### Technical specifications

- Inlet spigot: 80 mm
- Dimensions: 55x63x118 cm
- Length dust bag: 22 m



### Features

- Constant suction power
- Gentle on Hoover and filter
- Separation efficiency of up to 99 % of particles
- Suction hose and end connection adapted for WOLFF T-Rex
- Easy emptying with Longopac dust bags

Item no.	Scope of delivery
168070	Pre-seperator LP Hose 2m, Longopac dust bag



## ENDLESS DUST BAG

Item no.	Product	Dimensions	PU
81629	Endless dust bag	22 m	4 pieces



## CABLE TIE

Item no.	Product
81628	Cable tie





# 50 L PRE-SEPARATOR, ANTI-STATIC

## SUITABLE FOR WOOD DUSTS

Powerful pre-separator that separates large amounts of coarse dirt and fine dust even before vacuuming.

### Technical specifications

- Weight: 10 kg
- Dimensions: Ø 40 x 92 cm
- Hose length: 1,5 m
- Filling capacity: 50 l



**APPLICATION NOTE**  
THE PRE-SEPARATOR IS CONNECTED BETWEEN THE VACUUM CLEANER AND MACHINE.

**PROMOTION:**  
PROMOTION POSSIBLE FOR MEMBERS OF BG BAU!

### Features

- Constant suction power
- Gentle on vacuum cleaner and filter
- Separation efficiency of up to 99 % of particles
- Easy to empty with standard refuse sacks
- Static conductive hose and cyclone
- Particularly suitable for wood dusts due to static conductivity
- Suction hose and end connection adapted for WOLFF M 30 dust extractor and Vacuclean (Adapter set for Ronda #82069)
- Integrated wire basket prevents the dust bag from contracting.

Item no.	Scope of delivery
82215	50 l pre-separator, anti-static Cyclone completely mounted, dirt tank, hose 1.5 m (#82202), insert basket

Item no.	Accessories
169273	50 l pre-separator insert



# 30 L PRE-SEPARATOR

## SEPARATION OF COARSE DIRT AND FINE DUST

**Powerful pre-separator that separates large amounts of coarse dirt and fine dust even before vacuuming. It can be used for floor milling and grinding machines, saws, hand sanding machines and many other power tools and can also be used when vacuuming surfaces, with a floor nozzle.**

### Technical specifications

- Weight: 8.9 kg
- Dimensions: Ø 36 x 83 cm
- Hose length: 1.2 m
- Filling capacity: 30 l



### Features

- Constant suction power
- Gentle on vacuum cleaner and filter
- Separation efficiency of up to 99 % of particles
- Non-marking wheels
- Suction hose and end connection adapted for WOLFF M 30 dust extractor and Vacuclean 2 (adapter set for Ronda #82069)
- Easy to empty with standard refuse sacks
- Integrated wire basket prevents the dust bag from contracting.

Item no.	Scope of delivery
72916	30 l pre-separator Cyclone completely mounted, dirt tank, hose 1.2 m (#73102), insert basket

Item no.	Accessories
169272	Pre-separator 30l insert from 2022



# WOLFF MIXOMETER®

**NO MORE GUESSING, NOW IT'S TIME TO MEASURE!**

The WOLFF mixometer® is the precise water dosing device for filler, tile adhesive, and plaster.

Controllable via app, it remembers container quantities, saves time during mixing, and ensures precise dosing directly on the construction site.



## Technical specifications

- Water volume: 1 - 100 L
- Accuracy: +/- 3%
- Water pressure: 2 - 6 bar
- Flow rate: 10 - 25 L/min
- Power supply: 3500 mAh
- Charging port: USB-C, 5V
- Battery life: 20 hours
- Hose connection: ½" quick coupling
- Display: Graphic, illuminated LCD display
- Connection: BLE
- Protection class: IP64

Item no.	Scope of delivery
185362	WOLFF mixometer® WOLFF Mixometer, Case with Inlay, charging cabel, QuickStart-Guide



# NO MORE GUESSING, NOW IT'S TIME TO MEASURE!

## YOUR BENEFITS AT A GLANCE

### PRECISE DOSING AT THE TOUCH OF A BUTTON:

The WOLFF mixometer® is the smart solution for precise water dosing on the construction site – perfect for mixing filler, tile adhesive or plaster. At the touch of a button, the device doses the exact amount of water required directly at the point of use. This saves time, avoids dosing errors and ensures consistently perfect results – regardless of the material.

### APP MODE FOR FULLY AUTOMATIC DOSING:

Mixometer app mode makes dosing even easier: the craftsman simply scans the QR code on the material container, the app recognises the product and transfers the exact amount of water required wirelessly to the device. No calculations, no looking things up – just scan and start. The intuitive app enables full control, clear display and a fast process on the construction site.

### ROBUST, DURABLE, WELL-DESIGNED:

Manufactured in Europe, the mixometer® impresses with its high quality, user-friendliness and reliability – a must-have for anyone who wants to work professionally, precisely and efficiently.

### MEMORY FUNCTION FOR EVEN FASTER PROCESSES:

The WOLFF mixometer® automatically stores the last dosing processes so that frequently used water quantities can be quickly reused – without having to re-enter them. Ideal for trades people who regularly use similar products.

### WATER TEMPERATURE AT A GLANCE AT ALL TIMES:

An integrated temperature sensor monitors the water supply and continuously displays the current temperature. This reliably prevents processing difficulties caused by water that is too warm – for better mixing quality and longer processing times

### DIGITAL DOCUMENTATION FOR QUALITY & VERIFICATION:

Each dosage is automatically documented and can be exported from the construction site for tracking, quality control or billing purposes. This creates transparency – for site management, customers or internally. The system also supports the creation of reports and statistics, which can be used for quality control, billing or for internal purposes.





# POWER X 1600 MIXER

## 1,600 WATT 2-SPEED STIRRER WITH SPEED CONTROL

For mixing thin and thick-bodied mortar (e.g. compounds, coatings, tile adhesives)



### Technical specifications

- Voltage: 230 V
- Power: 1.600 W
- Presettable maximum speed 1st gear: 210/325/530 rpm
- Presettable maximum speed 2nd gear: 320/490/780 rpm
- Tool holder: M14
- Max. Diameter for stirrer: 160 mm
- Weight: approx. 5 kg



### Features

- Robust 2-speed gearbox
- 1,600 W 2-speed stirrer with speed control in 3 adjustable maximum speeds
- Ergonomic handles on the drive
- Full-wave electronics: Soft running, temperature monitoring, overload protection
- Excellent for mixing larger containers up to 75 kg (in combination with the WOLFF 75 l stirring station)
- Tool holder M14

Item no.	Scope of delivery
84169	Power X 1600 mixer Mixer type KR 140 S/M14



# POWER X 1000 MIXER

## 1,010 WATT 1-SPEED STIRRER

For mixing thin- and thick-bodied mortar (e.g. levelling compound, coatings)



### Technical specifications

- Voltage: 230 V
- Power: 1.010 W
- Speed: 0 - 780 rpm
- Tool holder: M14
- Max. Diameter for stirrer: 120 mm
- Weight: 4,5 kg



### Features

- Robust 1-speed gearbox
- Ergonomic handles
- Tool holder M14

Item no.	Scope of delivery
83924	Power X 1000 mixer Mixer type KR 120 S/M14



## EXTENSION

Extension piece for stirrer. Enables mixing in large mixing buckets.


Item no.	Product	Dimensions
68353	Extension	200 mm



## STIRRER TYPE MK

Robust professional stirrer with long service life. With 3 mixing wings for fast working. High mixing effect from bottom to top. Machine holder M14.


Item no.	Product	Dimensions
13604	Stirrer type MK	120 mm
13611	Stirrer type MK	160 mm



## STIRRER TYPE KR

Very high shearing forces, easy to clean. Ideal for levelling compounds. Prevents the formation of lumps. Machine holder A/F10.

Item no.	Product
13605	Stirrer type KR - 90S
13606	Stirrer type KR - 120S
17057	Stirrer type KR - 120S (thread-mounting M14)
39364	Mixer type KR - 140 (thread-mounting M14)



## STIRRER FOR 75 L STIRRING STATION

Large double blade stirrer for mixing up to 75 kg of powder.

Item no.	Product
65492	Stirrer for 75 l stirring station



## 110 L MIXING BUCKET

New enlarged mixing bucket with a filling capacity of 110 litres. For mixing light screeds

Item no.	Product
83248	110 l mixing bucket





# ONEMIX

The OneMix is suitable for mixing parquet adhesive and epoxy resin primer. The stirring discs (attachments) are intended for one-time stirring. Only the rod is cleaned after mixing, the stirring attachments can be thrown away.

Item no.	Product	PU
87946	One Mix stirring rod	1 piece
87947	OneMix stirring attachments	10 pieces



# RIPPER

Tool for dust-reducing emptying of compound bags.  
To hang on the WOLFF 30 l mixing bucket.

Item no.	Product
84094	Ripper



# TRANSPORTATION CADDY 30 L

For mixing up to 30 kg of powder.

- 2-point tip system for perfect balance
- Can be used for all common 30 l buckets

Item no.	Product
65846	Transportation caddy 30 l incl. mixing bucket

Item no.	Scope of delivery
65848	Transportation caddy base frame
65847	30 l mixing bucket



# POURING SPOUT

Facilitate precise pouring of the filler over the edge of the bucket. Compatible with Mixing bucket 30 l (#65847).

Item no.	Product	PU
15829	Pouring spout	10 pieces





# STIRRING STATION

## 75 L COMPLETE

Complete stirring station for mixing up to 75 kg of powder.  
(without stirrer)



### Features

- 2-point tip system for perfect balance
- Specially matched tools
- Can be used with any stirrer due to special holder

Item no.	Scope of delivery
----------	-------------------

65480	75 l stirring station complete
-------	--------------------------------

	75 l stirring station base frame, 75 l stirring station mounting bracket, stirrer for 75 l stirring station, 75 l stirring station mixing bucket, 75 l stirring station hose mounting
--	---



## 75 L STIRRING STATION BASE FRAME

Item no.	Product
65481	75 l stirring station base frame



## 75 L STIRRING STATION MOUNTING

Item no.	Product
65491	75 l stirring station mounting



## 75 L STIRRING STATION STIRRER

Item no.	Product
65492	75 l stirring station stirrer



## 75 L STIRRING STATION MIXING BUCKET

Item no.	Product
65493	75 l stirring station mixing bucket



## 75 L STIRRING STATION HOSE MOUNTING

Item no.	Product
65494	75 l stirring station hose mounting





# SWISS TROWEL

For cleaning and applying tile adhesive before laying tiles, slabs, mosaics, etc.  
• Made in Germany

Item no.	Product	Dimensions
56204	Swiss trowel	500 mm



# ADHESIVE TROWEL

Trowel with lateral insertion of adhesive toothed strips  
• For toothed strips with 280 mm length  
• With very easy-grip and ergonomic handle  
• Ideal for the application of UZIN KE 68 T  
• You will find our adhesive notches overview on page 102

Item no.	Product	Dimensions
56205	Adhesive trowel with side insert	280 mm



# SMOOTHING TROWEL

Thanks to its generous dimensions, it is suitable for smoothing a wide range of surfaces.  
• The blade of the trowel is not toothed so that the smoothed surfaces are free of structures.  
• For comfortable working and safe holding of the trowel, there is an ergonomically shaped handle is provided. It is permanently and stably connected to the blade.

Item no.	Product	Dimensions
56203	Smoothing trowel	280 x 135 mm



# SMOOTHING TROWEL FOR SCREED LAYERS

With rectangular blade made of 0.7 mm thick, hardened and polished spring band steel, light metal blade and ergonomically shaped wooden handle.

Item no.	Product	Dimensions	PU
51316	Smoothing trowel for screed layers	300x115mm	5 pieces
65962	Smoothing trowel for screed layers	400x115mm	3 pieces
34568	Smoothing trowel for screed layers	500x115mm	3 pieces
13746	Smoothing trowel for screed layers	600x115mm	3 pieces





## SMOOTHING TROWEL FOR SCREED LAYERS, POINTED TAPERED

With rectangular blade made of 0.7 mm thick, hardened and polished spring band steel, light metal blade and ergonomically shaped wooden handle. Blade width front 70 mm, rear 115 mm.

Item no.	Product	Dimensions	PU
37860	Smoothing trowel for screed layers, pointed tapered	500mm	5 pieces
37871	Smoothing trowel for screed layers, pointed tapered	600mm	3 pieces
34683	Smoothing trowel for screed layers, pointed tapered	700mm	3 pieces



## GRINDING STONE

For sanding screeds and compounds.

Item no.	Product	Dimensions
13493	Grinding stone K20 with handle	20 x 10 x 3,5



## CARBIDE GRINDING STONE

For grinding and removing coarse impurities. Aggressive action due to carbide grit. Angled work surface for sanding against the wall.

Item no.	Product
15718	Carbide grinding stone, G 24



## ADHESIVE PRODUCT SPATULA INCL. HANDLE

- Enables adhesive to be applied in a standing position
- Mimics hand movement through special articulated joint
- Quick cleaning of the device due to special design

Item no.	Product	Dimensions
65495	Adhesive nut spatula incl. handle	28 cm

Item no.	Accessories
65496	Adhesive nut spatula replacement
65497	Universal telescopic handle
67983	Handle holder with articulated joint





## LEVELLING COMPOUND RAKE INCL. HANDLE

- Enables levelling compound to be applied in a standing position
- Mimics hand movement through special articulated joint
- Quick cleaning of the device due to special design

Item no.	Product	Dimensions
65501	Levelling compound rake incl. handle	56 cm

Item no.	Accessories
65502	Smoothing compound rake replacement
65497	Universal telescopic handle
67983	Handle holder with articulated joint



## SMOOTHING COMPOUND RAKE INCL. HANDLE

- Enables levelling or compound to be applied in a standing position
- 2 pins for adjusting height
- Mimics hand movement through special articulated joint

Item no.	Product	Dimensions
65503	Smoothing compound rake incl. handle	60 cm

Item no.	Accessories
65504	Large area rake replacement
65497	Universal telescopic handle
67983	Handle holder with articulated joint

Item no.	Accessories
65505	Replacement pins for large area rake, 1 pair



## UNIVERSAL TELESCOPIC HANDLE

- Enables ergonomic working while standing
- Various attachments possible
- With special adapter can also be used for deflation rollers
- Adjustable from 97 cm to 170 cm length

Item no.	Product
65497	Universal telescopic handle



## ROLLER BRACKET ATTACHMENT FOR TELESCOPIC HANDLE

Enables use of paint rollers with universal telescopic handle.

Item no.	Product
87948	Roller bracket attachment for telescopic handle





## HANDLE HOLDER (ADAPTER) FOR ALL RAKES

Allows use of telescopic handle (#65497) for squeegee, pin rake and large area screed rake.

### Item no. Product

87949	Handle holder (adapter) for all rakes (without articulated joint)
-------	---



## LEVELING COMPOUND RAKE


For applying self-levelling compound. For working while standing with mounting bracket for wooden handle.

### Item no. Product Dimensions

52298	Leveling compound rake including R2 adhesive notch	56 cm
-------	--	-------

### Item no. Accessories

Item no.	Accessories	PU
166397	Tooth ridge, tooth. R1, 56cm	5 pieces
166398	Tooth ridge, tooth. R2, 56cm	5 pieces
166399	Tooth ridge, tooth. R3, 56cm	5 pieces



## PIN RAKE

Made of aluminium, 60 cm wide, with 6 hardened sliding pins and handle sleeve. For applying and spreading coatings and compounds. With high adjustable level control made of stainless steel. The regulation bar is continuously adjustable up to an application height of 13 mm.

### Item no. Product

51318	Large area rake
-------	-----------------



## LARGE AREA SCREED RAKE

With machine mounting sleeve for handle or telescopic handle, holding piece made of angle iron and spare steel blade, 100 mm high, 0.6 mm thick and 2 continuously adjustable skids for uniform adjustment of any desired application height between 6 and 30 mm. Width 800 mm.

### Item no. Product

13658	Large area screed rake
-------	------------------------

### Item no. Accessories

13659	Spare steel blade
12887	Spare skids, VE 2 pcs.





## SPATULA SET 30L

### Item no. Product

171766 Spatula set 30L

### Item no. Scope of delivery

65846 Transportation caddy 30l incl. mixing bucket

52298 Rake including R2 rake insert

13636 Spike rollers 50cm / 31mm

51549 Nail shoes 1 pair

56203 Smoothing trowel



## SPIKE ROLLERS

For deaerating fillers and coatings. Splash protection cap included.

### Art.-Nr. Produkt

### Maße

13879 Spike roller, Length 11 mm 25 cm

14272 Spike roller, Length 21 mm 25 cm

13637 Spike roller, Length 31 mm 25 cm

13762 Spike roller, Length 11 mm 50 cm

14021 Spike roller, Length 21 mm 50 cm

13636 Spike roller, Length 31 mm 50 cm

88320 Spike roller, Length 100 mm (without splash protection cap) 50 cm

14270 Spike roller, Length 11 mm 75 cm

14271 Spike roller, Length 21 mm 75 cm

13638 Spike roller, Length 31 mm 75 cm



### Art.-Nr. Zubehör

65497 Telescopic handle universal

65499 Adapter for telescopic handle universal

## ERGOSTAR SPATULA

- Structured, elastic grip for better and ergonomic hold
- No rivets for clamping bar attachment, therefore easier to clean
- You will find our adhesive notches overview on page 102

### Item no. Product

### Dimensions

41784 Ergostar spatula 21 cm

41787 Ergostar spatula 28 cm



## INTERCHANGEABLE SPATULA

For holding toothed rails

### Item no. Product

### Dimensions

13378 Interchangeable Spatula 21 cm

13381 Interchangeable Spatula 28 cm





# KLEBERSPATTEL

To accommodate notched strips.

Item no.	Product	Dimensions
13761	Adhesive spatula, notched A1	18 cm
13876	Adhesive spatula, notched A2	18 cm
13877	Adhesive spatula, notched B1	18 cm
15566	Adhesive spatula, notched B2	18 cm
15567	Adhesive spatula, notched B3	18 cm
38622	Adhesive spatula, notched B11	18 cm
15569	Adhesive spatula, notched A1	25 cm
13886	Adhesive spatula, notched A2	25 cm
13841	Adhesive spatula, notched B1	25 cm
15570	Adhesive spatula, notched B2	25 cm
15571	Adhesive spatula, notched B3	25 cm
39923	Adhesive spatula, notched B11	25 cm



# SOLID BOARD NOTCHED TROWEL

Special notched trowel with B11 basic teeth and 2 raised teeth.

- Supports the gluing of solid floorboards with two raised adhesive grooves, avoids hollow layers
- For solid floorboards and large-format parquet types
- Rustproof sheet, robust

Item no.	Product	Dimensions
65656	Solid board notched trowel	18 cm



# HEIGHT LEVELLING SPATULA

Made of 0.7 mm thick, 115 mm wide, hardened and highly polished stainless spring band steel and 40 mm high wooden handle. The height stop edge, fastened with 2 lock screws and wing nuts, is continuously adjustable from 2 to 15 mm.

Item no.	Product	Dimensions
87889	Height levelling spatula, stainless steel	280 mm



# HEIGHT LEVELLING TEMPLATE SET

Help for filling height differences in all types of rails. The set consists of 3 stainless steel templates, each with 4 different notches, so that you can fill directly at the right height depending on the thickness of the floor covering. Enables fast filling and is quick to clean.

Item no.	Product
162781	Height levelling template set





## FLOOR SPATULA

Made of 0.6 mm thick, hardened and polished steel with slanted wooden handle.

Item no.	Product	Dimensions
87884	Floor spatula	530 mm



## RAPID SPATULA

Made of 0.3 mm thick, hardened and stainless spring steel. Slightly curved at the working edge, 100 mm visible blade height. With adjustable support blade and 35 mm wide waxed wooden handle.

Item no.	Product	Dimensions
87877	Rapid spatula, stainless steel	200 mm
87878	Rapid spatula, stainless steel	270 mm





# WOLFF ADHESIVE NOTCHES

NOTCHED ON BOTH SIDES, ACCORDING TO TKB  
(VE 5 PCS., DELIVERY IN CARDBOARD BOX)

Image in original size	TKB					Width 21 cm	Width 28 cm	Width 56 cm
	A1	0,50	1,50	1,10	55°	166340	166341	-
	A2	1,30	1,70	1,40	55°	166342	166344	-
	A3	0,40	1,60	1,50	45°	166345	166347	-
	A4	0,40	1,10	0,75	55°	166369	166370	-
	A5	1,45	1,35	1,00	55°	166371	166372	-
	B1	2,60	2,40	2,00	55°	166373	166374	-
	B2	2,00	3,00	2,55	55°	166379	168754	-
	B3	3,30	3,70	3,25	55°	166380	166381	-
	B11	7,90	6,10	5,00	60°	166382	166383	-
	R1	1,50	4,00	3,00	-	166395	166396	166397
	R2	2,00	4,00	5,00	-	-	-	166398
	R3	2,40	6,00	5,00	-	-	-	166399
	S1	0,10	1,80	2,55	30°	166389	166390	-
	S2	0,10	4,20	3,35	60°	166391	166392	-
	S3	0,10	2,50	1,75	65°	166393	166394	-



# LEVELPIN

Self-adhesive height measurement marker for compounds and screeds.

Item no.	Product	PU
80040	Level pin	10 x 10 piece



# NAIL SHOES

For walking on coated and filled subfloors and surfaces.  
Scope of delivery: Nail shoes, spare set of nails, 2 pcs.

Item no.	Product
51549	Nail shoes
84150	Replacement kit nail shoes - nails and straps for one pair.
53091	Spare belt



# SPIKY NAIL SHOES

For walking on coated and filled subfloors and surfaces

Item no.	Product	Dimensions	PU
80454	Spiky nail shoes size M - for shoe size 42 and smaller	approx. 32 cm	
80455	Spiky nail shoes size L - for shoe size 42 - 44	approx. 34 cm	
80456	Spiky nail shoes size XL - for shoe size 44 - 48	approx. 36 cm	
80457	Standard spare nails, pointed		32 pieces
83464	Spare nails round for epoxy coatings		32 pieces



# COPPER BAND

For conductive installation of floor coverings. For dissipating static charge.

Item no.	Product	Dimensions	PU
13594	Copper band roll	50 m (width: 10 mm)	
13595	Copper band roll	200 m (width: 10 mm)	
54874	Copper band roll, self-adhesive	25 m (width: 10 mm)	2 pieces



# CORRUGATED LINKS

For anchoring movement joints and repairing brittle areas in the subfloor.  
For force-fit bonding of screed cracks, e.g. with UZIN KR-416.

Item no.	Product	Dimensions	PU
13932	Corrugated Links	70 x 6 mm (LxW)	1000 pieces
13878	Corrugated Links	70 x 6 mm (LxW)	100 pieces





**WOLFF.**

**GOING**

**BEYOND**

**YOUR**

**LIMITS.**




# TESTING AND MEASUREMENT TECHNOLOGY

Moisture analysers.....	110
Other testing equipment.....	116



CW-500

HYDROMETER





# WOLFF KRL BOX

## THE FUTURE OF MOISTURE MEASUREMENT – TODAY

The WOLFF KRL Box enables fast and precise moisture measurement in accordance with DIN 17668 and TKB Information Sheet 18. The app displays the KRL value immediately. This is ideal for digital moisture measurement and reliable assessment of the readiness of substrates for covering.



### Technical specifications

- Operating temperature: 5°C to 55°C
- Relative humidity range: 5% to 95% RH
- Box dimensions: Ø110 x 55 mm
- Box weight: 350g
- Protocol: BLE 4.0
- Battery supply: 4 AA alkaline batteries
- Languages: German/English/French/Dutch/Polish/Swedish/Spanish/Russian

### Features

- Dew point alarm at 75 or 80% relative humidity (option for underfloor heating)
- Innovative sensor replacement
- Ergonomic housing
- Multilingual

Item no.	Scope of delivery
186384	Wolff KRL Box Basic Set Koffer, Messgerät, Prüfbehälter, Sensorprüfmittel, 10 PE Beutel, Bedienungsanleitung, FAQ-Liste
186385	Wolff KRL Box Premium Set Case, measuring device, test container, sensor testing equipment, brush, hammer, chisel, 10 PE bags, operating instructions, FAQ list
186386	WOLFF KRL Box Replacement Sensor incl. Pliers
186387	WOLFF KRL Box Sensor Testing Equipment



# PRECISE MOISTURE MEASUREMENT

## YOUR BENEFITS AT A GLANCE

### FAST RESULTS WITHOUT DETOURS:

The WOLFF KRL Box is the smart solution for anyone who wants to measure moisture quickly, accurately and directly on site. Developed in close collaboration with UZIN, this innovative measuring device delivers reliable results in no time at all – without any complicated preparation. The sensor transmits the exact KRL value directly to the associated app within a few minutes. This enables installers, site managers or experts to decide immediately on site whether the substrate is ready for covering or whether moisture barrier measures are still required.

### EASY TO USE ON THE CONSTRUCTION SITE:

Thanks to its intuitive operation, the KRL Box is particularly user-friendly and designed for daily use on construction sites. It significantly reduces the number of steps required, as there is no need for weighing, shaking or chemical additives. This saves valuable time and avoids sources of error in the measuring process.

### EFFICIENCY MEETS PRECISION:

The WOLFF KRL Box brings speed, safety and digital precision to moisture measurement – an indispensable tool for modern construction sites.

### EXACT MEASUREMENTS, DIGITALLY DOCUMENTED:

The KRL Box complies with DIN 17668 and the current industry requirements according to TKB Merkblatt 18 for moisture measurement and automatically documents all measurements digitally in the app – including time stamps and project assignment. This makes providing evidence to clients, planners or experts child's play.

### OPTIMAL SYSTEM SOLUTION FOR RESIDUAL MOISTURE:

Whether for new builds, renovations or time-critical projects– in addition to CM measurement, flooring professionals are well equipped with the WOLFF KRL Box. If the measured moisture value is too high, the perfectly coordinated system from UZIN ensures reliable moisture barrier protection– for permanently damage-free installation.

### EFFICIENT AND COST-EFFECTIVE SENSOR REPLACEMENT

The KRL moisture measuring device impresses with particularly quick and easy sensor replacement– without any complicated calibration. Instead of time-consuming calibration, the sensor can be easily replaced. This not only saves time, but also costs and significantly increases efficiency on the construction site.





# MOISTURE METER

## V1-D4 PROFESSIONAL

Designed for use in moisture measurements of substrates. Non-destructive moisture measurement method while maintaining a high accuracy of the measurement result.



### Technical specifications

- Dimensions: 147 x 89 x 33 mm
- Power supply: Battery, 2 x AA 1.5 V
- Display: black and white with backlight
- Resolution: 128 x 64 pixels
- Operating temperature range: 5 °C up to 40 °C
- Available scales for substrates: Concrete, cement, anhydrite
- Relative scale
- IR surface temperature sensor
- 15.3 Scale/Digits

### Features

- Easy to handle the device
- Real-time display of the readings on the easy-to-read display
- Suitable for pre-testing the readiness of building materials for covering during CM measurements

Item no.	Scope of delivery
71053	V1-D4 Professional moisture measuring instrument Battery pack, carrying case



## BRUSH ELECTRODE SET BE-03

### Item no. Product

73618	Brush electrode set BE-03 For measuring the screed moisture via 2 boreholes
-------	--



## FLAT ELECTRODE SET FE-04

### Item no. Product

73619	Flat electrode set FE-04 Can be inserted at edge insulation strips, for detecting moisture under the floating screed.
-------	--



## DRIVE-IN ELECTRODE PP-05

### Item no. Product

73772	Drive-in electrode PP-05 For measuring the moisture content in wood.
-------	---



## CLIMATE SENSOR CS-06 WITH CABLE

### Item no. Product

73773	Climate sensor CS-06 with cable For determining temperature, humidity and dew point.
-------	---



## CLIMATE SENSOR CS-10 WITH CABLE

### Item no. Product

83665	Climate sensor CS-10 with cable For determining temperature, humidity and dew point To be left in the borehole on site. Supplied with #73775.
-------	--



## TUBE FOR CLIMATE SENSOR

### Item no. Product

Item no.	Product	PU
73775	Tube for climate sensor As a closure for the borehole for measuring the relative humidity in concrete (RFT/ KRL method)	20 pieces



## SET FOR RESISTANCE MEASUREMENT TEST

### Item no. Product

73774	Set for resistance measurement test For measuring resistance and conductivity.
-------	---





# THERMOHYGROMETER

## LVT 15 IR

Measurement of air temperature and relative humidity.



### Technical specifications

- Power supply: Battery supply, 2 x AA 1.5 V
- Power consumption: 34 mA
- Dimensions: 146 x 79 x 26 mm (H×W×D)
- Display: monochromatic with backlight
- Resolution 128 x 64 pixels
- Operating temperature range: 5 °C to 40 °C < 80 % of
- Relative humidity without condensation

### Features

- Calculation of the dew point
- Surface temperature measurement without additional sensor due to the built-in infrared sensor
- Optical and acoustic alarm for temperature differences

Item no.	Scope of delivery
83115	Thermohygrometer LVT 15 IR Battery pack, carrying case



# HYDROMETER

## GM-200

For measuring the moisture of  
concrete, gypsum, cement.



### Technical specifications

- Dimensions: 142 x 79 x 24 mm
- Power supply: Battery supply, 2 x AA 1.5 V
- Display: monochrome with 128 x 64 pixel resolution and backlight
- Manual display orientation
- Operating temperature: from 5 °C to 40 °C
- 9 measuring scales

### Features

- Moisture measurement of wood possible
- Measurement without intervention in the investigated area
- Secure grip in the hand and comfortable handling due to small size, ergonomic shape and anti-slip rubber on the edges
- Manual display orientation
- Individual alarm limit value, also with acoustic signal

Item no.	Scope of delivery
71054	Hydrometer GM-200 Battery pack, carrying case



# SUBFLOOR TEST CASE

## FULL EQUIPPED

For testing the subfloor and for all moisture tests in preparation for CCM measurement.



Item no.	Product
79320	Subfloor test case
<b>Item no.</b>	<b>Scope of delivery</b>
83115	Thermohygrometer LVT 15 IR For measuring air temperature, relative humidity (RH) and surface temperature and calculating the dew point
71054	Moisture measuring instrument GM-200 For measuring the moisture of concrete, gypsum, cement and wood.
13803	Scriber Set consisting of scriber, scribing template, protective case.
13628	Measuring wedge For measuring the lowest point between 2 support points of the straightedge. Measuring wedge can be read from above.
	Practical accessories Fitter's hammer and steel wire brush



# CLASSIC CCM INSTRUMENT

## COMPLETE SET

Complete set with all devices necessary for moisture measurement - In aluminium case.



Item no.	Product
13486	Classic CCM instrument  Scope of delivery: Sledgehammer 1,000 g, fitter's hammer, flat chisel, short sample spoon, cleaning brush, mechanical sample balance up to 100 g, set of balls with 4 steel balls, smashing bowl, 2 sample beakers with lids, set of small material with seals and calibration ampoules, set of 25 carbide ampoules, calibrated standard pressure bottle with surface thermometer, balance rod for precision spring balance, mechanical pressure gauge up to 2.5 bar, stopwatch, aluminium case

Item no.	Accessories	PU
74554	Carbide ampoules * Hazard surcharge for the transport of carbide ampoules	25 pieces / pack
13662	Carbide ampoules * Hazard surcharge for the transport of carbide ampoules	100 pieces / pack
15874	CM pressure gauge	
185062	Mechanical CM pressure gauge with cover damping	
15876	Digital CM pressure gauge	
14020	Test ampoules	10 pieces
15872	Sealing rings (3 small + 3 large rings)	
14019	Set of balls	4 pieces
18372	Smashing bowl	
16256	Digital scale	
15873	Spring scale	



## CALIBRATION SET FOR V1D4

The set enables calibrating the hygrometer V1D4 Professional

### Item no. Product

163080	Calibration set for V1D4 Scope of delivery: Calibration device for V1D4, manual, transport case
--------	--



## CALIBRATION SET FOR CLIMATE SENSOR CS-06

The set enables calibrating the climate sensor CS-06. On the one side of the tube, the climate sensor CS-06 is inserted. On the other side of the tube the calibration ampoules are inserted and calibrate the climate sensor by creating the correct calibration humidity within the tube.

### Item no. Product

163083	Calibration set for Climate sensor CS-06 Scope of delivery: calibration tube for CS-06, 5x calibration ampoules, manual, transport case.
--------	---



## MEASURING WEDGE

For measuring the lowest point between 2 support points of the straightedge. Can be read from above.

### Item no. Product

13628	Measuring wedge
-------	-----------------



## SCRIBER

When using the scribing method, parallel lines are carved into the subfloor at an angle of 40 - 60°. The surface's solidity can be appraised by the grid engraving and parts of the subfloor that are removed.

### Item no. Product

13803	Scriber Scope of delivery: Scriber, scribing template, protective case
-------	--



## ALU BUSINESS PRO CCM INSTRUMENT

In blue aluminium case, incl. protocol printer.

### Item no. Product

84546	Alu Business Pro CCM instrument Scope of delivery: Sledgehammer 1,000 g, fitter's hammer, flat chisel, sample spoon short, cleaning brush, digital sample balance up to 200 g, set of balls with 4 steel balls, smashing bowl, 2 sample beakers with lids, set of small materials with seals, batteries and calibration ampoules, set of 25 carbide ampoules, calibrated standard pressure bottle with surface thermometer, pressure gauge, digital, up to 3 bar, record printer, aluminium case
-------	---





# PRESSOMESS SHEAR STRENGTH MEASURING INSTRUMENT

Special measuring instrument for experts and surveyors in the flooring industry. For measuring the shear strength of substrates such as screeds, levelling compounds or wood-based materials.

- The shear force is measured with a hydraulic sensor
- The shear strength can be read on the display
- Tested by the FMPA, Otto-Graf-Institut, Stuttgart
- Max. Test force 5 kN

## Item no. Product

16273	PressoMess shear strength measuring instrument
Scope of delivery: PressoMess, distance gauge, hand spatula, reaction adhesive, 20 test and support blocks each, transport case	

## Item no. Accessories

## PU

13922	Supporting blocks	100 pieces / pack
13923	Test block	100 pieces / pack
13926	Reaction adhesive	





# POWER TOOLS

## 18V

Battery-powered machines..... 122







# JUNIO STRIPPER 18V

## PRECISE FLOOR REMOVAL IN HARD-TO-REACH PLACES

Removal of textile coverings, foam and covering residues as well as glass fibre wall coverings on small surfaces.



### Technical specifications

- Battery voltage: 18 V
- Battery capacity: 5 Ah
- Working width: 120 / 200 mm
- Weight with battery: 3,9 kg
- Speed: 8,500 rpm



### Features

- Enables work in inaccessible places such as window recesses or under radiators
- Ideal for stairs and walls
- Transport Systemer

Item no.	Scope of delivery
10327	Junio Stripper 18V baretool Spare blade, leather blade guard, transport systemer, case insert, open-ended spanner
10328	Junio Stripper 18V in set 2 x 18V 5Ah battery, charger 230V (50 - 60 Hz), spare blade, transport systemer, fork spanner, leather blade guard
10329	Junio Stripper 18V UK
10334	Junio Stripper 18V US



## SPARE BATTERY SINGLE, 18V 5AH



### Item no. Product

10930	Spare battery single, 18V 5Ah
-------	-------------------------------

## BATTERY CHARGER

### Item no. Product

10939	230V battery charger
-------	----------------------

11772	230V battery charger UK
-------	-------------------------

11770	115V battery charger US
-------	-------------------------



## SPARE BLADE

### Item no. Product

13998	Spare blade
-------	-------------

### Dimensions

120 mm
--------

### PU

10 pieces
-----------



## SPARE BLADE

### Item no. Product

14000	Spare blade
-------	-------------

### Dimensions

200 mm
--------

### PU

10 pieces
-----------





# SCREED JOINT CUTTER EF 135 18V

**FOR FAST AND LOW-DUST CUTTING OF  
MINERAL MATERIALS**

Enables low-dust and fast working.  
Universal battery pack, full  
compatibility.



## Technical specifications

- Battery voltage: 18 V
- Battery capacity: 5 Ah
- Cutting blade: Ø 135 mm
- Cutting blade width: 2 mm
- Cutting depth: 0 - 35 mm
- Speed: 11.000 rpm
- Weight with battery: 4.55 kg



## Features

- The perfect solution for precise, clean and cordless work
- Cutting depth up to 35 mm
- Continuous depth adjustment
- Marking for centre of cutting blade
- Very compact due to battery operation
- Low-dust working
- Safe machine guidance due to roller chassis

Item no.	Scope of delivery
12845	Screed joint cutter EF 135 18V baretool 1 x cutting blade Ø 135 mm, transport systainer, shaft connector (100 pcs.)
12849	Screed joint cutter EF 135 18V in set 2 x 18V 5Ah battery, charger 230V (50 - 60 Hz), 1 x cutting blade Ø 135 mm, transport systainer, shaft connector (100 pcs.)
12850	Screed joint cutter EF 135 230V UK
12848	Screed joint cutter EF 135 115V US



## SPARE BATTERY SINGLE, 18V 5AH



### Item no. Product

10930	Spare battery single, 18V 5Ah
-------	-------------------------------

## BATTERY CHARGER



### Item no. Product

10939	230V battery charger
-------	----------------------

11772	230V battery charger UK
-------	-------------------------

11770	115V battery charger US
-------	-------------------------

## DIA CUTTING BLADE



### Item no. Product

68602	DIA cutting blade (Standard)
-------	------------------------------

### Dimensions

Ø 135 mm
----------

## CORRUGATED LINKS

For anchoring movement joints and repairing brittle areas in the subfloor.  
For force-fit bonding of screed cracks, e.g. with UZIN KR-416.

### Item no. Product

13932	Corrugated Links
-------	------------------

### Dimensions

70 x 6 mm (LxW)
-----------------

### PU

1000 pieces
-------------

13878	Corrugated Links
-------	------------------

70 x 6 mm (LxW)
-----------------

100 pieces
------------





# POWER X 18V MIXER

## FLEXIBLE AND INDEPENDENT MIXING

Flexible 2-speed mixer that can be used independently of the mains power supply thanks to battery operation.



### Technical specifications

- Battery voltage: 18 V
- Battery capacity: 5 Ah
- Presettable maximum speed
  - 1st gear: 210/325/530 rpm
  - 2nd gear: 320/490/780 rpm
- Tool holder: M14
- Max. Diameter for stirrer: 120 mm
- Weight with battery: 5 kg



### Features

- For mixing levelling and stable levelling compounds as well as coatings
- For mixing applications up to 30 kg
- Robust 2-speed transmission: for material-appropriate speeds and strong torque in 3 adjustable maximum speeds
- Convenient 3-step switch accessible from handle position without interrupting work, step 1: cleaning, step 2: mixing, step 3: agitating
- Full-wave electronics: Soft running, temperature monitoring, overload protection
- Ergonomic handles
- Tool holder M14

Item no.	Scope of delivery
10415	Cordless Mixer Power X 18V baretool Mixer type KR 120 S/M14
10440	Cordless Mixer Power X 18V in set 2 x 18V 5Ah battery, charger 230V (50 - 60 Hz), mixer type KR 120 S/M14
10442	Cordless Mixer Power X 18V UK
10443	Cordless Mixer Power X 18V US



## SPARE BATTERY SINGLE, 18V 5AH



Item no.	Product
----------	---------

10930	Spare battery single, 18V 5Ah
-------	-------------------------------

## BATTERY CHARGER

Item no.	Product
----------	---------

10939	230V battery charger
-------	----------------------

11772	230V battery charger UK
-------	-------------------------

11770	115V battery charger US
-------	-------------------------



## EXTENSION

Item no.	Product
----------	---------

68353	Extension
-------	-----------

Dimensions
------------

200 mm
--------





# STRIP CUTTER LS35 / LS65 18V

FOR LINO, VINYL AND RUBBER

Electric strip cutter for lino, vinyl,  
rubber and design covering.



## Technical specifications

- Battery voltage: 18 V
- Battery capacity: 5 Ah
- Working width LS 35 18V: 3 - 35 cm
- Working width LS 65 18V: 3 - 65 cm
- Rotational speed: 8.500 rpm
- Weight with battery: 7.2 kg



## Features

- For the production of skirting strips, covering friezes and stair coverings
- Ideal for material that is difficult to cut

Item no.	Scope of delivery
10339	Strip cutter LS35 18V baretool Saw blade Ø 105 mm, tool kit, dust bag, safety goggles, hearing protection
10344	Strip cutter LS35 18V in set 2 x 18V 5Ah battery, charger 230V (50 - 60 Hz), saw blade Ø 105 mm, tool kit, dust bag, safety goggles, hearing protection
10320	Strip cutter LS35 18V UK
10322	Strip cutter LS35 18V US
10318	Strip cutter LS65 18V baretool UK Saw blade Ø 105 mm, tool kit, dust bag, safety goggles, hearing protection
10319	Strip cutter LS65 18V in set 2 x 18V 5Ah battery, charger 230V (50 - 60 Hz), saw blade Ø 105 mm, tool kit, dust bag, safety goggles, hearing protection
10346	Strip cutter LS65 18V UK
10347	Strip cutter LS65 18V US



## SPARE BATTERY SINGLE, 18V 5AH

Item no.	Product
----------	---------

10930	Spare battery single, 18V 5Ah
-------	-------------------------------



## BATTERY CHARGER

Item no.	Product
----------	---------

10939	230V battery charger
-------	----------------------

11772	230V battery charger UK
-------	-------------------------

11770	115V battery charger US
-------	-------------------------



## SAW BLADE

Item no.	Product
----------	---------

15662	Saw blade Z30
-------	---------------

Dimensions
------------

105x2,4x22
------------





# FRÄSMASTER 18V

## COMPACT JOINT GROOVING MACHINE WITH UNRESTRICTED MOBILITY

Compact joint grooving machine with unrestricted mobility due to battery operation. Automatic depth control ensures the full formation of the milled joint even on uneven substrates.



### Technical specifications

- Battery voltage: 18V
- Battery capacity: 5Ah
- Rotational speed: 5.000 rpm
- Milling depth: 7 mm
- Milling blade: 3.5 mm wide, elliptical, 12 teeth, Ø 130 mm
- Weight with battery: 5,5 kg



### Features

- With adjustable side wheel e.g. for grouting rubber nap coverings
- Low-dust work due to improved chip catching
- Rotatable dust tube
- Easy adjustment of the milling depth up to 7 mm - even on very uneven floors
- No tilting due to optimum stability of the chassis on 3 rollers
- Protection against damage to the floor surface by automatic sliding back of the milling blade when the handle is lifted or released

Item no.	Scope of delivery
89660	Fräsmaster 18V baretool 1 carbide milling blade elliptical 3.5 mm, 1 Allen key, 1 dust bag, 1 transport systainer, 1 wide roller for sensitive coverings
89000	Fräsmaster 18V in set 1 x 18V battery with 5Ah, charger 230V (50 - 60 Hz), 1 carbide milling blade elliptical 3.5 mm, 1 Allen key, 1 dust bag, 1 transport systainer, 1 wide roller for sensitive coverings
89663	Fräsmaster 18V 230V UK
89664	Fräsmaster 18V 115V US



## SPARE BATTERY SINGLE, 18V 5AH



### Item no. Product

10930	Spare battery single, 18V 5Ah
-------	-------------------------------

## BATTERY CHARGER

### Item no. Product

10939	230V battery charger
-------	----------------------

11772	230V battery charger UK
-------	-------------------------

11770	115V battery charger US
-------	-------------------------



## CARBIDE CUTTING BLADE (STANDARD)

### Item no. Product

89623	Carbide cutting blade ellip. (Standard)
-------	---

### Dimensions

130 x 20 x 3.5
----------------



## CARBIDE MILLING BLADE, CIRCULAR

### Item no. Product

89625	Carbide milling blade, circular
-------	---------------------------------

### Dimensions

130 x 20 x 2.8
----------------



## PCD MILLING BLADE (FOR SAFETY SURFACES)

### Item no. Product

89658	PCD milling blade con. (for safety surfaces)
-------	--

### Dimensions

130 x 20 x 3.8
----------------





# PIRANHA 18V

## EXACT DOOR CASE SAW

For exact cutting to length of door cases, frames and bases.

Also for cutting edge distances on parquet and laminate after installation.

The carbide saw blade with 54 teeth achieves a perfect, clean cut.



### Technical specifications

- Battery voltage: 18V
- Battery capacity: 5 Ah
- Sawing depth: 0 - 45 mm
- Sawing height: 7 - 25 mm
- Suction connection: Ø 32 mm
- Speed: 8.500 rpm
- HM saw blade: 54 teeth, Ø 165 mm
- Weight with battery: 6.0 kg



### Features

- Precise cutting to length of frames and door leaves
- Universal battery pack, full compatibility

Item no.	Scope of delivery
10287	Piranha 18V baretool Carbide saw blade, Allen key, dust bag, transport systainer
10289	Piranha 18V in set Piranha 18V, 2 x 18V battery 5Ah, charger 230V (50 - 60 Hz), carbide saw blade, Allen key, dust bag, transport systainer
10290	Piranha 18V UK
10294	Piranha 18V US



## SPARE BATTERY SINGLE, 18V 5AH

Item no.	Product
----------	---------

10930	Spare battery single, 18V 5Ah
-------	-------------------------------



## BATTERY CHARGER

Item no.	Product
----------	---------

10939	230V battery charger
-------	----------------------

11772	230V battery charger UK
-------	-------------------------

11770	115V battery charger US
-------	-------------------------



## CARBIDE SAW BLADE

Item no.	Product
----------	---------

17227	Carbide saw blade
-------	-------------------





# ANGLE GRINDER WS 125 18V

## THE ALL-ROUNDER AMONG THE CORDLESS ANGLE GRINDERS

High cutting performance paired with maximum manoeuvrability. Universal battery pack, full compatibility.



### Technical specifications

- Battery voltage: 18V
- Battery capacity: 5 Ah
- Cutting disc: Ø 125 mm
- Speed: 8.500 rpm
- Tool holder: M14
- Weight with battery: 2.4 kg



### Features

- Ideally suited as an all-round angle grinder - especially for tilers
- Brushless motor with high efficiency
- Overload protection extends the service life of the machine
- Work safety functions: Soft start and restart lock
- 3-fold winding protection against dust. Reduces the wear of the motor and extends the service life
- Protective cover can be adjusted without tools
- Spindle lock
- Left and right mountable handle

Item no.	Scope of delivery
159513	Angle grinder WS 125 18V baretool Protective cover, face spanner, cardboard box, without cutting disc
159520	Angle grinder WS 125 18V in set 2 x 18V 5Ah battery, charger 230V (50 - 60 Hz), protective cover, face spanner, carrying case, without cutting disc
159521	Angle grinder WS 125 18V 230V UK
159522	Angle grinder WS 125 18V 115V US



## SPARE BATTERY SINGLE, 18V 5AH



Item no.	Product
10930	Spare battery single, 18V 5Ah

## BATTERY CHARGER

Item no.	Product
10939	230V battery charger
11772	230V battery charger UK
11770	115V battery charger US





# PARQUET GROOVING MACHINE 18V

## FOR EASY RENOVATION OF SOLID WOOD FLOORBOARDS

Cordless parquet grooving machine with unrestricted mobility due to battery operation. Automatic depth control ensures the full formation of the milled joint even on uneven substrates.



### Technical specifications

- Battery voltage: 18V
- Battery capacity: 5 Ah
- Rotational speed: 8.000 rpm
- Milling depth 0-5 mm
- Milling blade: carbide, 9.0 mm wide, 6 teeth, Ø 130 mm
- Weight with battery: 6.2 kg



### Features

- For reworking the V-groove that is no longer completely present after sanding solid wood floorboards.
- Low-dust work due to improved chip catching
- Rotatable dust tube
- Protection against damage to the floor surface by automatic sliding back of the milling blade when the handle is lifted or released

Item no.	Scope of delivery
163178	Parquet grooving machine 18V baretool Milling blade for profile grooves, adapter for vacuum cleaner only suitable for M30 vacuum cleaner!, safety goggles, hearing protection, tool kit, dust bag, transport systainer
163177	Parquet grooving machine 18V in set 1 x 18V battery with 5Ah, charger 230V (50 - 60 Hz), cutter blade for profile grooves, adapter for Hoover, tool set, dust bag, transport systainer, safety goggles, hearing protection
164716	Parquet grooving machine 18V 230V UK



## SPARE BATTERY SINGLE, 18V 5AH



Item no.	Product
----------	---------

10930	Spare battery single, 18V 5Ah
-------	-------------------------------

## BATTERY CHARGER

Item no.	Product
----------	---------

10939	230V battery charger
-------	----------------------

11772	230V battery charger UK
-------	-------------------------

11770	115V battery charger US
-------	-------------------------



## HM-FRÄSBLATT GELOCHT

Art.-Nr.	Produkt
----------	---------

163230	HM-Fräsblatt gelocht
--------	----------------------





# APPLYING FLOORS

Linoleum   PVC   Rubber .....	140
Textile coverings.. ..	160
Parquet. ....	166
Milling and welding. ....	170





# GROOVER

## PRECISE JOINT GROOVER FOR PROFESSIONALS

Gouging of floor coverings and safety coverings. Thanks to its bidirectional operation, you can work in both directions, which increases your speed and efficiency.



### Features

- Infinitely adjustable cutting depth
- 2 planes in both directions
- 1 planer for guided cutting
- 1 planer for working close to the wall
- Suitable for right and left-handers
- All-metal design of the tool
- Grouting right up to the wall
- Bidirectional, i.e. working in both directions possible
- Precise cutting depth adjustment with grub screw
- Handy design

Item no.	Scope of delivery
175400	Groover

Item no.	Scope of delivery
177763	Hobel Set Groover



# LINOCUT

## SEAM CUTTER - THE CLASSIC

Perfect joints for all resilient floor coverings and needle punch.  
A wide range of possible uses thanks to different stops!



### Features

- Patented technology
- Top design
- Straight cut without straight edge
- Cuts from wall to wall
- Two blades for cutting in both directions
- Cuts the upper edge of the sheet and uses the lower edge as a guide
- Works directly in the adhesive bed
- Adjustable joint width
- Blade penetration depth adjustable

Item no.	Scope of delivery
40262	Linocut Standard base plate (2 mm), base for needle punch (4 mm), 10 spare blades (2 already fitted)

Item no.	Accessories	Dimensions	PU
13429	Trapezoidal blades		10 pieces
13430	Standard stop	2 mm	
13432	Stop for carpet	8 mm	
13431	Stop for needle punch	4 mm	
13449	Stop for edge cutting		
60676	Counter stop for Linocut		



# GREENCUT

## SEAM AND EDGE CUTTER

Trimming factory edges quickly and securely with the GreenCut.  
Includes 2 base plates for more application possibilities.  
Suitable for right and left-handers.



### Features

- For cutting seams of needle punch and ball yarn coverings
- For clean cutting of factory edges
- Incl. 2 stops for needle punch and resilient coverings
- Suitable for right and left-handers

### Item no. Scope of delivery

63998	Greencut 4 mm stop, 2 mm stop, 3 inserts (5 mm, 10 mm, 15 mm), spacer, 10 hook blades, 10 straight blades
-------	--

Item no.	Accessories	Dimensions	PU
89530	Straight blades		10 pieces
89522	Hooked blades		10 pieces
89527	Super hooked blade		10 pieces
64069	Spacer plate	0,7 mm	
64108	Insert	5 mm	
64109	Insert	10 mm	
64110	Insert	15 mm	



# RAILCUT

## SEAM CUT TO PERFECTION

Enables a perfect double joint cut on soft, resilient rubber and vinyl coverings. The seam cut is made using a rail at an optimum 90° angle to the covering plane.



### Features

- Can also be used as a strip cutter
- Height adjustable blade (0 - 15 mm)
- Handy, ergonomic shape
- Anti-glide rail (1.40 m)
- Rail can be extended
- Suitable for right and left-handers

Item no.	Scope of delivery
69864	Railcut Anti-glide rail (1.40 m), 10 straight blades

Item no.	Accessories	Dimensions	PU
69877	Railcut extension rail	1.40 metres	
89530	Straight blades		10 pieces



# LVT STRIPCUT

## STRIP CUT TO PERFECTION

For cutting skirting and insert strips from LVT coverings, homogeneous and heterogeneous PVC coverings in sheets and similar coverings.



### Features

- Cutting width 2.5 to 10 cm
- Designed for left and right-handers
- Cutting depth continuously adjustable
- 4-way insertable round blade

Item no.	Scope of delivery
163277	LVT Stripcut Round blade Ø 26 mm, blade guard

Item no.	Accessories	Dimensions	PU
163252	Round blade	Ø 26 mm	1 piece
163280	Blade guard		



# EASYCUT

## WALL CUT-OUTS HAVE NEVER BEEN SO EASY

For precise cutting along walls and skirting boards.



### Features

- Enables perfect cutting along walls due to the angled blade position
- Height adjustment of the base plate to the covering thickness
- Adjustable cutting depth to cut only the covering and to prevent the blade from dipping into the subfloor.

Item no.	Scope of delivery
----------	-------------------

10807	Easycut 10 hook snap-off blades
-------	------------------------------------

Item no.	Accessories	PU
----------	-------------	----

10830	Hook snap-off blades	10 pieces
89521	Snap-off blades	10 pieces



# DESIGN COLLECTION

## COMPLETE SET FOR THE APPLICATION OF DESIGN FLOOR COVERINGS

The complete set for applying design flooring in a practical systainer for easy and secure transport.



### Features

- Perfect for cutting borders
- For the creative application of design coverings
- Chamfering of the back of the covering
- Reaming the seam for resilient coverings

Item no.	Scope of delivery
----------	-------------------

74843	Design Collection Chamfer king, Duo pressure roller, Linocut seam cutter, mitre-box shears for design coverings, Pica-Dry deep hole marker set 8-20 mm, transport systainer
-------	--



# PRESSURE ROLLERS

## FOR FLOOR COVERINGS

With carrying handles for more comfortable transport.



### Features

- Rollers consisting of 4 castors that optimally adapt to the floor
- With extremely narrow roller gaps to prevent the formation of marks on the top layer

Item no.	Scope of delivery
----------	-------------------

56401	Pressure roller 30 kg with carrying handle, handle with grip
-------	--

56402	Pressure roller 50 kg with carrying handle, handle with grip
-------	--

56403	Pressure roller 68 kg with carrying handle, handle with grip
-------	--

Item no.	Accessories
----------	-------------

56404	Chassis for pressure rollers
-------	------------------------------



# ELECTRIC STRIP CUTTER

## FOR LINO, VINYL AND RUBBER

Ideal for material that is difficult to cut. For the production of skirting strips, covering friezes and stair coverings.



### Technical specifications

- Voltage: 230 V
- Power: 1,200 W
- Speed: 10,000 rpm
- Strip width LS 35: 35 cm
- Strip width LS 65: 65 cm
- Max. Material thickness: 6 mm

Item no.	Scope of delivery
15661	Electric strip cutter for lino and vinyl, LS 35 (35 cm cutting width)
16148	Electric strip cutter for lino and vinyl, LS 65 (65 cm cutting width)

Item no.	Accessories
15662	Saw blade Ø 105 mm, 2.4 mm wide, 30 teeth



**WOLFF.**

**GOING  
BEYOND  
YOUR  
LIMITS.**



# STRIP CUTTER FOR RESILIENT COVERINGS

For cutting strips, e.g. for skirting boards, friezes and stair treads and for trimming fabrication edges.


Item no.	Product
13350	Strip cutter for resilient coverings, for strips 0 - 8 cm (without bar)
13351	Strip cutter for resilient coverings, for strips 3 - 20 cm
13352	Strip cutter for resilient coverings, for strips 6 - 30 cm


Item no.	Accessories	PU
13353	Spare blades	5 pair
13947	Bar	5 pieces
13354	Conversion kit, for use with hook blades	
13421	Hooked blades	100 pieces



Arrangement pair of blades for simultaneous scribing and severing



Conversion kit, for use with hook blades



# HOLE CUTTING DRILL

For drilling holes for heating pipes, conduit pipes and stair railings when laying design coverings, PVC, linoleum as well as laminate and parquet.

Item no.	Product	Dimensions
15807	Hole cutting drill	8 - 20 mm
87831	Hole cutting drill	16 - 30.5 mm



# LINO EDGE CUTTER

For pre-cutting the fabrication edge to remove tension in the seam area and/or transport damage.

Item no.	Product
15605	Lino edge cutter Scope of delivery: Lino edge cutter, 2 blades

Item no.	Accessories	PU
13358	Pointed blades	5 pieces






## PRESSURE ROLLER FOR FLOOR COVERINGS

- Ideal for pressing down all floor coverings on small to medium surfaces
- Rollers adapt to uneven floors
- Contact pressure can be regulated with body weight, also suitable for left-handers

Item no.	Product	Dimensions
15834	Pressure roller for floor coverings (weight: 5.2 kg).	1.35 x 0.47 x 0.15 m



## DUO PRESSURE ROLLER

For rubbing the seam of resilient floor coverings or pressing textile coverings into the adhesive bed.

Item no.	Product
73709	Duo pressure roller



## RUBBING TOOL

- Lightweight, handy tool for rubbing down floor coverings, especially for stairs and edges.
- Rounded edges, thus no scratching of the coverings on the floor and wall
- Suitable for 45° and 90° edges

Item no.	Product
83734	Rubbing tool



## GLIDE WITH REMOVABLE FELT COVER

Practical, lightweight scribe for working comfortably while standing.  
Ideal for textile and resilient coverings. Rubbing width 40 cm, galvanised.

Item no.	Product
62694	Glide with removable felt cover incl. handle

Item no.	Spare part:
61201	Felt cover for glide



## RUBBING HAMMER

Forged from a single piece.

Item no.	Product
13619	Rubbing hammer





# CORK RUBBING BOARD

**Item no. Product**

60505 Cork rubbing board



# CORK RUBBING BOARD WITH FELT COVER

**Art.-Nr. Produkt**

181180 Cork rubbing board with felt cover



# CHAMFER KING

The chamfer king is a tool specially developed for professional design flooring installation. With its extremely sharp industrial blade, it enables precise cuts, even with stiff floor coverings. The design allows shortening and bevelling without time-consuming conversion. In addition, the blade can be changed and adjusted in less than a minute

**Item no. Product**

77741 Chamfer king

80793 Spare blade Chamfer king



# FASTRIMMER

For producing a 25° edge chamfer on the surfaces of vinyl tiles and design coverings after they have been cut to size. With quick stop for fast chamfering by hand or for chamfering on the adhesive bed!

**Item no. Product**

15621 FasTrimmer

Scope of delivery: FasTrimmer, Quick stop, transport bag, 6 spare blades

**Item no. Accessories****PU**

15622 Conversion set stop

for chamfering the underside of vinyl tiles and design coverings, for removing tear-off edges.

80578 Spare blades

10 pieces



# FASTRIMMER

With stop for chamfering the back of the covering and for cleaning up the broken edges.

**Item no. Product**

15623 FasTrimmer

Scope of delivery: FasTrimmer, stop for chamfering the back of the base, transport bag, 6 spare blades

**Item no. Accessories****PU**

80578 Spare blades

10 pieces





## COMBINATION SCRIBER

For scribing and cutting resilient floor coverings.  
Can be used as a scriber and counter-scriber.

Item no.	Product
13357	Combination scriber Scope of delivery: Combination scriber, 2 scriber needles for linoleum and 2 pointed blades for vinyl and rubber (in handle)

Item no.	Accessories	PU
13356	Scriber needles	20 pieces
13358	Pointed blades	5 pieces



## STAIR SCRIBER

For scribing stair coverings.

Item no.	Product
15620	Stair scriber

Item no.	Accessories	PU
13356	Scriber needles	20 pieces



## WALL BEVEL AND FLOOR COVERING SCRIBER

For scribing along a wall. Can also be used as a strip and circle scriber.

Item no.	Product
87911	Wall bevel and floor covering scriber - adjustment range 385 mm
85950	Wall bevel and floor covering scriber - adjustment range 200 mm

Item no.	Accessories	PU
88329	Spare blades	6 pieces



## FLOOR COVERING SCRIBER AND CUTTER

For scribing and cutting hard coverings of all kinds. Very light and handy version with plastic body and nickel-plated metal parts. By turning the lower guide rail, the device can be used not only as a conventional scriber, but also as a counter-scriber. Incl. 10 scriber pins.

Item no.	Product
34846	Floor covering scriber and cutter






## SCRIBER

Item no.	Product
34615	Scriber



## SCRIBER PIN

Item no.	Product	Dimensions	PU
87913	Scriber pin	Length 45 mm	25 pieces



## JOINT GROOVER

Adjustable guide, 4-edged blade

Item no.	Product
13426	Joint groover

Item no.	Accessories
13427	Spare blade



## U-SHAPED JOINT GROOVER

Item no.	Product
13842	Joint groover for rubber coverings (U-shape)

Item no.	Accessories	PU
13843	U-shaped spare blades	10 pieces



## FLAT STEEL JOINT GROOVER

Blade holder made of galvanised flat steel, with blade and wooden handle. 5 spare blades


Item no.	Product	PU
34674	Flat steel joint groover	
34514	Spare blades	10 pieces



## JOINT GROOVER WITH GUIDE LUG

Item no.	Product
13424	Joint groover with guide lug, adjustable groove depth

Item no.	Accessories	PU
87915	Spare blades	10 pieces





## MOZART SPEED TRIMMER

With the new Mozart speed trimmer, relaxation and finish trimming can be done in one go and in an upright position. Cutting procedure, blades and spacer forks are identical to the Mozart trimming blade. The spacer fork under the pre-cutting blade can be swung out.

### Item no. Product

62183	Mozart Speed Trimmer
	Scope of delivery: Mozart Speed Trimmer complete with blade and spacer forks 0.5 and 0.7 mm thickness, in box, telescopic handle



## MOZART TRIMMING KNIFE

The patented solution for secure, clean and fast trimming of welding wires. Integrated carriage for pre-cutting, exchangeable blade, variable heights due to exchangeable spacer forks, no scratching or damage to surfaces, internal blade prevents danger of injury, ergonomic handle, no further finishing and touching up necessary.

### Item no. Product

49875	Mozart trimming knife
	Scope of delivery: Trimming knife incl. blade and distance fork 0.50 mm and distance fork 0.7mm

Item no.	Accessories	Dimensions	PU
49876	Spare blades		5 pieces
50772	Spacer fork	0.50 mm	
51270	Spacer fork	0.70 mm	
59856	Spare screw set		



## QUARTER MOON BLADE

### Item no. Product

13451	Quarter moon blade - For trimming welding wire, top quality
13452	Quarter moon blade - For trimming welding wire, angled
13453	Quarter moon blade - For trimming welding wire, bowed



## WELD SEAM SLIDE

For trimming welding wire, bowed

### Item no. Product

13450	Weld seam slide
-------	-----------------



## SAFETY SHEATH

Leather, for quarter moon blade

### Item no. Product

60078	Safety sheath
-------	---------------





## DIAMOND GRINDSTONE

For sharpening knives, scissors and various tools.

400 grit on one side = Ideal for very blunt knives. This grit removes more material and gives the knife its basic grind.

600 grit on the other side = To refine the basic grind, continue working with the finer grit.

Item no.	Product
----------	---------

15714	Diamond grindstone
-------	--------------------



## TOP EDGE SCRIBER

For transferring the top flooring edge to the bottom flooring sheet by scribing.

Item no.	Product
----------	---------

57419	Top edge scriber for resilient floor coverings
-------	--



## PRESSURE AND STAIRCASE TOOL

For incorporating carpet behind the nail strip or in the edge area of the staircase.

Item no.	Product
----------	---------

65853	Pressure and staircase tool with roller
-------	---



## STAIR TOOL

For incorporating carpet behind the nail strip or in the edge area of the staircase.

Item no.	Product
----------	---------

13862	Stair tool
-------	------------

Dimensions
------------

9 cm
------



## ROLLER TRANSPORT TROLLEY

For transporting and unrolling rolls of decking with a diameter of up to 80 centimetres. For rolls of decking with a length of 4 to 5 metres, the use of two roll transport trolleys is necessary, as the load per trolley is limited to 250 kg.

Item no.	Product
----------	---------

84918	Roller transport trolley
-------	--------------------------





## PROFESSIONAL CIRCULAR CUTTER

Circle cutter and scribe for resilient and textile coverings as well as parquet and laminate. For exact cutting or scribing of circles and circle cut-outs up to 260 cm diameter - with extension bars over 12 m.

### Item no. Product

15626	Professional circular cutter
Scope of delivery: Plexiglas plate incl. adhesive strips, extensions up to 130 cm radius, pencil, spare blades, transport case	

### Item no. Accessories

Item no.	Accessories	PU
80578	Spare blades	6 pieces
15629	Extension rails up to 4.86 m radius	
15631	Corner and wall radius adapter.	



## SEAM ROLLER

With barrel-shaped steel roller, 45 mm wide, 30 mm Ø and wooden handle.

### Item no. Product

54690	Seam roller
-------	-------------



## CARPET CUTTER

Nap channel cutter especially for fine velour, tufted and woven. The extremely fine guide lug provides for a precise guide, even in very narrow nap channels.

### Item no. Product

65659	Nap channel cutter
Scope of delivery: Nap channel cutter, slotted blades	

### Item no. Accessories

65755	Slotted blades
-------	----------------

recommended by:

**GIRLOON®** **INFLOOR**  
carpet made in Germany



## CARPET AWL

For optimal leadership in the nap channel

### Item no. Product

65660	Carpet awl
-------	------------

recommended by:

**GIRLOON®** **INFLOOR**  
carpet made in Germany





# MITTAG CUTTER

For all textile coverings, except foam backing. Cuts from top to bottom.

**Item no. Product**

15641 Mittag cutter

**Item no. Accessories**

13454 Spare blades

**PU**

10 pieces



recommended by:



# SEAM CLAMP

Holds the seam together

**Item no. Product**

13593 Seam clamp

**PU**

5 pieces



# DOUBLE-HEADED CLAMP

Developed and manufactured by WOLFF to compensate for pattern distortions, as well as for channel and seam corrections. Adapt to any carpet by adjusting the coarse and fine grippers.

**Item no. Product**

15781 Double-headed clamp

Scope of delivery: Double-headed clamp, transport box



recommended by:

**GIRLOON®** **INFLOOR**  
carpet made in Germany

# CARPET PIN

With 70 mm long, nickel-plated steel pin and plastic cap of 30 mm.

**Item no. Product**

38991 Carpet pin



# CARPET NEEDLE

Made of steel, 1.5 mm thick. 75mm long

**Item no. Product**

71130 Carpet needle





## ADJUSTABLE KNEE BRACE

With coarse and fine grippers. Coarse grippers with depth adjustment to adapt to the floor covering. Length adjustment in 5 steps from 50 to 60 cm.

### Item no. Product

51509 Adjustable knee brace

### Item no. Accessories

PU

15797 Buffer

15798 Gripper insert, fine

3 pieces

15799 Base plate, coarse



## C-CUT CARPET STRIP CUTTER

For exact cutting of needle punch and ball yarn skirting boards. Cutting width 2 to 7 cm.

### Item no. Product

47414 C-Cut carpet strip cutter

Scope of delivery: C-Cut, 10 blades (1 already mounted)

### Item no. Accessories

PU

13454 Spare blades

10 pieces



## CARPET STRIP CUTTER

Extremely robust and easy to guide! With reinforced blade holder. For cutting skirting board strips from 45 to 100 mm.

### Item no. Product

13458 Carpet strip cutter

Scope of delivery: Carpet strip cutter, 10 blades

### Item no. Accessories

PU

13454 Spare blades

10 pieces



## CARPET CUTTER - GREEN

For all textile floor coverings with fleece or foam backing. Blade position: cuts from below.

### Item no. Product

13456 Carpet cutter - green

Scope of delivery: Carpet cutter, 10 blades

### Item no. Accessories

PU

13457 Spare blades

10 pieces





## CARPET CUTTER - RED

For all textile coverings, except foam backing. Cuts from the top.

### Item no. Product

13455	Carpet cutter - red
Scope of delivery: Carpet cutter, 10 blades	

### Item no. Accessories

Item no.	Accessories	PU
13454	Spare blades	10 pieces



## METAL CARPET CUTTER

For all textile floor coverings with fleece or foam backing. Blade position: cuts from below.

### Item no. Product

34834	Metal carpet cutter
-------	---------------------

### Item no. Accessories

34542	Carpet cutter spare blades
-------	----------------------------



## METAL CARPET CUTTER

For all textile floor coverings with synthetic or textile backing. Blade position: cuts from above.

### Item no. Product

34833	Metal carpet cutter
-------	---------------------

### Item no. Accessories

34508	Carpet cutter spare blades
-------	----------------------------



## CIRCULAR CUTTER

For touching up carpets. Adjustable from 4 to 21 cm diameter.

### Item no. Product

15624	Circular cutter
Scope of delivery: Circular cutter, 4 blades	

### Item no. Accessories

Item no.	Accessories	PU
80578	Spare blades	10 pieces





## CARPET SEAM ROLLER

With 13 star-shaped, nickel-plated steel wheels on steel axle, nickel-plated bow and wooden handle.  
85mm wide

Item no.	Product
----------	---------

34830	Carpet seam roller
-------	--------------------



## CLAW TOOL

Item no.	Product
----------	---------

15802	Claw tool
-------	-----------



## WALLMASTER

Special tool to install skirting boards and form covers.

- Easy marking of the height
- Mitre joints on internal and external corners can be cut easily and accurately
- Enables clean shaping and pressing into the corner area, without the danger of pressing through the floor covering.

Item no.	Product
----------	---------

60890	WOLFF Wallmaster
-------	------------------

Item no.	Accessories	Dimensions
----------	-------------	------------

61394	WOLFF Wallmaster straight edge	600 x 100 mm
-------	--------------------------------	--------------



Wallmaster is recommended by:






# DESIGN CUTTER

## WO 630

Enables precise cuts when laying larger floor tiles.



### Technical specifications

- Blade width 630 mm
- Max. material thickness 16 mm
- Max. object width 630 mm
- Assembled size
- 520 x 740 x 520 mm
- Weight: 18.8 kg

Item no.	Scope of delivery
72663	WO 630 design cutter

Item no.	Accessories
72776	Spare blade for WO 630



# DESIGN CUTTER

## WO 330

Enables fast and precise cuts when laying design coverings and carpet tiles.



### Technical specifications

- Blade width 330 mm
- Max. material thickness 16 mm
- Max. object width 320 mm
- Size assembled 650 x 460 x 500 mm
- Weight: 9.34 kg

Item no.	Scope of delivery
72661	WO 330 design cutter

Item no.	Accessories
72752	Spare blade for WO 330



# FRÄSMaster JOINT GROOVING MACHINE

## THE NO. 1 JOINT CUTTER WITH CARBIDE GROOVING BLADE

Automatic depth control ensures the full formation of the milled joint even on uneven substrates. With adjustable side wheel e.g. for grooving rubber nap coverings.



### Technical specifications

- Voltage: 230 V
- Power: 1,500 W
- Speed: 6,000-10,000 rpm
- Soft start



Principle of automatic depth control

### Features

- Intervention protection when the machine is raised to prevent accidents
- Easy adjustment of the grooving depth up to 5 mm - even on very uneven floors
- No tilting due to optimum stability of the chassis on 3 rollers
- Protection against damage to the floor surface by automatic sliding back of the grooving blade together with the handle
- Soft start due to built-in electronic starting current limiter

Item no.	Scope of delivery
13305	Fräsmaster joint grooving machine Carbide grooving blade 3.3 mm, tool set, dust bag, transport systainer, wide roller for sensitive coverings, safety goggles, hearing protection
15711	Fräsmaster joint grooving machine 115V UK
50159	Fräsmaster joint grooving machine 115V US



# FRÄSJUNIOR JOINT GROOVING MACHINE

The joint cutter cuts elastic floor coverings precisely to a depth of 5 mm. Three-point support, immersion principle and optimised chip ejection ensure clean working and versatile use.

### Technical specifications

- Voltage: 230 V
- Power: 1500 W
- Speed: 8000 rpm



Item no.	Product	Dimensions
56092	FräsJunior joint grooving machine	
	Scope of delivery: Junior cutter, carbide grooving blade 3.3 mm, tool set, dust bag, transport systainer, safety goggles, hearing protection	

# CARBIDE GROOVING BLADE, ELLIPTICAL

Item no.	Product	Dimensions
36275	Carbide grooving blade, elliptical, 12 teeth	Ø 130 x 20 x 5.0 mm



# CARBIDE GROOVING BLADE, ELLIPTICAL

Item no.	Product	Dimensions
13459	Carbide grooving blade, elliptical, 12 teeth	Ø 130 x 20 x 3.8 mm



# CARBIDE GROOVING BLADE, CIRCULAR

Item no.	Product	Dimensions
13461	Carbide grooving blade, circular, 12 teeth	Ø 130 x 20 x 3.3 mm



# PCD GROOVING BLADE, CONVEX

Item no.	Product	Dimensions
89658	PCD grooving blade, 12 teeth	Ø 130 x 20 x 3.8 mm





# WELDMASTER 2.0

## THE AUTOMATIC WELDING MACHINE FOR PROFESSIONALS

The Weldmaster 2.0 with the latest technology offers precise welding results combined with high working speed. Special nozzles also allow grouting of PUR-coated coverings.



### Technical specifications

- Voltage: 230 V
- Total power: 3,400 W
- Temperature: 20 - 600 °C
- Speed: 1 - 8 m/min



### Features

- Digital thermometer for precise temperature control
- Central key pad for easy operation
- Can be used for all resilient coverings (vinyl, linoleum, rubber, etc.) without conversions
- Better welding results due to variable contact pressure
- 4-way welding nozzle: 4 individual nozzles ensure targeted distribution of the hot air
- Automatic wall shut-off with simultaneous lift-off of the heater and shut-off of the air supply.

Item no.	Scope of delivery
163317	Weldmaster 2.0 automatic welding machine Transport case

Item no.	Accessories
163964	Heating element, 3,400 W
55498	Welding head



# COMBINATION GROOVING AND WELDING SET

## THE PERFECT SET FOR BEGINNERS

Beginner's set for floor layers, interior decorators and painters. Suitable for regular installation of resilient coverings in small to medium sizes.



Item no.	Scope of delivery
56357	Combination milling and welding set Fräs junior joint cutter, Phoenix 1600 hand welder, quarter moon blade incl. safety bag, 1 weld seam slide, 1 single nozzle 5 mm, 1 speed welding nozzle 5 mm
60865	Combination milling and welding set 115V US



# PHOENIX 1600 SET

## COMPLETE SET IN TRANSPORT SYSTAINER

Phoenix 1600 hand welder with complete accessories in case. With diamond grindstone for resharpening quarter-moon blades.



### Technical specifications

- Voltage: 230 V
- Power: 1600 W
- Temperature 40 - 700 °C continuous

Item no.	Scope of delivery
80614	Phoenix 1600 set Phoenix 1600, single nozzle 5 mm, speed welding nozzle for PUR-finished floor coverings, joint extractor, diamond whetstone, quarter moon blade, welding seam slide, pressure roller 15 mm, cleaning brush, transport systainer.
82890	Phoenix 1600 115V UK



**WOLFF.**

**GOING  
BEYOND  
YOUR  
LIMITS.**



# PHOENIX 3400

FOR HEATING COVERINGS AND SKIRTING BOARDS.

Without Nozzle.



## Technical specifications

- Heating element 3,400 W, temperature 40 - 650 °C

Item no.	Scope of delivery
----------	-------------------

163179	Phoenix 3400
--------	--------------

Item no.	Accessories
----------	-------------

163964	Heating element, 3,400 W
--------	--------------------------

13476	Round nozzle
-------	--------------



# PHOENIX 1600

MANUAL WELDING WITH PROVEN QUALITY.

For occasional welding work.



## Technical specifications

- Voltage: 230 V
- Power: 1600 W
- Temperature 40 - 700 °C continuous



## Features

- Heating pipe guard for more safety
- Easy to clean air filters
- Freely adjustable temperature from 40 °C - 700 °C

Item no.	Scope of delivery
----------	-------------------

80078	Phoenix 1600 Transport case, single nozzle 5 mm, speed welding nozzle 5 mm
-------	---

80081	Phoenix 1600 115V UK
-------	----------------------

Item no.	Accessories
----------	-------------

80355	Phoenix heating element 1600 W, 230 V
-------	---------------------------------------

80307	Phoenix heating element 1600 W, 115 V
-------	---------------------------------------



# WELDING WIRE ROLLER

For pressing the welding wire into the joint.

Item no.	Product	Dimensions
15610	Welding wire roller	25 mm
15611	Welding wire roller	15 mm



# LEISTER TRIAC ST SET

Triac ST hand welder with electronic control and cooled protective tube. Complete accessories in case. With diamond grindstone for resharpening quarter-moon blades.

Technical specifications: Total power 1,600 W, heating element 1,550 W, temperature 20 - 650 °C

Item no.	Product
74847	Leister Triac ST set Scope of delivery: Triac ST, single nozzle 5 mm, speed welding nozzle for PUR-finished floor coverings, joint extractor, diamond whetstone, quarter moon blade, welding seam slide, pressure roller 15 mm, cleaning brush, transport systainer.



# LEISTER TRIAC ST

Triac ST hand welder without single nozzle, single, as described in the set

Item no.	Product
74845	Leister Triac ST

Item no.	Accessories	Dimensions
72315	Heating element 1,550 W for Triac ST	
13308	Speed welding nozzle	Ø 5 mm



# LEISTER TRIAC AT SET

Hand welder Triac AT as complete accessory in case. With diamond grindstone for resharpening quarter-moon blades.

Technical specifications: Total power 1,600 W, heating element 1,550 W, temperature 20 - 650 °C

Item no.	Product
82643	Leister Triac AT set Scope of delivery: Triac AT, single nozzle 5 mm, speed welding nozzle for PUR-finished floor coverings, joint extractor, diamond whetstone, quarter moon blade, welding seam slide, pressure roller 15 mm, cleaning brush, transport systainer.





## LEISTER TRIAC AT

### • Digital display

- Robust hot air device for thermal sealing of seams
- Automatic levelling of the set temperature, voltage fluctuations are compensated
- The thermoprobe in front of the heating element guarantees precise temperatures
- The air volume can be adjusted independently of the temperature
- Total power 1,600 W, heating element 1,550 W

#### Item no. Product

71991	Leister Triac AT without single nozzle
-------	--

#### Item no. Accessories

#### Dimensions

72315	Triac AT heating element
-------	--------------------------

13308	Speed welding nozzle
-------	----------------------

Ø 5 mm
--------



## PUR WELDING NOZZLE

No burning of the covering surface possible any more for sure!  
Special nozzle for thermal welding and grouting of elastic floor coverings with factory-applied polyurethane coating.

#### Item no. Product

47049	PUR welding nozzle
-------	--------------------




## SINGLE NOZZLE

#### Item no. Product

13465	Single nozzle
-------	---------------

#### Dimensions

5 mm
------



## SPEED WELDING NOZZLE

#### Item no. Product

13308	Speed welding nozzle
-------	----------------------

#### Dimensions

5 mm
------



## PUR SPEED WELDING NOZZLES

#### Item no. Product

13466	Speed welding nozzles for PUR-finished floor coverings
-------	--

#### Dimensions

Inlet 4 mm
------------

41213	Speed welding nozzles for PUR-finished floor coverings
-------	--

Speed welding nozzles for PUR-finished floor coverings
--

Inlet 5 mm
------------



## NOZZLE FOR TOUCH-UPS

#### Item no. Product

13469	Nozzle for touch-ups
-------	----------------------

#### Dimensions

Inlet 4 mm
------------






## “MIPOLAM” NOZZLE

Item no.	Product
----------	---------

13467	“Mipolam” nozzle
-------	------------------



## GOOSE NECK NOZZLE

Item no.	Product
----------	---------

13468	Goose neck nozzle
-------	-------------------



## WIDE SLIT NOZZLE

Item no.	Product	Dimensions
----------	---------	------------

19524	Wide slit nozzle	20 mm
-------	------------------	-------

13472	Wide slit nozzle, angled	20 mm
-------	--------------------------	-------

13473	Wide slit nozzle	40 mm
-------	------------------	-------



## SPEED WELDING NOZZLE

Item no.	Product
----------	---------

13471	Speed welding nozzle for resilient wall coverings
-------	---





**WOLFF.**

**GOING  
BEYOND  
YOUR  
LIMITS.**



# PARQUET GROOVE MILLING MACHINE

## FOR EASY RENOVATION OF SOLID WOOD FLOORBOARDS

Fast retightening of V-joints. Precise cutting to length of frames and door leaves. Extra comfort due to guide wheel Easy to work with.



### Technical specifications

- Voltage: 230 V
- Power: 1,500 W
- Speed: 8,000 rpm
- Weight 5,2 kg
- Milling depth 0 - 5 mm
- Milling blade carbide diameter 130 mm, thickness 9.0 mm, 6 teeth

### Features

- Parquet groove milling machine for reworking the V-groove that is no longer completely present after sanding solid wood floorboards
- Extra comfort due to guide wheel
- Easy to work with

Item no.	Scope of delivery
67323	Parquet groove milling machine Milling blade for profile grooves, adapter for vacuum cleaner only suitable for M30 vacuum cleaner!, safety goggles, hearing protection, tool kit, dust bag, transport systainer, operating manual

Item no.	Accessories
63011	Milling blade for profile grooves



# PIRANHA DOOR FRAME SAW

## VARIOUS APPLICATIONS DUE TO PRECISE ADJUSTMENT OPTIONS

For exact cutting to length of cases and door leaves and for cutting edge distances on parquet and laminate after installation.



### Technical specifications

- Voltage: 230 V
- Power: 1,200 W
- Speed: 11.500 rpm

### Features

- Simple continuously variable height and depth adjustment: Height 7 - 25 mm, depth 0 - 50 mm
- Carbide saw blade for long service life
- 6000 rpm
- 1200 W

Item no.	Scope of delivery
16927	Piranha door frame saw Carbide blade diameter 160 mm with 54 teeth, transport systainer
20821	Piranha door frame saw 115V UK
39452	Piranha door frame saw 115V US

Item no.	Accessories
17227	Carbide saw blade



# BASIC TOOLS

Knives, Blades and Scissors. ....	180
Rulers and Templates. ....	184
Other working tools. ....	187
Work safety. ....	190





# PREMIUM KNIFE

Blade change without screwdriver. With plastic quiver. Without blades.  
Delivery from 20 pcs. in a representative counter display.

- With fixing magnets for convenient blade change
- PREMIUM quality blades
- Specially hardened blade holder

**Item no. Product**

48221 Premium knife

# DOUBLE KNIFE SHEATH

made of leather, for particularly high safety and wearing comfort Blade not supplied.

**Item no. Product**

15591 Double knife sheath for WOLFF knives #48221

# UNIVERSAL FLOOR LAYING KNIFE

- Universal knife made of aluminium for cutting carpeting, vinyl linings, bitumen sheeting, insulation materials, etc.
- Quick blade change thanks to tried and tested locking system
- Internal blade compartment
- Safe storage in the supplied plastic case

**Item no. Product**

12299 Universal floor laying knife

# SNAP-OFF KNIFE

Delivery from 20 pcs. in a representative counter display.

**Item no. Product**

55030 Snap-off knife

**Item no. Accessories**

89521 Snap-off blades

**Dimensions**

18 mm

**PU**

10 pieces

13420 Snap-off blades, in representative aluminium box.

18 mm

100 pieces

62727 Quivers





## BLADES

Tried and tested top quality at a reasonable price.

Item no.	Product	Dimensions	PU
89530	Trapezoidal blades	0.65 mm	10 pieces
13419	Trapezoidal blades	0.65 mm	100 pieces
89522	Hooked blade	0.65 mm	10 pieces
13421	Hooked blade	0.65 mm	100 pieces
89527	Super hooked blade	0.65 mm	10 pieces
13422	Super hooked blade	0.65 mm	100 pieces



## BLADES WITH TITANIUM COATING

Extremely high stability, durability and sharpness. Supplied in practical aluminium cans.

Item no.	Product	PU
21149	Straight blades with titanium coating	100 pieces
21150	Hook blade with titanium coating	100 pieces
21151	Super hooked blade with titanium coating	100 pieces



## HOOK/TRAPEZE COMBINATION BLADE

For cutting carpet, plastic flooring or linoleum.

- Excellent cutting results
- Safety and efficient work

Item no.	Product	PU
32713	Hook/trapeze combination blade, double-edged blades	100 pieces



## CONCAVE BLADE

Professional blade, especially suitable for the exact, even cutting of all common materials.

- Extremely sharp and stable

Item no.	Product	PU
32760	Concave blade	100 pieces
89523	Concave blade	10 pieces





## CARPET SHEARS

Forged from steel, with black lacquered eyes, finely polished blades and high screw.

Item no.	Product	Dimensions	PU
34512	Carpet shear	265 mm	1 piece
21536	Carpet shear	300 mm	1 piece



## UNIVERSAL AND CARPET SHEARS

Item no.	Product	Dimensions	
15659	Universal shears	25 cm	
15652	Carpet shears, serrated edge	22 cm	
34831	Carpet shears	26 cm	6 pieces



## NAPPING SHEARS

Item no.	Product	Dimensions
15653	Napping shears, cranked	14 cm
15658	Napping shears, cranked	18 cm



## SKIRTING BOARD SHEARS

Item no.	Product
15651	Skirting board shears with stop

Item no.	Accessories
60736	Spare pad
33196	Mitre-box stop 90 degrees
17471	Spare blade
71213	Bolt with nut and sleeve (set)



## MITRE-BOX SHEARS

Double-action, with stop, for wooden and plastic boards.

Item no.	Product
15648	Mitre-box shears

Item no.	Accessories
15649	Spare blade
15650	Spare pad





# MITRE-BOX SHEARS FOR DESIGN FLOORING

Double-action, with stop and replaceable blade.

Item no.	Product
55031	Mitre-box shears for design flooring

Item no.	Accessories	PU
56530	Blades	50 pieces
71910	Blade holder	





# HEIGHT SCRIBER

For skirting boards etc. with pencil.

**Item no. Product**

15555 Height scriber



# SKIRTING BOARD PUNCHING MACHINE

For punching out the mitres on rigid skirting boards from 6 to 10 cm high.

**Item no. Product**

15915 Skirting board punching machine

**Item no. Accessories**

84659 Spare blade

15916 Spring



# STEEL STRAIGHT EDGE

With anti-slip lining. Rubberised, no scratching of the lining.  
Guaranteed straightness deviations of max. 1.5 to 2.0 mm over 3 metres, width: 8 cm.


**Item no. Product****Dimensions**

13872 Steel straight edge with anti-slip coating 205 x 8 cm

13873 Steel straight edge with anti-slip coating 405 x 8 cm

48421 Steel straight edge cambered without anti-slip 205 x 8 cm

48422 Steel straight edge cambered without anti-slip 405 x 8 cm



# STEEL STRAIGHT EDGE WITH T-PIECE BRACKET

Curved steel straight edge, 80 mm wide, 0.5 mm thick, with hole for cross stop.

**Item no. Product****Dimensions**

48425 Steel straight edge with T-piece bracket 210 x 8 cm

48426 Steel straight edge with T-piece bracket 410 x 8 cm

48428 Steel straight edge with T-piece bracket 510 x 8 cm



# CROSS STOP FOR STEEL STRAIGHT EDGE

Galvanised stop bar, 40 mm wide.  
Suitable for 48421 & 48422

**Item no. Product****Dimensions**

87903 Cross stop for steel straight edge (T-piece)

60 x 4 cm





## STRAIGHT EDGE, CAMBERED AND STAINLESS

Made of strip steel, hardened and finely polished - Pointed on one side, length: 80 cm, thickness 0,5 mm.



Item no.	Product	Dimensions
87904	Straight edge, cambered and stainless	8 x 0,05 cm

## HEAD SEAM STRAIGHT EDGE

For cutting exact seams on velour carpets



Item no.	Product	Dimensions
15561	Head seam straight edge	80 x 7,5 cm

## DOOR THRESHOLD STRAIGHT EDGE

Infinitely adjustable from 60 to 120 cm. Stainless steel blade 8 cm wide and 0.5 mm thick.

Item no.	Product	Dimensions
87905	Door threshold straight edge stainless steel	Length 60 - 120 cm
87907	Door threshold straight edge, short, stainless steel Suitable for particularly narrow doors. Infinitely adjustable from 46 to 73 cm. Stainless steel blade 8 cm wide and 0.5 mm thick.	Length 46 - 73 cm



## STAIR BEVEL

For easy and fast determination and transfer of length measurements and angles.

Item no.	Product
15563	Stair bevel

Item no.	Accessories	Dimensions
87908	Spare stylus	600 mm
87909	Spare stylus	800 mm
87910	Spare stylus	1000 mm



## PROFILE GAUGE

For efficient and precise measuring of stair nosing profiles. Packed in a sturdy wooden box. Measuring range 740 to 1300 mm.

Item no.	Product
34587	Profile gauge





## CHAMFER AND MITRE TEMPLATES SET

Consisting of triangle template 30 x 15 cm, angle 90° and 45° as well as fillet mitre template 23.4 x 19.0 cm

Item no.	Product
----------	---------

74949	Chamfer and mitre templates set
-------	---------------------------------




## CARPENTER'S SQUARE

With brass fittings, mitre and division, shank length 250 mm.

Item no.	Product
----------	---------

34960	Carpenter's square
-------	--------------------



## JOINER'S SMITHY

Natural wood handle with brass fittings, maximum shank length 250 mm.

Item no.	Product
----------	---------

34837	Joiner's smithy
-------	-----------------





## PICA-DRY DEEP HOLE MARKER


Marker for hard-to-reach places. For all surfaces. With dust and moisture protection.

Item no.	Product	
84773	Pica-Dry deep hole marker	
Item no.	Accessories	PU
84775	Replacement nibs, green	10 pieces
84774	Replacement nibs, graphite	10 pieces
162756	Counter display, consisting of: 20 Pica-Dry markers with graphite nib, 10 spare graphite nib cases (contents per case: 10 graphite nibs), 8 info flyers in 4 languages (German, English, French, Dutch)	



## STEEL PINS, BLANK

Item no.	Product	Dimensions	PU
60425	Steel pins, blank	1.5 x 25 mm	1000 pieces
60426	Steel pins, blank	1.5 x 30 mm	1000 pieces
60427	Steel pins, blank	1.5 x 35 mm	1000 pieces



## CARTRIDGE GUN

- For silicone cartridges and tubular bags (400 ml)
- Robust full metal construction, hardened push rod
- Automatic readjustment
- With trailing stop
- Includes universal nozzle and attachment plate

Item no.	Product
84247	Cartridge gun



## RUBBER MALLET

Especially designed to install switchTec products!

Item no.	Product	Dimensions
15901	Rubber mallet, weight 600 g	Diameter 50 mm



## SOFT-FACE HAMMER

For hammering in diamond segments.

Item no.	Product	Dimensions
80208	Soft-face hammer, weight 400 g	Diameter 35 mm





## MALLET WITH INTERCHANGEABLE HANDLE

Universal, made of plastic, unbreakable.

### Item no. Product

176431 Mallet with interchangeable handle

177487 Mallet without interchangeable handle

178847 Magnetic handle for mallet



## HAMMER BAR

Made of solid, galvanised steel. The firing pin is equipped with a shock-absorbing nylon cover.

### Item no. Product

15832 Hammer bar

### Dimensions

42.5 cm

13840 Hammer bar

54.5 cm



## CHISEL

- Length-adjustable version for working in inaccessible places
- Quick work due to easy handling
- Hammer, chisel and crowbar in one tool

### Item no. Product


13626 Chisel

### Dimensions

Length 41 mm

13627 Chisel

Length adjustable,  
41 or 64 cm



## BROOM, HORSEHAIR MIXTURE

Fastened with screws.

### Item no. Product

15924 Broom, horsehair mixture

### Dimensions

50 cm

15925 Broom, horsehair mixture

60 cm

15926 Coir broom

60 cm

15927 Metal handle





## EXTENSION CABLE WOLFF 2.5<sup>2</sup>

Item no.	Product	Dimensions
41811	Extension cable WOLFF 2.5 <sup>2</sup>	25.0 m
47382	Extension cable WOLFF 2.5 <sup>2</sup>	12.5 m



## EXTENSION CABLE BLACK 1,5<sup>2</sup>

Item no.	Product	Dimensions
36690	Extension cable black 1.5 <sup>2</sup> , 230 V	10 m



## EXTENSION CABLE 400 V

Item no.	Product	Dimensions
15960	Extension cable 400 V, 16 A	25 m



## EXTERNAL STARTING CURRENT LIMITER

Provides only a low voltage to the connected machine at the moment of switch-on. This makes this unit the ideal problem solver and time saver for all work in weakly secured properties.

Item no.	Product
13639	External starting current limiter
15901	Starting current limiter with Swiss plug





# 200 PRO KNEE PROTECTORS


## KNEE PROTECTORS MADE OF DURABLE AND WATERPROOF MATERIAL

Breathable insole distributes pressure over knee and lower leg to prevent back pain. Inlays and velcro straps replaceable.



### Features

- Breathable insole distributes pressure over the knee and lower leg to prevent back pain
- Replaceable inlays and Velcro straps



Item no.	Product
81715	200 Pro knee protectors

Item no.	Accessories
81717	Extra inlays
81718	Extra Velcro straps



## KNEE PADS

For work trousers with knee pocket.

Item no.	Product
----------	---------

51560	Knee pads
-------	-----------



## SAFETY POLY KNEE PROTECTORS

Ergonomically pre-shaped knee bed for best cushioning properties and perfect wearing comfort. Certified according to DIN EN 14404, PPE type 1.

Item no.	Product
----------	---------

65398	Safety Poly knee protectors
-------	-----------------------------



## LEATHER KNEE PROTECTORS

Padded inside with felt insert.

Item no.	Product
----------	---------

15813	Leather knee protectors
-------	-------------------------



## MEDICAL KNEE PROTECTORS

Lightweight rubber knee protectors with Velcro fastening. Developed in cooperation with the German trade association and medical experts to prevent damage to the health of the knee joints.

Item no.	Product
----------	---------

89563	Medical knee protectors
-------	-------------------------

Item no.	Accessories
----------	-------------

17433	Velcro strap
-------	--------------



## HEARING PROTECTION

Item no.	Product
----------	---------

15315	Hearing protection
-------	--------------------



## PROTECTIVE GLOVES

Item no.	Product
----------	---------

15809	Protective gloves
-------	-------------------





# CLEANING AND CARE

Cleaning machines..... 194







# CLEANFOX

## CLEANING MACHINE FOR INTERMEDIATE AND FINAL CLEANING

Can be used with battery or power supply. Suitable for indoor and outdoor use.



### Technical specifications

- Voltage: 24 V
- Operating time: 1 hour (with 10 Ah battery)
- Cleaning width: 330 mm
- Suction width: 420 mm
- Area performance: up to 800 m<sup>2</sup>/h
- Weight: approx. 26.5 kg (with battery)
- Waste water capacity: 8 l




Item no.	Scope of delivery
83124	Cleanfox, 10 Ah battery capacity, 7.5 l clean water tank Cleanfox incl. battery, cylindrical brush medium (blue), battery charger
83125	Cleanfox, 20 Ah battery capacity, 7.5 l clean water tank Cleanfox incl. battery, cylindrical brush medium (blue), battery charger



## CYLINDRICAL BRUSH

### Item no. Product

83146	Soft cylindrical brush (grey - for parquet)
83145	Medium cylindrical brush (blue - for all insensitive floors)
83147	Hard cylindrical brush (black - for ceramic and stone floors)



## TYNEX BRUSH

### Item no. Product

83148	Tynex brush (green - for safety coverings)
-------	--



## MICROFIBRE BRUSH

### Item no. Product

84569	Microfibre brush (green - for all sensitive floors)
-------	---

## MICROFIBRE REPLACEMENT CLOTH

### Item no. Product

83929	Microfibre replacement cloth (for microfibre brush)
-------	---

## BATTERY CHARGER FOR CAR

### Item no. Product

83152	Battery charger for car
-------	-------------------------



## SPARE BATTERY

### Item no. Product

83150	Spare battery 10 Ah
83151	Spare battery 20 Ah

## POWER SUPPLY UNIT

### Item no. Product

83153	Power supply unit (connection to the mains instead of battery operation)
-------	--



## SUCTION LIP SET

### Item no. Product

Item no.	Product	PU
83933	Suction lip set PU white	2 pieces
83149	Suction lip set Para red	2 pieces





## TANGO SINGLE DISC SANDING MACHINE

Handy 1,000 W machine with a wide range of applications.

- Sanding and brushing of screeds and compounds
- For the fine sanding of parquet + cork
- Wet cleaning of carpets and polishing of floors
- Polishing out oiled and waxed floors

Item no.	Product
56366	Tango single disc sanding machine 1,000 W
	Scope of delivery: Tango sanding machine, without extraction and drive plate
	Technical specifications: 230 V, 1,000 W, 154 rpm, 41 kg, working width 375/400 mm



## CLEANING TANK

Item no.	Product
59831	Cleaning tank





## SHAMPOOING BRUSH

With soft brushes for cleaning carpet coverings.

Item no.	Product
----------	---------

13506	Shampooing brush
-------	------------------



## PERLON BRUSH

With hard brushes for the initial cleaning of hard coverings (linoleum, vinyl, stone, ceramics)

Item no.	Product
----------	---------

13507	Perlon brush
-------	--------------



## PLATE FOR NATURAL STONE

For cleaning natural stone floors.

Not for use with the Mambo single disc sanding machine!

Item no.	Product
----------	---------

33209	Plate for natural stone
-------	-------------------------



## SCRUBBING BRUSH

For maintenance cleaning of hard coverings with coarse soiling and incrustations

Item no.	Product
----------	---------

13508	Scrubbing brush
-------	-----------------



## COIR POLISHING BRUSH

For brushing and polishing hard coverings (linoleum, vinyl, stone, ceramics)

Item no.	Product
----------	---------

13505	Coir polishing brush
-------	----------------------





# SERVICE

Contact. ....	200
Zentek. ....	201







# CONTACT PARTNERS WORLDWIDE

WOLFF HEAD OF INTERNATIONAL BUSINESS



**Thilo Wolff**

74360 Ilsfeld  
M +49 151 29262961  
thilo.wolff@uzin-utz.com



CONTACT  
WORLDWIDE





# DISPOSAL OF PACKAGING

## WE TAKE CARE OF THE DISPOSAL FOR YOU OF OUR PACKAGING - TAKE ADVANTAGE OF THIS BENEFIT

Uzin Utz SE, as a manufacturer and distributor of construction chemicals products, is obliged in Germany to take back its packaging free of charge in accordance with the German Packaging Act (VerpackG).

### **This means for you as a customer:**

You can conveniently dispose of empty packaging and save time and money. Uzin Utz SE works together with the Zentek disposal system, which recycles the packaging. This saves valuable raw materials and reduces CO<sup>2</sup> emissions.

### **How to register:**

You can easily contact us via the Zentek hotline 0800 999 555 8 or by e-mail to [tvpbeauftragung@zentek.de](mailto:tvpbeauftragung@zentek.de). simply get in touch. You will then receive all the important information and a survey form sent to you. Zentek will then ensure that your collection can be planned and carried out in the best possible way. You will then be put in touch with the waste disposal company.

### **The right containers and bins:**

Your waste disposal company will provide you with the right interchangeable or transfer containers and collection bags for your business. The container rental and the purchase price of collection bags will be settled directly with you by the responsible waste disposal company. If you want to use your own collection bags, this is possible after consultation with your disposal company. The bags must have a volume of 200 l or 1 m<sup>3</sup> and be clearly labeled. The use of your own containers must also be coordinated with the waste disposal company in advance. Small packaging can also be collected in bulk without a container.

### **Professional collection:**

Interchangeable containers and emptying containers are collected or emptied on call or regularly by arrangement.

## IMPORTANT NOTES ON THE COLLECTION:

- The packaging produced must be sorted and collected in separate containers for disposal. The packaging materials must be completely dry, clean, unpressed and emptied, free of crumbs and not sealed
- Open containers and collection bags should be protected from the weather
- All containers should be at ground level and freely accessible for the disposal vehicles



# INDEX

## THE COMPLETE RANGE NUMERICALLY

1	10287	Piranha 18V baretool	132	12693	Cleaning pads for high-gloss polishing, white	67
	10289	Piranha 18V in set	132	12845	Screed joint cutter EF 135 18V baretool	124
	10290	Piranha 18V UK	132	12848	Screed joint cutter EF 135 115V US	124
	10294	Piranha 18V US	132	12849	Screed joint cutter EF 135 18V in set	124
	10318	Strip cutter LS65 18V baretool UK	128	12850	Screed joint cutter EF 135 230V UK	124
	10319	Strip cutter LS65 18V in set	128	12887	Spare skids, VE 2 pcs.	101
	10320	Strip cutter LS35 18V UK	128	13299	Drive plate	62
	10322	Strip cutter LS35 18V US	128	13300	Drive plate for pads	66
	10327	Junio Stripper 18V baretool	122	13305	Fräsmaster joint grooving machine	164
	10328	Junio Stripper 18V in set	122	13308	Speed welding nozzle	172, 173
	10329	Junio Stripper 18V UK	122	13314	T-Rex	76
	10334	Junio Stripper 18V US	122	13327	Drive plate	62
	10339	Strip cutter LS35 18V baretool	128	13328	Microcellular rubber pad, single	62
	10344	Strip cutter LS35 18V in set	128	13329	Sandpaper discs - grain size 24	63
	10346	Strip cutter LS65 18V UK	128	13330	Sandpaper discs - grain size 40	63
	10347	Strip cutter LS65 18V US	128	13335	Suction pipe	77
	10415	Cordless Mixer Power X 18V baretool	126	13336	Roller nozzle	77
	10440	Cordless Mixer Power X 18V in set	126	13337	Suction hose	77, 82
	10442	Cordless Mixer Power X 18V UK	126	13338	Hose connection	77, 82
	10443	Cordless Mixer Power X 18V US	126	13339	End fitting	77
	10622	Turbo EMC	18	13340	Connecting piece	77
	10623	Turbo EMC 230V / 60HZ US	18	13342	Premium ripper claw	42
	10807	Easycut	145	13344	Spare blade for textile	32
	10830	Hook snap-off blades	145	13345	Spare blade for linoleum, vinyl and rubber	32
	10930	Spare battery single, 18V 5Ah		13346	Spare blade for linoleum, vinyl and rubber	32
		123, 125, 127, 129, 131, 133, 135, 137		13349	Transport box	32
	10939	230V battery charger	123, 125, 127, 129, 131, 133, 135, 137	13350	Strip cutter for resilient coverings, for strips 0 - 8 cm (without bar)	150
	11770	115V battery charger US		13351	Strip cutter for resilient coverings, for strips 3 - 20 cm	150
		123, 125, 127, 129, 131, 133, 135, 137		13352	Strip cutter for resilient coverings, for strips 6 - 30 cm	150
	11772	230V battery charger UK		13353	Spare blades	150
		123, 125, 127, 129, 131, 133, 135, 137		13354	Conversion kit, for use with hook blades	150
	11829	Turbo EMC 115V / 50HZ UK	18	13356	Scriber needles	153
	12299	Universal floor laying knife	180	13357	Combination scriber	153
	12665	Sanding mesh - grain size 60	62	13358	Pointed blades	150, 153
	12666	Sanding mesh - grain size 80	62	13378	Interchangeable Spatula	102
	12667	Sanding mesh - grain size 100	62	13381	Interchangeable Spatula	102
	12668	Sanding mesh - grain size 120	62	13419	Trapezoidal blades	43, 181
	12669	Sanding mesh - grain size 150	62	13420	Snap-off blades, in representative aluminium box.	180
	12676	Cleaning pads for waxing and polishing, beige	67	13421	Ergo Cutter Pro spare blades (Hooked blade)	42, 150, 181
	12677	Cleaning pads for basic/maintenance cleaning, green	67	13422	Super hooked blade	181
	12678	Cleaning pads for abrasive cleaning of ceramic coverings, black	67	13424	Joint groover with guide lug, adjustable groove depth	154
	12679	Cleaning pads for high-gloss polishing, white	67	13426	Joint groover	154
	12680	Cleaning pads for waxing and polishing, beige	67	13427	Spare blade	154
	12691	Cleaning pads for basic/maintenance cleaning, green	67	13429	Trapezoidal blades	141
	12692	Cleaning pads for abrasive cleaning of ceramic coverings, black	67	13430	Standard stop	141
				13431	Stop for needle punch	141



13432	Stop for carpet	141	13536	Sandpaper discs - grain size 100	63
13445	Hose clamp	77	13537	Sandpaper discs - grain size 120	63
13449	Stop for edge cutting	141	13539	Corrugated wire brush	66
13450	Weld seam slide	155	13540	Grinding plate with 6 stones G 20	64
13451	Quarter moon blade - For trimming welding wire, top quality	155	13549	Sanding mesh - grain size 180	62
13452	Quarter moon blade - For trimming welding wire, angled	155	13593	Seam clamp	158
13453	Quarter moon blade - For trimming welding wire, bowed	155	13604	Stirrer type MK	94
13454	Spare blades	158, 159, 160	13605	Stirrer type KR - 90S	94
13455	Carpet cutter - red	160	13606	Stirrer type KR - 120S	94
13456	Carpet cutter - green	159	13611	Stirrer type MK	94
13457	Spare blades	159	13617	Spare blades for hand scraper, in box	43
13458	Carpet strip cutter	159	13619	Rubbing hammer	151
13459	Carbide grooving blade, elliptical, 12 teeth	165	13626	Chisel	188
13461	Carbide grooving blade, circular, 12 teeth	165	13627	Chisel	188
13465	Single nozzle	173	13628	Measuring wedge	116, 118
13466	Speed welding nozzles for PUR-finished floor coverings	173	13636	Spike roller, Length 31 mm	102
13467	"Mipolam" nozzle	174	13637	Spike roller, Length 31 mm	102
13468	Goose neck nozzle	174	13638	Spike roller, Length 31 mm	102
13469	Nozzle for touch-ups	173	13639	External starting current limiter	189
13471	Speed welding nozzle for resilient wall coverings	174	13658	Large area screed rake	101
13472	Wide slit nozzle, angled	174	13659	Spare steel blade	101
13473	Wide slit nozzle	174	13662	Carbide ampoules	117
13476	Round nozzle	170	13746	Smoothing trowel for screed layers	98
13486	Classic CCM instrument	117	13761	Adhesive spatula, notched A1	103
13490	Grindstone, G 20	64	13762	Spike roller, Length 11 mm	102
13493	Grinding stone K20 with handle	99	13803	Scriber	116, 118
13500	Microcellular rubber pad, single	62	13840	Hammer bar	188
13501	Drive plate	62	13841	Adhesive spatula, notched B1	103
13503	Vacuum plastic dust seal ring, complete	60	13842	Joint groover for rubber coverings (U-shape)	154
13505	Coir polishing brush	67, 197	13843	U-shaped spare blades	154
13506	Shampooing brush	66, 197	13862	Stair tool	156
13507	Perlon brush	66, 197	13872	Steel straight edge with anti-slip coating	184
13508	Scrubbing brush	67, 197	13873	Steel straight edge with anti-slip coating	184
13510	Carbide grinding disc - grain size 16	63	13876	Adhesive spatula, notched A2	103
13515	Carbide grinding disc - grain size 16	63	13877	Adhesive spatula, notched B1	103
13517	Carbide grinding disc - grain size 24	63	13878	Corrugated Links	75, 125
13518	Carbide grinding disc - grain size 24	63	13879	Spike roller, Length 11 mm	102
13526	Felt pad	62	13886	Adhesive spatula, notched A2	103
13527	Sandpaper discs - grain size 24	63	13922	Supporting blocks	119
13528	Sandpaper discs - grain size 40	63	13923	Test block	119
13529	Sandpaper discs - grain size 60	63	13926	Reaction adhesive	119
13530	Sandpaper discs - grain size 80	63	13932	Corrugated Links	75, 125
13532	Sandpaper discs - grain size 100	63	13947	Bar	150
13533	Sandpaper discs - grain size 120	63	13978	Spare blade for textile	22
13534	Sandpaper discs - grain size 60	63	13979	Spare blade	13, 22
13535	Sandpaper discs - grain size 80	63	13980	Spare blade for linoleum, vinyl and rubber	22
			13981	Spare blade for linoleum, vinyl and rubber	22



# INDEX

## THE COMPLETE RANGE NUMERICALLY

13982	Blades for multi-layer parquet	19, 21, 22	15648	Mitre-box shears	182
13983	Special U-shaped blade, top cutting edge	12, 22	15649	Spare blade	182
13998	Spare blade	33, 123	15650	Spare pad	182
14000	Spare blade	33, 123	15651	Skirting board shears with stop	182
14019	Set of balls	117	15652	Carpet shears, serrated edge	182
14020	Test ampoules	117	15653	Napping shears, cranked	182
14021	Spike roller, Length 21 mm	102	15658	Napping shears, cranked	182
14023	Multi grinding plate	64	15659	Universal shears	182
14038	Hose set with T-piece	60	15661	Electric strip cutter for lino and vinyl, LS 35 (35 cm cutting width)	148
14039	Suction ring with apron	60	15662	Saw blade Ø 105 mm, 2.4 mm wide, 30 teeth	129, 148
14043	Spring washer	62	15711	Fräsmaster joint grooving machine 115V UK	164
14044	Left-hand threaded screw	62	15714	Diamond grindstone	156
14248	Grinding plate with diamond grinding heads, spiral fanned	65	15718	Carbide grinding stone, G 24	99
14249	Diamond sanding head	65	15735	Brush cup plate	64
14261	Fine dust filter	76, 77	15736	Cup brush set, 6 pieces	64
14262	Suction nozzle, round	77	15737	Mounting set for cup brush set	64
14263	Add-on nozzle 70	77	15738	Flat wire brush	64
14264	Add-on nozzle brush set	77	15739	Spare support for drive plate	66
14265	Add-on nozzle rubber lip	77	15781	Double-headed clamp	158
14270	Spike roller, Length 11 mm	102	15797	Buffer	159
14271	Spike roller, Length 21 mm	102	15798	Gripper insert, fine	159
14272	Spike roller, Length 21 mm	102	15799	Base plate, coarse	159
14959	A/F 8 Allen key	62	15802	Claw tool	161
15315	Hearing protection	191	15807	Hole cutting drill	150
15353	Brush ring	60	15809	Protective gloves	191
15532	Special blade for Version 1 strippers	19, 21	15813	Leather knee protectors	191
15555	Height scriber	184	15829	Pouring spout	95
15561	Head seam straight edge	185	15832	Hammer bar	188
15563	Stair bevel	185	15834	Pressure roller for floor coverings (weight: 5.2 kg)	151
15566	Adhesive spatula, notched B2	103	15872	Sealing rings (3 small + 3 large rings)	117
15567	Adhesive spatula, notched B3	103	15873	Spring scale	117
15569	Adhesive spatula, notched A1	103	15874	CM pressure gauge	117
15570	Adhesive spatula, notched B2	103	15876	Digital CM pressure gauge	117
15571	Adhesive spatula, notched B3	103	15901	Rubber mallet, weight 600 g	187, 189
15591	Double knife sheath for WOLFF knives #48221	180	15915	Skirting board punching machine	184
15605	Lino edge cutter	150	15916	Spring	184
15610	Welding wire roller	172	15924	Broom, horsehair mixture	188
15611	Welding wire roller	172	15925	Broom, horsehair mixture	188
15620	Stair scriber	153	15926	Coir broom	188
15621	FasTrimmer	152	15927	Metal handle	188
15622	Conversion set stop	152	15930	BS 180 floor grinding machine	68
15623	FasTrimmer	152	15934	Carbide grinding disc - G 16	72
15624	Circular cutter	160	15935	Carbide grinding disc - G 24	72
15626	Professional circular cutter	157	15960	Extension cable 400 V, 16 A	189
15629	Extension rails up to 4.86 m radius	157	16148	Electric strip cutter for lino and vinyl, LS 65 (65 cm cutting width)	148
15631	Corner and wall radius adapter.	157			
15641	Mittag cutter	158			



16256	Digital scale	117	36690	Extension cable black 1.5 <sup>2</sup> , 230 V	189
16273	PressoMess shear strength measuring instrument	119	37299	Paper filter bags (for vacuums manufactured in 2004)	60
16876	Junio stripper	33	37860	Smoothing trowel for screed layers, pointed tapered	99
16927	Piranha door frame saw	177	37871	Smoothing trowel for screed layers, pointed tapered	99
17057	Stirrer type KR - 120S (thread-mounting M14)	94	38197	Carbide grinding disc - grain size 36	63
17227	Carbide saw blade	133, 177	38535	Additional weight 30 kg	19, 21
17433	Velcro strap	191	38622	Adhesive spatula, notched B11	103
17471	Spare blade	182	38764	Vario Silent Stripper	28
18372	Smashing bowl	117	38765	Replacement Blad	29, 30
19524	Wide slit nozzle	174	38766	Replacement Blad	29, 30
<b>2</b>	20819 Junio stripper 115V UK	33	38767	Replacement Blad	29, 30
	20821 Piranha door frame saw 115V UK	177	38768	Special U-shaped blade, top cutting edge	29
	21149 Straight blades with titanium coating	181	38932	Special U-shaped blade, bottom cutting edge	29
	21150 Hook blade with titanium coating	181	38933	Special U-shaped blade, bottom cutting edge	12
	21151 Super hooked blade with titanium coating	181	38991	Carpet pin	158
	21536 Carpet shear	182	39086	Turbo Stripper 115 US	20
	32713 Hook/trapeze combination blade, double-edged blades	181	39087	Turbo Stripper 115V UK	20
<b>3</b>	32760 Concave blade	181	39364	Mixer type KR - 140 (thread-mounting M14)	94
	33196 Mitre-box stop 90 degrees	182	39452	Piranha door frame saw 115V US	177
	33209 Plate for natural stone	67, 197	39923	Adhesive spatula, notched B11	103
	33291 Carbide grinding disc - grain size 12	63	<b>4</b>	40066 Starter set	76, 77
	33292 Carbide grinding disc - grain size 12	63		40262 Linocut	141
	33524 Cleaning pads for oiling, black	67		40607 Velcro disc, complete	64
	34298 Cleaning pads for sanding, red	67		40720 Multi-hole pad - grain size 36	66
	34300 Cleaning pads for sanding, red	67		40741 Multi-hole pad - grain size 40	66
	34508 Carpet cutter spare blades	160		40742 Multi-hole pad - grain size 60	66
	34512 Carpet shear	182		40743 Multi-hole pad - grain size 80	66
	34514 Spare blades	154		40744 Multi-hole pad - grain size 100	66
	34521 Impact scraper with blade	43		40745 Multi-hole pad - grain size 120	66
	34542 Carpet cutter spare blades	160		40746 Multi-hole pad - grain size 150	66
	34543 Floor scraper with blade	42		40747 Multi-hole pad - grain size 220	66
	34568 Smoothing trowel for screed layers	98		40748 Multi-hole pad - grain size 320	66
	34587 Profile gauge	185		40749 Multi-hole pad - grain size 400	66
	34615 Scriber	154		40775 Multi-hole pad - grain size 40	66
	34649 Spare blade floor scraper	42		40776 Multi-hole pad - grain size 60	66
	34650 Spare blade Impact scraper	43		40777 Multi-hole pad - grain size 80	66
	34674 Flat steel joint groover	154		40778 Multi-hole pad - grain size 320	66
	34683 Smoothing trowel for screed layers, pointed tapered	99		40982 Brush ring, high. To work with Mambo sanding machine	64
	34830 Carpet seam roller	161		41043 Velcro pad	64
	34831 Carpet shears	182		41213 Speed welding nozzles for PUR-finished floor coverings	173
	34833 Metal carpet cutter	160		41784 Ergostar spatula	102
	34834 Metal carpet cutter	160		41787 Ergostar spatula	102
	34837 Joiner's smithy	186		41811 Extension cable WOLFF 2.5 <sup>2</sup>	189
	34846 Floor covering scribe and cutter	153		42453 Vario Silent Stripper 115V UK	28
	34960 Carpenter's square	186		42796 Dust collection pad	64
	35082 Vacuum with basket	60		43778 Turbo Stripper	20
	36275 Carbide grooving blade, elliptical, 12 teeth	165		47049 PUR welding nozzle	173



# INDEX

## THE COMPLETE RANGE NUMERICALLY

47382	Extension cable WOLFF 2.5 <sup>2</sup>	189	57419	Top edge scriber for resilient floor coverings	156
47414	C-Cut carpet strip cutter	159	59831	Cleaning tank	61, 196
48221	Premium knife	180	59856	Spare screw set	155
48401	Serrated blade	29	<b>6</b> 60078	Safety sheath	155
48402	Serrated blade	32	60425	Steel pins, blank	187
48421	Steel straight edge cambered without anti-slip	184	60426	Steel pins, blank	187
48422	Steel straight edge cambered without anti-slip	184	60427	Steel pins, blank	187
48425	Steel straight edge with T-piece bracket	184	60505	Cork rubbing board	152
48426	Steel straight edge with T-piece bracket	184	60676	Counter stop for Linocut	141
48428	Steel straight edge with T-piece bracket	184	60736	Spare pad	182
49875	Mozart trimming knife	155	60865	Combination milling and welding set 115V US	167
49876	Spare blades	155	60890	WOLFF Wallmaster	161
<b>5</b> 50080	Junio stripper 115V US	33	61201	Felt cover for glide	151
50159	Fräsmaster joint grooving machine 115V US	164	61394	WOLFF Wallmaster straight edge	161
50202	Vario Silent Stripper 115V US	28	61804	Mambo Evo sanding machine	48
50286	Roller nozzle brush set	77, 82	62183	Mozart Speed Trimmer	155
50772	Spacer fork	155	62227	Chassis	17, 19, 21
50820	Sandpaper discs - grain size 16	63	62551	Mambo Evo sanding machine 115V UK	48
50849	Carbide grinding disc - grain size 14	63	62694	Glide with removable felt cover incl. handle	151
50850	Carbide grinding disc - grain size 14	63	62727	Quivers	180
51152	Absolute filter (HEPA)	77	63011	Milling blade for profile grooves	176
51243	Sandpaper discs - grain size 16	63	63047	Samba sanding machine 115V US	57
51270	Spacer fork	155	63752	Parquet deflector	19, 21
51316	Smoothing trowel for screed layers	98	63754	Parquet stripper set	19, 21
51318	Large area rake	101	63998	Greencut	142
51505	Hand scraper, incl. 5 blades	43	64069	Spacer plate	142
51509	Adjustable knee brace	159	64108	Insert	142
51549	Nail shoes 1 pair	102	64109	Insert	142
51560	Knee pads	191	64110	Insert	142
52298	Leveling compound rake including R2 adhesive notch	101, 102	65080	Cleaning pads for abrasive cleaning of resilient coverings, brown	67
54690	Seam roller	157	65218	Samba sanding machine 115V UK	57
55030	Snap-off knife	180	65398	Safety Poly knee protectors	191
55031	Mitre-box shears for design flooring	183	65480	75 l stirring station complete	96
55498	Welding head	166	65481	75 l stirring station base frame	97
56092	Fräs junior joint grooving machine	165	65491	75 l stirring station mounting	97
56203	Smoothing trowel	98, 102	65492	75 l stirring station stirrer	94, 97
56204	Swiss trowel	98	65493	75 l stirring station mixing bucket	97
56205	Adhesive trowel with side insert	98	65494	75 l stirring station hose mounting	97
56357	Combination milling and welding set	167	65495	Adhesive nut spatula incl. handle	99
56364	Samba sanding machine	57	65496	Adhesive nut spatula replacement	99
56365	Flamenco sanding machine	58	65497	Telescopic handle universal	99, 100, 102
56366	Tango sanding machine	59, 196	65499	Adapter for telescopic handle universal	102
56401	Pressure roller 30 kg with carrying handle, handle with grip	147	65500	Professional hand scraper	43
56402	Pressure roller 50 kg with carrying handle, handle with grip	147	65501	Levelling compound rake incl. handle	100
56403	Pressure roller 68 kg with carrying handle, handle with grip	147	65502	Smoothing compound rake replacement	100
56404	Chassis for pressure rollers	147	65503	Smoothing compound rake incl. handle	100
56530	Blades	183			



65504	Large area rake replacement	100	73775	Tube for climate sensor	113
65505	Replacement pins for large area rake, 1 pair	100	74177	Vacuum metal dust seal ring, complete	60
65656	Solid board notched trowel	103	74554	Carbide ampoules	117
65659	Nap channel cutter	157	74650	Floor grinding machine NEO 230	47
65660	Carpet awl	157	74843	Design Collection	146
65755	Slotted blades	157	74845	Leister Triac ST	172
65846	Transportation caddy 30 l incl. mixing bucket	95, 102	74847	Leister Triac ST set	172
65847	30 l mixing bucket	95	74895	Floor grinding machine NEO 230 115V UK	47
65848	Transportation caddy base frame	95	74949	Chamfer and mitre templates set	186
65853	Pressure and staircase tool with roller	156	75007	Spare blade	13
65962	Smoothing trowel for screed layers	98	75010	Special U-shaped blade, top cutting edge (for hard surfaces)	12
67323	Parquet groove milling machine	176	75011	Special U-shaped blade, bottom cutting edge (for soft surfaces)	12
67983	Handle holder with articulated joint	99, 100	75382	Floor grinding machine NEO 230 115V US	47
68353	Extension	94, 127	76970	Floor grinding machine NEO 400	46
68392	Ninja complete without segments	56	77741	Chamfer king	152
68602	DIA cutting blade (Standard)	75, 125	78742	Brush for dust seal ring with manifold	60
68679	EF 135 screed joint cutter	74	79320	Subfloor test case	116
68866	Ninja complete with PCD scraper segments	56	79634	Spare blade	17
68867	Ninja complete with PCD split segments	56	79636	Parquet cutter 350 x 120 x 3,0 mm	12, 19, 21, 22
68868	Ninja complete with BT G20 segments	56	79637	Special blade	22
68869	Ninja complete with ES G20 segments	56	79638	Special blade for strongly bonded coverings	22
68952	Mambo Evo sanding machine 115V US	48	79639	Spare blade, serrated	12, 22
69864	Railcut	143	<b>8</b> 80071	T-Rex 115V UK	76
69877	Railcut extension rail	143	80078	Phoenix 1600	171
<b>7</b> 70754	Multi-hole pad - grain size 100	66	80081	Phoenix 1600 115V UK	171
71053	V1-D4 Professional moisture measuring instrument	112	80208	Soft-face hammer, weight 400 g	187
71054	Hydrometer GM-200	115, 116	80307	Phoenix heating element 1600 W, 115 V	171
71130	Carpet needle	158	80355	Phoenix heating element 1600 W, 230 V	171
71213	Bolt with nut and sleeve (set)	182	80359	Special blade for parquet and floor covering removal with screwed-on blade holder (in set)	17
71910	Blade holder	183	80578	Spare blades	152, 157, 160
71991	Leister Triac AT without single nozzle	173	80582	BS 125 floor grinding machine	69
72225	Additional weight, complete	46	80614	Phoenix 1600 set	168
72315	Heating element 1,550 W for Triac ST	172, 173	80620	Special U-shaped blade, top cutting edge	12
72462	Dust seal ring with manifold	60	80622	Special U-shaped blade, bottom cutting edge	12
72661	WO 330 design cutter	163	80718	Cleaning pads for PU-coated coverings, grey	67
72663	WO 630 design cutter	162	80753	Spare brush set for BS 125 floor grinding machine	72
72752	Spare blade for WO 330	163	80765	Floor grinding machine NEO 400 115V US	46
72776	Spare blade for WO 630	162	80793	Spare blade Chamfer king	152
72916	30 l pre-separator	89	81148	Vacuclean 2	78
73385	Hose set for dust seal ring	60	81149	Vacuclean 2 LP	80
73389	Parquet set blade holder	19, 21	81205	Blade serrated	13, 22
73618	Brush electrode set BE-03	113	81340	EF 135 screed joint cutter 115V UK	74
73619	Flat electrode set FE-04	113	81613	PTFE Filter	83
73709	Duo pressure roller	151	81618	Floor nozzle	82
73772	Drive-in electrode PP-05	113			
73773	Climate sensor CS-06 with cable	113			
73774	Set for resistance measurement test	113			



# INDEX

## THE COMPLETE RANGE NUMERICALLY

81620	Suction pipe	82	85642	Duro Stripper 2.0 115V US	32
81626	Reducing piece	82	85950	Wall bevel and floor covering scriber - adjustment range 200 mm	153
81627	Conical nozzle	83	87733	Special grease	17, 19, 21
81628	Cable tie	83, 87	87831	Hole cutting drill	150
81629	Dust bag, endless, for Vacuclean 2 LP	83, 87	87877	Rapid spatula, stainless steel	104
81706	Vacuclean 2 LP 115V US	80	87878	Rapid spatula, stainless steel	104
81715	200 Pro knee protectors	190	87884	Floor spatula	104
81717	Extra inlays	190	87889	Height levelling spatula, stainless steel	103
81718	Extra Velcro straps	190	87903	Cross stop for steel straight edge (T-piece)	184
81990	Connecting piece	82	87904	Straight edge, cambered and stainless	185
82215	50 l pre-separator, anti-static	88	87905	Door threshold straight edge stainless steel	185
82452	Vacuclean 2 HEPA	78	87907	Door threshold straight edge, short, stainless steel	185
82453	Vacuclean 2 LP HEPA	80	87908	Spare stylus	185
82643	Leister Triac AT set	172	87909	Spare stylus	185
82650	BS 180 brush set	72	87910	Spare stylus	185
82890	Phoenix 1600 115V UK	168	87911	Wall bevel and floor covering scriber - adjustment range 385 mm	153
83115	Thermohygrometer LVT 15 IR	114, 116	87913	Scriber pin	154
83124	Cleanfox, 10 Ah battery capacity, 7.5 l clean water tank	194	87915	Spare blades	154
83125	Cleanfox, 20 Ah battery capacity, 7.5 l clean water tank	194	87946	One Mix stirring rod	95
83178	Flat nozzle	82	87947	OneMix stirring attachments	95
83248	110 l mixing bucket	94	87948	Roller bracket attachment for telescopic handle	100
83574	Vacuclean 2 115V UK	78	87949	Handle holder (adapter) for all rakes (without articulated joint)	101
83665	Climate sensor CS-10 with cable	113	88292	BiTurbo Stripper 230V / 50HZ CH	16
83727	Vacuclean 2 LP 115V UK	80	88300	Ergo Cutter Pro	42
83734	Rubbing tool	151	88320	Spike roller, Length 100 mm (without splash protection cap)	102
83833	Guillotine	83	88329	Spare blades	153
83924	Power X 1000 mixer	93	88367	Screw set for hand scraper	43
83950	Metal wheel retrofit kit	61	88530	BiTurbo Stripper 230V AUS	16
84094	Ripper	95	88634	Blade case for Robo, BiTurbo and Turbo	26
84169	Power X 1600 mixer	92	88635	Blade case for Vario stripper	27
84247	Cartridge gun	187	88755	BiTurbo Stripper 230V / 50HZ DK	16
84546	Alu Business Pro CCM instrument	118	88784	BiTurbo Stripper 115V / 50-60HZ UK	16
84659	Spare blade	184	89000	Fräsmaster 18V in set	130
84681	Hepa Filter	83	89253	BiTurbo Stripper 230V / 60HZ US	16
84759	Transport case	75	89520	Spare blades for hand scraper, in hanging packaging with Euro perforation	43
84773	Pica-Dry deep hole marker	187	89521	Snap-off blades	145, 180
84774	Replacement nibs, graphite	187	89522	Ergo Cutter Pro spare blades	42, 142, 181
84775	Replacement nibs, green	187	89523	Concave blade	181
84888	Duro Stripper 2.0	32	89527	Super hooked blade	142, 181
84918	Roller transport trolley	156	89530	Straight blades	142, 143, 181
84919	PS 230 Parquet and joint saw	40	89563	Medical knee protectors	191
85000	BiTurbo Stripper	16	89623	Carbide cutting blade ellip. (Standard)	131
85147	Carbide saw blade (Standard)	41			
85148	PCD saw blade (for wood)	41			
85149	DIA saw blade 230 mm (for soft substrate)	41			
85541	DIA saw blade (for hard substrate-concrete)	41			
85641	Duro Stripper 2.0 115V UK	32			



89625	Carbide milling blade, circular	131	166397	Tooth ridge, tooth. R1, 56cm	101
89658	PCD grooving blade, 12 teeth	131, 165	166398	Tooth ridge, tooth. R2, 56cm	101
89660	Fräsmaster 18V baretool	130	166399	Tooth ridge, tooth. R3, 56cm	101
89663	Fräsmaster 18V 230V UK	130	168069	Paper sacks 120 l 25 pieces	39
89664	Fräsmaster 18V 115V US	130	168070	Pre-seperator LP	86
<b>15</b>	159513 Angle grinder WS 125 18V baretool	134	169208	RamHammer	36
	159520 Angle grinder WS 125 18V in set	134	169272	Pre-separator 30l insert from 2022	89
	159521 Angle grinder WS 125 18V 230V UK	134	169273	50 l pre-separator insert	88
	159522 Angle grinder WS 125 18V 115V US	134	169398	Basic grinding Plate for diamond segments	53
<b>16</b>	160344 Ripper claw	42	169543	Grinding Plate with diamond grinding heads, spiral green	65
	161456 Hose filter	82	169547	Diamond grinding head green	65
	162756 Counter display	187	169752	Spade Chisel 75x450mm RamHammer	37
	162780 Dust extractor M30	84	<b>17</b>	170000 RamHammer Trolley	37
	162781 Height levelling template set	103		171083 Blade holder 350 Independence	13
	162800 Extraction hood	39		171262 Set blade angle adjustment	29
	162871 Milling drum	39		171766 Spatula set 30L	102
	163014 Flat-fold filter	85		171792 Connecting cable remote control	14
	163019 Fleece filter bags	85		172544 Transport chassis Independence	12
	163020 Disposal bag	85		172588 Battery Li-Io 5kW-100Ah Independence	12
	163023 Hose filter	85		172770 Independence USA 2 Batteries	10
	163080 Calibration set for V1D4	118		172781 Blade holder 250 Independence	13
	163083 Calibration set for Climate sensor CS-06	118		172785 Underride protection right Turbo2	19, 21
	163177 Parquet grooving machine 18V in set	136		172789 Underride protection left Turbo2	19, 21
	163178 Parquet grooving machine 18V baretool	136		173038 Hammer chisel 115 Independence	13
	163179 Phoenix 3400	170		173056 Hammer chisel 75 Independence	13
	163230 HM-Fräsblatt gelocht	137		173066 Blade holder 450 Independence	13
	163252 Round blade	144		173210 HM chisel 69 Independence	13
	163277 LVT Stripcut	144		173211 HM chisel 115 Independence	13
	163280 Blade guard	144		173326 Additional weight, 11 kg	60
	163281 ES-5C 20	51		173450 Cold steel U-shaped blade, bottom cutting edge	13
	163282 ES-5C 40	51		173451 Cold steel U-shaped blade, top cutting edge	13
	163283 ES-5C 60	51		173452 Cold steel U-shaped blade, top cutting edge	13
	163284 BT-5C 20	51		173463 Cold steel U-shaped blade, top cutting edge	13
	163285 BT-5C 40	51		173464 Cold steel U-shaped blade, bottom cutting edge	13
	163286 BT-5C 60	51		173465 Cold steel U-shaped blade, bottom cutting edge	13
	163316 Two-hand switch 12A	39		173483 Blade holder 840 Independence	13
	163317 Weldmaster 2.0 automatic welding machine	166		173490 Spare blade	13
	163361 Parquet milling machine PM200	38		173491 Spare blade	13
	163794 PCD scraper starter set	55		173720 Additional weight Independence 12,5 kg each	12
	163795 PCD scraper starter set	55		173752 Independence EU 2 Batteries	10
	163964 Heating element, 3,400 W	166, 170		174532 Spare blade	12
	164252 Indexable insert set (including screws)	39		174540 Spare blade	12
	164275 Turbo EMC 230V / 50HZ AUS	18		174553 Spare blade	12
	164561 Turbo EMC 230V / 50HZ DK	18		174735 Drive-On Ramp Independence	14
	164716 Parquet grooving machine 18V 230V UK	136		175400 Groover	140
	166154 Turbo EMC 230V / 50HZ CH	18		175420 Half-shell set Bosch RamHammer	37
	166208 Transport chassis	39		175769 Extension Tool Independence	14



# INDEX

## THE COMPLETE RANGE NUMERICALLY

176431 Mallet with interchangeable handle .....	188
176568 hand grease gun .....	17, 19, 21
177487 Mallet without interchangeable handle .....	188
177763 Hobel Set Groover .....	140
177973 LUPO Stripper EU .....	30
177979 Maverick (EU) .....	11
178422 RamHammer Trolley for DeWalt D25960K .....	37
178425 RamHammer Trolley for Makita HM1317C .....	37
178426 Half-shell set Makita HM1317C RamHammer .....	37
178427 Half-shell set DeWalt D25960K RamHammer .....	37
178847 Magnetic handle for mallet .....	188
178986 Additional weight NEO 230 10kg .....	47
179133 Carrying aid .....	17
<b>18</b> 180402 Spare blade 140x130x6 mm RamHammer .....	37
180404 Knife holder forged single RamHammer .....	37
181180 Cork rubbing board with felt cover .....	152
181292 Knife holder set RamHammer .....	37
185062 Mechanical CM pressure gauge with cover damping .....	117
185362 WOLFF mixometer® .....	90
185859 Blade case for Lupo .....	27
186384 Wolff KRL Box Basic Set .....	110
186385 Wolff KRL Box Premium Set .....	110
186386 WOLFF KRL Box Replacement Sensor incl. Pliers .....	110
186387 WOLFF KRL Box Sensor Testing Equipment .....	110









**UZIN UTZ**<sup>®</sup>  
YOUR FLOOR. OUR PASSION.



# THE ART OF FLOOR SYSTEMS

## STRONG BRANDS FOR A STRONG TRADE.



**UZIN**

Installation systems for screeds, flooring and wood flooring.



**WOLFF**

Machinery and special tools for subfloor preparation and installation of floor coverings.



**PALLMANN**

Complete product range for the installation, renovation and maintenance of wood flooring.



**arturo**

Resin and cementitious floor finishes combining performance and design.



**codeX**

Installation systems for tiles and natural stone.



**Pajarito**

High-quality painting, plastering and drywalling tools.



**WOLFF®**

GOING BEYOND YOUR LIMITS.

**YOU CAN FIND MORE ABOUT WOLFF HERE!**

**FOLLOW US**



**SCAN, LIKE, FOLLOW AND PROFIT!**



**Uzin Utz Tools GmbH & Co.KG**

Ungerhalde 1  
74360 Ilsfeld  
Germany

T +49 7062 91556-0  
tools@uzin-utz.com  
int.wolff-tools.com

02.2025/02.2025/10.000/ms